

Αριθμός 131

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ ΤΟΥ 2002

Γνωστοποίηση βάσει του Άρθρου 5(γ) του Νόμου 156(Ι)/2002

Με το παρόν γνωστοποιείται ότι με βάση το Άρθρο 5(γ) του Νόμου 156(Ι) του 2002 που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

STANDARDS FROM EUROPEAN COMMITTEE FOR STANDARDIZATION (CEN)

01	GENERALITIES. TERMINOLOGY. STANDARDIZATION. DOCUMENTATION
-----------	--

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 18369-1:2006-iss1 (Including A1:2009)	Ophthalmic optics - Contact lenses - Part 1: Vocabulary classification system and recommendations for labeling specifications	01.040.11	S/S CYS EN ISO 18369-1:2006=W/D
CYS EN 415-1:2000 +A1:2009	Packaging machines safety - Part 1: Terminology and classification of packaging machines and associated equipment	01.040.55	S/S CYS EN 415-1:2000=W/D

03	SERVICES. COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY
-----------	---

CYSEN Document:	Title	ICS1	Withdrawn
CYS CEN/TS 15722:2009	Road transport and traffic telematics - ESafety - ECall minimum set of data (MSD)	03.220.20	

07	MATHEMATICS. NATURAL SCIENCES
-----------	--------------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYS CEN ISO/TS 11133-1:2009	Microbiology of food and animal feeding stuffs - Guidelines on preparation and production of culture media - Part 1: General guidelines on quality assurance for the preparation of culture media in the laboratory	07.100.30	S/S CYS EN ISO 11133-1:2000=W/D
CYS EN ISO 15927-2:2009	Hygrothermal performance of buildings - Calculation and presentation of climatic data - Part 2: Hourly data for design cooling load	07.060	

11	HEALTH CARE TECHNOLOGY
-----------	-------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 21531:2009	Dentistry - Graphical symbols for dental instruments	11.060.01	

13	ENVIRONMENT. HEALTH PROTECTION. SAFETY
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 15333-2:2009	Respiratory equipment - Open-circuit umbilical supplied compressed gas diving apparatus - Part 2: Free flow apparatus	13.340.30	
CYS EN 614-1:2006 +A1:2009	Safety of machinery - Ergonomic design principles - Part 1: Terminology and general principles	13.110	S/S CYS EN 614-1:2006=W/D
CYS EN ISO 15008:2009	Road vehicles - Ergonomic aspects of transport information and control systems - Specifications and test procedures for in-vehicle visual presentation	13.180	S/S CYS EN ISO 15008:2003-iss1=W/D
CYS EN 1366-3:2009	Fire resistance tests for service installations - Part 3: Penetration seals	13.220.50	S/S CYS EN 1366-3:2004=W/D
CYS EN ISO 22032:2009	Water quality - Determination of selected polybrominated diphenyl ethers in sediment and sewage sludge - Method using extraction and gas chromatography/mass spectrometry	13.060.50	
CYS EN 4649:2009	Aerospace series - Handheld fire extinguishers with synthesis gases, for aircraft use - Technical specification and qualification conditions	13.220.10	

17	METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA
----	---

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 10846-5:2009	Acoustics and vibration - Laboratory measurement of vibro-acoustic transfer properties of resilient elements - Part 5: Driving point method for determination of the low-frequency transfer stiffness of resilient supports for translatory motion	17.140.01	

23	FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13445-4:2002/A5:2009	Unfired pressure vessels - Part 4: Fabrication	23.020.30	
CYS EN 448:2009	District heating pipes - Preinsulated bonded pipe systems for directly buried hot water networks - Fitting assemblies of steel service pipes, polyurethane thermal insulation and outer casing of polyethylene	23.040.40	S/S CYS EN 448:2003=W/D

25	MANUFACTURING ENGINEERING
----	---------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 692:2005 +A1:2009	Machine tools - Mechanical presses - Safety	25.120.10	S/S CYS EN 692:2005=W/D

CYS EN 693:2001 +A1:2009	Machine tools - Safety - Hydraulic presses	25.120.10	S/S CYS EN 693:2001 =W/D
CYS EN 12417:2001 +A2:2009	Machine tools - Safety - Machining centres	25.040.10	S/S CYS EN 12417:2001- iss1=W/D
CYS EN 12717:2001 +A1:2009	Safety of machine tools - Drilling machines	25.080.40	S/S CYS EN 12717:2001 =W/D
CYS EN 12957:2001 +A1:2009	Machine tools - Safety - Electro discharge machines	25.120.40	S/S CYS EN 12957:2001 =W/D
CYS EN 13736:2003 +A1:2009	Safety of machine tools - Pneumatic presses	25.120.10	S/S CYS EN 13736:2003 =W/D
CYS EN 13898:2003 +A1:2009	Machine tools - Safety - Sawing machines for cold metal	25.080.60	S/S CYS EN 13898:2003 =W/D
CYS EN 13985:2003 +A1:2009	Machine tools - Safety - Guillotine shears	25.120.10	S/S CYS EN 13985:2003 =W/D
CYS EN 14070:2003 +A1:2009	Safety of machine tools - Transfer and special-purpose machines	25.080.01	S/S CYS EN 14070:2004 =W/D

27	ENERGY AND HEAT TRANSFER ENGINEERING
-----------	---

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 11102-2:2009	Reciprocating internal combustion engines - Handle starting equipment - Part 2: Method of testing the angle of disengagement	27.020	S/S CYS EN ISO 11102- 2:1997=W/D

33	TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING
-----------	--

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 14982:2009	Agricultural and forestry machinery – Electromagnetic compatibility - Test methods and acceptance criteria	33.100.01	S/S CYS EN ISO 14982:1998 =W/D

43	ROAD VEHICLES ENGINEERING
-----------	----------------------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 8936:2009	Awnings for leisure accommodation vehicles – Requirements and test methods	43.100	
CYS CEN/TS 15436-3:2009	Road service area maintenance equipment - Part 3:Classification	43.160	

45	RAILWAY ENGINEERING
----	---------------------

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 15595:2009	Railway applications - Braking - Wheel slide protection	45.060.01	

49	AIRCRAFT AND SPACE VEHICLE ENGINEERING
----	--

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 2115:2009	Aerospace series - Aluminium alloy 2117-T42 - Wire for solid rivets - $D \leq 10$ mm	49.025.20	
CYS EN 2116:2009	Aerospace series - Aluminium alloy 2017A-T42 - Wire for solid rivets - $D \leq 10$ mm	49.025.20	
CYS EN 2117:2009	Aerospace series - Aluminium alloy AL-P5056A (5056A)-H32 - Wire for solid rivets - $D \leq 10$ mm	49.025.20	
CYS EN 2439:2009	Aerospace series - Steel FE-PL2102 (34NiCr6) - $900 \text{ MPa} \leq R_m \leq 1\,100 \text{ MPa}$ - Forgings - $De \leq 40$ mm	49.025.10	
CYS EN 2460:2009	Aerospace series - Steel FE-PM1901 (X12CrNi13) - $600 \text{ MPa} \leq R_m \leq 800 \text{ MPa}$ - Bars - $De \leq 70$ mm	49.025.10	
CYS EN 2461:2009	Aerospace series - Steel FE-PM1901 (X12CrNi13) - $600 \text{ MPa} \leq R_m \leq 800 \text{ MPa}$ - Forgings - $De \leq 70$ mm	49.025.10	
CYS EN 2466:2009	Aerospace series - Steel FE-PA3901 (X2CrNi19-11) - Softened - Forgings - $De \leq 100$ mm	49.025.10	
CYS EN 3034:2009	Aerospace series - Nuts, self-locking, hexagonal with captive washer - In heat resisting steel FE-PA92HT (A286), silver coated - Classification: $1\,100 \text{ MPa}/425^\circ \text{C}$	49.030.30	
CYS EN 3323:2009	Aerospace series - Bolts with double hexagon head, relieved shank long thread, - In heat resisting steel FE-PM 38 (FV 535) - Classification: $1\,000 \text{ MPa}/550^\circ \text{C}$	49.030.20	
CYS EN 4604-003:2009	Aerospace series - Cable, electrical, for signal transmission - Part 003: Cable, coaxial, 50 ohm, 200°C , type WZ - Product standard	49.060	
CYS EN 4604-006:2009	Aerospace series - Cable, electrical, for signal transmission - Part 006: Cable, coaxial, 50 ohm, 200°C , type WM - Product standard	49.060	
CYS EN 3155-009:2009	Aerospace series - Electrical contacts used in elements of connection - Part 009: Contacts, electrical, female, type A, crimp, class S - Product standard	49.060	S/S CYS EN 3155-009:2006=W/D
CYS EN 4499:2009	Aerospace series - Screws, 100° countersunk reduced head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating - Classification: $1\,100 \text{ MPa}$ (at ambient temperature) / 315°C	49.030.20	
CYS EN 3155-067:2009	Aerospace series - Electrical contacts used in elements of connection - Part 067: Contacts, electrical, coaxial, size 08, male, type D, solder, class R - Product standard	49.060	
CYS EN 3155-068:2009	Aerospace series - Electrical contacts used in elements of connection - Part 068: Contacts, electrical, coaxial, size 08, female, type D, solder, class R - Product standard	49.060	
CYS EN 3155-069:2009	Aerospace series - Electrical contacts used in elements of connection - Part 069: Contacts, electrical, coaxial, size 16, female, type D, solder, class P - Product standard	49.060	

CYS EN 4626-201:2009	Aerospace series - Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule - Operating temperatures - 65 °C to 125 °C (cable dependent) - Flush contacts - Part 201: Optical contact (sub-assembly) for receptacle - Product standard	49.090	
CYS EN 2854-003:2009	Aerospace series - Cables, electrical for general purpose - Cross sections equal to and greater than 9 mm ² - Operating temperatures between - 55 °C and 260 °C - Part 003: Product standard	49.060	
CYS EN 2997-012:2009	Aerospace series - Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak - Part 012: Jam-nut for jam-nut receptacles - Product standard	49.060	
CYS EN 2997-013:2009	Aerospace series - Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures - 65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak - Part 013: O-ring seal for jam-nut receptacles - Product standard	49.060	
CYS EN 3373-010:2009	Aerospace series - Terminal lugs and in-line splices for crimping on electric conductors - Part 010: Terminal lugs, ring shaped, tin plated, for crimping on copper conductors, temperature up to 150 °C for metric and inch stud series - Product standard	49.060	
CYS EN 3373-011:2009	Aerospace series - Terminal lugs and in-line splices for crimping on electric conductors - Part 011: Terminal lugs, ring shaped, nickel plated, for crimping on copper conductors, temperature up to 260 °C for metric and inch stud series - Product standard	49.060	
CYS EN 4642:2009	Aerospace series - Steel FE-PM 3504 (X4CrNiMo16-5-1) - Air melted - Hardened and tempered - Sheet and plate - 0,6 mm ≤ a ≤ 50 mm - 900 MPa ≤ Rm ≤ 1 050 MPa	49.025.10	
CYS EN 3660-019:2009	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 019: Cable outlet, style A, 45°, unsealed, with cable tie strain relief - Product standard	49.060	
CYS EN 3660-025:2009	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 025: Cable outlet, style A, straight, unsealed, with cable tie strain relief for EN 3646 - Product standard	49.060	
CYS EN 3660-027:2009	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 027: Cable outlet, style A, 45°, unsealed, with cable tie strain relief for EN 3646 - Product standard	49.060	
CYS EN 3745-514:2009	Aerospace series - Fibres and cables, optical, aircraft use - Test methods - Part 514: Cable twist bend	49.060	
CYS EN 4641-102:2009	Aerospace series - Cables, optical 125 µm outside diameter cladding - Part 102: Semi-loose 62,5/125 µm GI fibre nominal 1,8 mm outside diameter - Product standard	49.060	
CYS EN 3115:2009	Aerospace series - Aluminium alloy 7050-T73 - Wire for solid rivets - D ≤ 10 mm	49.025.20	
CYS EN 3155-001:2009	Aerospace series - Electrical contacts used in elements of connection - Part 001: Technical specification	49.060	
CYS EN 4372:2009	Aerospace series - Heat resisting nickel alloy with copper Ni-PD9001 (NiCu31) - Wire for solid rivets - D ≤ 10 mm	49.025.15	
CYS EN 4528:2009	Aerospace series - Steel FE-PA3903 (X10CrNi18-8) - Cold rolled - Strip for springs - a ≤ 3 mm - 1 250 MPa ≤ Rm ≤ 1 640 MPa	49.025.10	
CYS EN 4532:2009	Aerospace series - Cables, optical, single core 200 µm/280 µm fibre, 2,5 mm outer jacket - Technical specification	49.060	
CYS EN 3660-026:2009	Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 026: Cable outlet, style A, 90°, unsealed, with cable tie strain relief for EN 3646 - Product standard	49.060	
CYS EN 3389:2009	Aerospace series - Fasteners, externally threaded, in heat resisting nickel base alloy Ni-PH1302 (Waspaloy) - Classification: 1 210 MPa/730 °C - Manufacturing method optional - Technical specification	49.030.30	