

Ε.Ε. Παρ. ΙΙΙ(Ι)
Αρ. 4831, 14.11.2014

Κ.Δ.Π. 513/2014

Αριθμός 513

ΟΙ ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΙ ΤΟΥ 2002 ΕΩΣ 2012

Γνωστοποίηση βάσει του Άρθρου 5 του Βασικού Νόμου 156(Ι)/2002
και του Άρθρου 6 του Τροποποιητικού Νόμου 57(Ι)/2011

Με το παρόν γνωστοποιείται ότι βάσει των Άρθρων 5 του βασικού Νόμου 156(Ι) του 2002 και 6 του τροποποιητικού Νόμου 57(Ι)/2011 που ρυθμίζουν τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης (CYS) δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

STANDARDS FROM EUROPEAN COMMITTEE FOR ELECTROTECHNICAL STANDARDIZATION (CENELEC)

11	HEALTH CARE TECHNOLOGY
-----------	-------------------------------

CYS EN Document:	Title	ICS1	Withdrawn
CYS EN 60601-1:2006 /A12:2014	Medical electrical equipment - Part 1: General requirements for basic safety and essential performance	11.040	
CYS EN 61331-1:2014	Protective devices against diagnostic medical X-radiation – Part 1: Determination of attenuation properties of materials (IEC 61331-1:2014)	11.040.50	S/S CYS EN 61331-1: 2002 =W/D
CYS EN 61331-2:2014	Protective devices against diagnostic medical X-radiation – Part 2: Translucent protective plates (IEC 61331-2:2014)	11.040.50	S/S CYS EN 61331-2: 2002 =W/D
CYS EN 61331-3:2014	Protective devices against diagnostic medical X-radiation – Part 3: Protective clothing, eyewear and protective patient shields (IEC 61331-3:2014)	11.040.50	S/S CYS EN 61331-3:1999=W/D
CYS EN 62353:2014	Medical electrical equipment - Recurrent test and test after repair of medical electrical equipment (IEC 62353:2014)	11.040	S/S CYS EN 62353: 2008=W/D

13	ENVIRONMENT. HEALTH PROTECTION. SAFETY
-----------	---

CYS EN Document:	Title	ICS1	Withdrawn
CYS EN 50130-4:2011 /A1 2014	Alarm systems - Part 4: Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems	13.320	

17	METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA
-----------	--

CYS EN Document:	Title	ICS1	Withdrawn
CYS EN 62489-2:2014	Electroacoustics - Audio-frequency induction loop systems for assisted hearing - Part 2: Methods of calculating and measuring the low-frequency magnetic field emissions from the loop for assessing conformity with guidelines on limits for human exposure (IEC 62489-2:2014)	17.140.50	S/S CYS EN 62489-2:201 =W/D

19	TESTING
-----------	----------------

CYS EN Document:	Title	ICS1	Withdrawn
CYS EN 60068-2-75:2014	Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests (IEC 60068-2-75:2014)	19.040	S/S CYS EN 60068-2-75:1997 =W/D

25	MANUFACTURING ENGINEERING
-----------	----------------------------------

CYS EN Document:	Title	ICS1	Withdrawn
CYS EN 62798:2014	Industrial electroheating equipment - Test methods for infrared emitters (IEC 62798:2014)	25.180.10	
CYS EN 61158-4-13:2014	Industrial communication networks - Fieldbus specifications – Part 4-13: Data-link layer protocol specification - Type 13 elements (IEC 61158-4-13:2014)	25.040.40	S/S CYS EN 61158-4-13:2008 =W/D
CYS EN 61158-5-12:2014	Industrial communication networks - Fieldbus specifications – Part 5-12: Application layer service definition - Type 12 elements (IEC 61158-5-12:2014)	25.040.40	S/S CYS EN 61158-5-12:2012 =W/D
CYS EN 61158-5-13:2014	Industrial communication networks - Fieldbus specifications – Part 5-13: Application layer service definition - Type 13 elements (IEC 61158-5-13:2014)	25.040.40	S/S CYS EN 61158-5-13:2008 =W/D
CYS EN 61158-5-2:2014	Industrial communication networks - Fieldbus specifications – Part 5-2: Application layer service definition - Type 2 elements (IEC 61158-5-2:2014)	25.040.40	S/S CYS EN 61158-5-2:2012 =W/D
CYS EN 61158-5-3:2014	Industrial communication networks - Fieldbus specifications – Part 5-3: Application layer service definition - Type 3 elements (IEC 61158-5-3:2014)	25.040.40	S/S CYS EN 61158-5-3:2012 =W/D
CYS EN 61158-5-4:2014	Industrial communication networks - Fieldbus specifications – Part 5-4: Application layer service definition - Type 4 elements (IEC 61158-5-4:2014)	25.040.40	S/S CYS EN 61158-5-4:2008 =W/D
CYS EN 61158-5-5:2014	Industrial communication networks - Fieldbus specifications – Part 5-5: Application layer service definition - Type 5 elements (IEC 61158-5-5:2014)	25.040.40	S/S CYS EN 61158-5-5:2008=W/D
CYS EN 61158-5-9:2014	Industrial communication networks - Fieldbus specifications – Part 5-9: Application layer service definition - Type 9 elements (IEC 61158-5-9:2014)	25.040.40	S/S CYS EN 61158-5-9:2008=W/D
CYS EN 61158-2:2014	Industrial communication networks - Fieldbus specifications – Part 2: Physical layer specification and service definition (IEC 61158-2:2014)	25.040	S/S CYS EN 61158-2:2010 =W/D
CYS EN 61158-3-12:2014	Industrial communication networks - Fieldbus specifications – Part 3-12: Data-link layer service definition - Type 12 elements (IEC 61158-3-12:2014)	25.040.40	S/S CYS EN 61158-3-12:2012 =W/D
CYS EN 61158-3-13:2014	Industrial communication networks - Fieldbus specifications – Part 3-13: Data-link layer service definition - Type 13 elements (IEC 61158-3-13:2014)	25.040.40	S/S CYS EN 61158-3-13:2008 =W/D
CYS EN 61158-3-14:2014	Industrial communication networks - Fieldbus specifications – Part 3-14: Data-link layer service definition - Type 14 elements (IEC 61158-3-14:2014)	25.040.40	S/S CYS EN 61158-3-14:2012 =W/D

CYS EN 61158-3-19:2014	Industrial communication networks - Fieldbus specifications – Part 3-19: Data-link layer service definition - Type 19 elements (IEC 61158-3-19:2014)	25.040.40	S/S CYS EN 61158-3-19:2012 =W/D
CYS EN 61158-3-20:2014	Industrial communication networks - Fieldbus specifications – Part 3-20: Data-link layer service definition - Type 20 elements (IEC 61158-3-20:2014)	25.040.40	
CYS EN 61158-5-10:2014	Industrial communication networks - Fieldbus specifications – Part 5-10: Application layer service definition - Type 10 elements (IEC 61158-5-10:2014)	25.040.40	S/S CYS EN 61158-5-10:2012 =W/D
CYS EN 61158-5-24:2014	Industrial communication networks - Fieldbus specifications – Part 5-24: Application layer service definition - Type-24 elements (IEC 61158-5-24:2014)	25.040.40	
CYS EN 61158-5-20:2014	Industrial communication networks - Fieldbus specifications – Part 5-20: Application layer service definition - Type 20 elements (IEC 61158-5-20:2014)	25.040.40	S/S CYS EN 61158-5-20:2012 =W/D
CYS EN 61158-5-23:2014	Industrial communication networks - Fieldbus specifications – Part 5-23: Application layer service definition - Type 23 elements (IEC 61158-5-23:2014)	25.040.40	
CYS EN 61158-5-22:2014	Industrial communication networks - Fieldbus specifications – Part 5-22: Application layer service definition - Type 22 elements (IEC 61158-5-22:2014)	25.040.40	S/S CYS EN 61158-5-22:2012 =W/D
CYS EN 61158-5-19:2014	Industrial communication networks - Fieldbus specifications – Part 5-19: Application layer service definition - Type 19 elements (IEC 61158-5-19:2014)	25.040.40	S/S CYS EN 61158-5-19:2012 =W/D
CYS EN 61158-5-14:2014	Industrial communication networks - Fieldbus specifications – Part 5-14: Application layer service definition - Type 14 elements (IEC 61158-5-14:2014)	25.040.40	S/S CYS EN 61158-5-14:2012 =W/D
CYS EN 61158-3-22:2014	Industrial communication networks - Fieldbus specifications – Part 3-22: Data-link layer service definition - Type 22 elements (IEC 61158-3-22:2014)	25.040.40	S/S CYS EN 61158-3-22:2012 =W/D
CYS EN 61158-3-4:2014	Industrial communication networks - Fieldbus specifications – Part 3-4: Data-link layer service definition - Type 4 elements (IEC 61158-3-4:2014)	25.040.40	S/S CYS EN 61158-3-4:2008=WD
CYS EN 61158-3-3:2014	Industrial communication networks - Fieldbus specifications – Part 3-3: Data-link layer service definition - Type 3 elements (IEC 61158-3-3:2014)	25.040.40	S/S CYS EN 61158-3-3:2008 =W/D
CYS EN 61158-3-2:2014	Industrial communication networks - Fieldbus specifications – Part 3-2: Data-link layer service definition - Type 2 elements (IEC 61158-3-2:2014)	25.040.40	S/S CYS EN 61158-3-2:2008 =W/D
CYS EN 61158-3-24:2014	Industrial communication networks - Fieldbus specifications – Part 3-24: Data-link layer service definition - Type-24 elements (IEC 61158-3-24:2014)	25.040.40	
CYS EN 62714-1:2014	Engineering data exchange format for use in industrial automation systems engineering - Part 1: Architecture and General Requirements (IEC 62714-1:2014)	25.040.40	
CYS EN 61158-4-1:2014	Industrial communication networks - Fieldbus specifications – Part 4-1: Data-link layer protocol specification - Type 1 elements (IEC 61158-4-1:2014)	25.040.40	S/S CYS EN 61158-4-1:2008=W/D
CYS EN 61158-6-10:2014	Industrial communication networks - Fieldbus specifications – Part 6-10: Application layer protocol specification – Type 10 elements (IEC 61158-6-10:2014)	25.040.40	S/S CYS EN 61158-6-10:2012 =W/D
CYS EN 61158-6-12:2014	Industrial communication networks - Fieldbus specifications – Part 6-12: Application layer protocol specification – Type 12 elements (IEC 61158-6-12:2014)	25.040.40	S/S CYS EN 61158-6-12:2012 =W/D

CYS EN 61158-6-13:2014	Industrial communication networks - Fieldbus specifications – Part 6-13: Application layer protocol specification – Type 13 elements (IEC 61158-6-13:2014)	25.040.40	S/S CYS EN 61158-6-13:2008 =W/D
CYS EN 61158-6-14:2014	Industrial communication networks - Fieldbus specifications – Part 6-14: Application layer protocol specification – Type 14 elements (IEC 61158-6-14:2014)	25.040.40	S/S CYS EN 61158-6-14:2012 =W/D
CYS EN 61158-6-2:2014	Industrial communication networks - Fieldbus specifications – Part 6-2: Application layer protocol specification - Type 2 elements (IEC 61158-6-2:2014)	25.040.40	S/S CYS EN 61158-6-2:2012 =W/D
CYS EN 61158-6-3:2014	Industrial communication networks - Fieldbus specifications – Part 6-3: Application layer protocol specification - Type 3 elements (IEC 61158-6-3:2014)	25.040.40	S/S CYS EN 61158-6-3:2012 =W/D
CYS EN 61158-6-4:2014	Industrial communication networks - Fieldbus specifications – Part 6-4: Application layer protocol specification - Type 4 elements (IEC 61158-6-4:2014)	25.040.40	S/S CYS EN 61158-6-4:2008 =W/D
CYS EN 61158-6-5:2014	Industrial communication networks - Fieldbus specifications – Part 6-5: Application layer protocol specification - Type 5 elements (IEC 61158-6-5:2014)	25.040.40	S/S CYS EN 61158-6-5:2008 =W/D
CYS EN 61158-6-9:2014	Industrial communication networks - Fieldbus specifications – Part 6-9: Application layer protocol specification - Type 9 elements (IEC 61158-6-9:2014)	25.040.40	S/S CYS EN 61158-6-9:2012 =W/D
CYS EN 61158-4-11:2014	Industrial communication networks - Fieldbus specifications – Part 4-11: Data-link layer protocol specification - Type 11 elements (IEC 61158-4-11:2014)	25.040.40	S/S CYS EN 61158-4-11:2012 =W/D
CYS EN 61158-4-12:2014	Industrial communication networks - Fieldbus specifications – Part 4-12: Data-link layer protocol specification - Type 12 elements (IEC 61158-4-12:2014)	25.040.40	S/S CYS EN 61158-4-12:2012 =W/D
CYS EN 61158-4-14:2014	Industrial communication networks - Fieldbus specifications – Part 4-14: Data-link layer protocol specification - Type 14 elements (IEC 61158-4-14:2014)	25.040.40	S/S CYS EN 61158-4-14:2012 =W/D
CYS EN 61158-4-19:2014	Industrial communication networks - Fieldbus specifications – Part 4-19: Data-link layer protocol specification - Type 19 elements (IEC 61158-4-19:2014)	25.040.40	S/S CYS EN 61158-4-19:2012 =W/D
CYS EN 61158-4-20:2014	Industrial communication networks - Fieldbus specifications – Part 4-20: Data-link layer protocol specification - Type 20 elements (IEC 61158-4-20:2014)	25.040.40	
CYS EN 61158-4-22:2014	Industrial communication networks - Fieldbus specifications – Part 4-22: Data-link layer protocol specification - Type 22 elements (IEC 61158-4-22:2014)	5.040.40	S/S CYS EN 61158-4-22:2012 =W/D
CYS EN 61158-4-2:2014	Industrial communication networks - Fieldbus specifications – Part 4-2: Data-link layer protocol specification - Type 2 elements (IEC 61158-4-2:2014)	25.040.40	S/S CYS EN 61158-4-2:2012 =W/D
CYS EN 61158-4-3:2014	Industrial communication networks - Fieldbus specifications – Part 4-3: Data-link layer protocol specification - Type 3 elements (IEC 61158-4-3:2014)	25.040.40	S/S CYS EN 61158-4-3:2012 =W/D
CYS EN 61158-4-4:2014	Industrial communication networks - Fieldbus specifications – Part 4-4: Data-link layer protocol specification - Type 4 elements (IEC 61158-4-4:2014)	25.040.40	S/S CYS EN 61158-4-4:2008 =W/D
CYS EN 61158-6-19:2014	Industrial communication networks - Fieldbus specifications – Part 6-19: Application layer protocol specification - Type 19 elements (IEC 61158-6-19:2014)	25.040.40	S/S CYS EN 61158-6-19:2012 =W/D