[NTC Memorandum Circular No. 02-02-2015, February 16, 2015]

AMENDING SECTION 2 OF MEMORANDUM CIRCULAR NO. 03-05-2007

Adopted: 16 February 2015 Date Filed: 17 February 2015

Pursuant to Act 3846 (Radio Control Law), Executive Order No. 546 series of 1979, RA 7925 (Public Telecommunications Policy Act) and in the interest of public service and in order to keep pace with the development in wireless technology to ensure wider access to the limited radio spectrum and the use of cost effective technology, Section 2 of Memorandum Circular No. 03-05-2007 is hereby amended as follows:

2. OPERATING PARAMETERS

The limits of technical parameter herein prescribed should not be exceeded by any function of the equipment or by any means.

Type of SRD	Frequency Band	Maximum Field Strength/RF Output Power	Remarks
Inductive	9 - 59.750 KHz	72 dBuA/m at 10 m	
Applications 59.750 - 60.25042 dBuA/m at 10 m			
	KHz	69 dBuA/m at 10 m	
	60.250 - 70 KHz	42 dBuA/m at 10 m	
	70-119 KHz	66 dBuA/m at 10 m	
	119-135 KHz	42 dBuA/m at 10 m	
	135-140 KHz	37.7 dBuA/m at 10	
	140 - 148.5 KHz	m	
	148.5 - 500 KHz	30 dBuA/m at 10 m	
	3155-3400 KHz	13.5 dBuA/m at 10	
	6765 - 6795 KHz	m	
	7400 - 8800 KHz	42 dBuA/m at 10 m	
	13.553 -13.567	79 dBuA/m at 10 m	
	MHz	42 dBuA/m at 10 m	
	26.957 - 27.283	342 dBuA/m at 10 m	
	MHz	9 dBuA/m at 10 m	
	10.2-11 MHz		

Any circular, memorandum, order or parts thereof inconsistent with the provision of this circular shall be deemed amended or superseded accordingly.

This circular shall take effect fifteen (15) days after publication in a newspaper of