

Protected Areas (Consolidation) Order

Table of Contents

1

2

THE SCHEDULE

Legislative History

PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256, SECTION 4(1))

PROTECTED AREAS (CONSOLIDATION) ORDER

O 9

G.N. No. S 13/1996

REVISED EDITION 1997

(15th June 1997)

- 1.** This Order may be cited as the Protected Areas Order.
- 2.** The areas described in the Schedule are hereby declared to be protected areas for the purposes of the Protected Areas and Protected Places Act, and every person who is in those areas shall comply with such directions for regulating his movement and conduct as may be given by an authorised officer.

THE SCHEDULE

(1) Deleted by S 123/2013 wef 04/03/2013

(2) SIM COMMUNICATIONS PTE LTD, KRANJI TRANSMITTING STATION

All that area comprised in part of Lots 742 and 144 Mukim No. 12 (LIM CHU KANG), occupied by the “SIM COMMUNICATIONS PTE LTD, KRANJI TRANSMITTING STATION” containing an area of approximately 419,752.0 square metres and bounded approximately as follows:

Commencing at the north-western most corner of the perimeter fence of the aforesaid “SIM COMMUNICATIONS PTE LTD, KRANJI TRANSMITTING STATION” which point is approximately 45,125 metres North and 15,511.4 metres East of the Survey Department origin of coordinates (30,000 metres North, 30,000 metres East), the boundary runs along a line of fence on a bearing of approximately 101° 52’ for a distance of 105.1 metres and thence along successive lines of fence of bearings and distances approximately as under:

<i>Bearing</i>	<i>Distance in metres</i>
106° 18’	110.4
104° 36’	60.0
109° 45’	62.3
103° 55’	126.0
103° 55’	0.9 (Across a drain)
103° 55’	1.1 (Along one side on top of U-drain)
103° 47’	7.2 (Along a gate)
105° 17’	50.8 (Along one side on top of U-drain)
196° 25’	7.8
106° 03’	12.1
15° 40’	3.9
105° 42’	7.4 (Along a gate)
15° 40’	3.8
107° 47’	5.0 (Along one side on top of U-drain)
126° 04’	5.0
144° 21’	5.0
162° 38’	5.0
180° 27’	4.7
193° 53’	8.7
196° 48’	5.2
179° 04’	5.2
161° 20’	5.2
143° 36’	5.2

126° 23'	0.5
126° 23'	1.0 (Along fence across a drain)
126° 23'	3.4 (Along one side on top of U-drain)
118° 24'	43.4
127° 19'	5.2
145° 26'	5.2
163° 51'	5.2
179° 53'	3.9
177° 03'	244.7
170° 32'	5.9
243° 53'	2.0 (Along a gate)
198° 14'	1.6 (Along top of rock bund)
177° 34'	63.3
176° 59'	31.2
182° 12'	28.9
170° 43'	31.6
176° 28'	60.3
108° 44'	214.5
213° 59'	23.7
159° 33'	2.5
239° 26'	7.3 (Along one side on top of U-drain)
219° 39'	7.2
212° 53'	72.2
225° 07'	4.9
243° 40'	4.9
262° 13'	4.9
282° 00'	5.5
287° 00'	24.3
292° 00'	20.7
284° 11'	28.9
286° 49'	38.4
284° 41'	55.4
281° 48'	36.1