

Protected Places (Consolidation) Order

Table of Contents

1

2

THE SCHEDULE

Legislative History

PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256, SECTION 5(1))

PROTECTED PLACES (CONSOLIDATION) ORDER

O 8

G.N. No. S 272/2003

REVISED EDITION 1996

(15th May 1996)

- 1.** This Order may be cited as the Protected Places (Consolidation) Order.
- 2.** The premises described in the second column of the Schedule are hereby declared to be protected places for the purposes of the Protected Areas and Protected Places Act, and no person shall be in those premises unless he is in possession of a pass-card or permit issued by the authority specified in the first column of that Schedule or has received the permission of an authorised officer on duty at the premises to enter the premises.

THE SCHEDULE

| | <i>First column</i> | <i>Second column</i> |
|-----|--|---|
| | The Authority | Protected Place |
| (1) | S 222/95 [12.5.95] Chief Executive Officer, YTL PowerSeraya Pte Ltd | <p>PULAU SERAYA POWER STATION STAGE II DEVELOPMENT.</p> <p>All those areas comprised in part of Lot 365 Mukim 34 occupied by “PULAU SERAYA POWER STATION STAGE II DEVELOPMENT” containing an area of approximately 170,367 square metres and bounded approximately as follows:</p> <p>Commencing at the westernmost corner of the aforesaid “PULAU SERAYA POWER STATION STAGE II DEVELOPMENT” which point is 29,049.0 metres North and 15,338.4 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run as follows:</p> |

| <i>Bearing</i> | <i>Distance in metres</i> |
|----------------|---------------------------|
| 35° 45’ | 251.9 |
| 134° 02’ | 264.6 |
| 134° 02’ | 264.6 |
| 44° 02’ | 223.5 |
| 44° 02’ | 290.0 |
| 134° 02’ | 156.7 |
| 223° 23’ | 26.0 |
| 314° 18’ | 4.2 |
| 224° 01’ | 56.4 |
| 134° 14’ | 4.2 |
| 224° 05’ | 8.8 |
| 134° 01’ | 28.5 |
| 223° 59’ | 155.9 |
| 313° 58’ | 27.7 |
| 223° 38’ | 3.8 |
| 313° 57’ | 42.1 |


| | |
|----------|-------|
| 223° 46' | 5.5 |
| 314° 04' | 58.4 |
| 224° 12' | 40.7 |
| 313° 57' | 8.3 |
| 226° 15' | 5.6 |
| 314° 48' | 4.1 |
| 289° 18' | 3.6 |
| 223° 58' | 39.7 |
| 135° 15' | 1.5 |
| 224° 00' | 61.9 |
| 313° 24' | 1.5 |
| 224° 01' | 117.2 |
| 224° 01' | 11.1 |
| 314° 02' | 100.7 |
| 224° 01' | 228.6 |
| 314° 01' | 203.1 |
| 314° 01' | 230.7 |

to the point of commencement.

The boundaries of “PULAU SERAYA POWER STATION STAGE II DEVELOPMENT” are more particularly delineated in the Plan set out hereunder.

[S 243/2012 wef 30/05/2012]

PULAU SERAYA POWER STATION STAGE II DEVELOPMENT



First column

The Authority

- (2) S 226/95
[19.5.95]
S3, 29 SIB

Second column

Protected Place

KAKI BUKIT CAMP I.

All that area comprised in part of State Land Lot 90-6, MUKIM NO. 23 (PAYA LEBAR) occupied by "KAKI BUKIT CAMP I" containing an area of about 6,000 square metres and bounded approximately as follows:

Commencing at the northwestern-most corner of the perimeter fence of the aforesaid "KAKI BUKIT CAMP I" which point is 35,770.3 metres North and 36,158.4 metres East of the Survey Department origin of co-ordinates (North 30,000 metres and East 30,000 metres), the boundaries run approximately along successive lines of fences of bearings and distances as under:

| <i>Bearing</i> | <i>Distance in metres</i> |
|----------------|---------------------------------------|
| 90° 11' | 48.4 |
| 90° 28' | 44.9 |
| 180° 31' | 3.1 |
| 181° 46' | 1.2 (along a gate) |
| 180° 16' | 25.4 |
| 180° 17' | 31.9 |
| 265° 58' | 0.7 |
| 265° 58' | 1.1 (along a gate) |
| 265° 58' | 0.1 |
| 270° 29' | 0.1 |
| 270° 29' | 12.2 (along a gate) |
| 231° 16' | 4.9 |
| 270° 12' | 36.1 (partly across a concrete drain) |
| 270° 23' | 39.1 |
| 0° 18' | 18.8 |
| 0° 20' | 46.0 |

to the point of commencement.

The boundaries of “KAKI BUKIT CAMP I” are more particularly delineated and edged pink on Survey Plan No. LE/94/29/GAZ filed in the office of the Director, Lands and Estates Organisation, Ministry of Defence, Singapore.

- (3) S 452/95
[6.10.95]
General Manager,
Caltex Singapore
Private Limited

CALTEX TANJONG PENJURU INSTALLATION

All that areas comprised in Lot Nos. 190 and 193 and in parts of Lot Nos. 191-1, 191-2, 191-3, 2096, 3925, 4207, 4209, 4211, 4213, 4214, 4215, 4964, 5433, 5815 and 5816 occupied by “CALTEX TANJONG PENJURU INSTALLATION” containing an area of approximately 187,274 square metres and bounded approximately as follows:

Commencing at the southerly perimeter fence of the aforesaid “CALTEX TANJONG PENJURU INSTALLATION” which point is 31,244.1 metres North and 17,711.4 metres East of the Survey Department origin of co-ordinates, the boundaries run in clockwise manner along successive lines of fence of bearings and distances approximately as under:

| <i>Bearing</i> | <i>Distance in metres</i> |
|----------------|---------------------------|
| 284° 47' | 6.9 |