

Protected Places (No. 11) Order 2003

Table of Contents

Enacting Formula

1 Citation and commencement

2 Premises declared to be protected place

THE SCHEDULE

No. S 513

PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256)

PROTECTED PLACES (NO. 11) ORDER 2003

In exercise of the powers conferred by section 5(1) of the Protected Areas and Protected Places Act, the Minister for Home Affairs hereby makes the following Order:

Citation and commencement

1. This Order may be cited as the Protected Places (No. 11) Order 2003 and shall come into operation on 5th November 2003.

Premises declared to be protected place

2. The premises described in the second column of the Schedule are hereby declared to be a protected place for the purposes of the Act, and no person shall be in those premises unless he is in possession of a pass-card or permit issued by the authority specified in the first column of the Schedule or has received the permission of an authorised officer on duty at the premises to enter the premises.

THE SCHEDULE

First column
The Authority
Chief Commando Officer

Second column
Protected Place

HENDON CAMP.

All that area comprised in part of State Land Lots 1613C, 1722V, 3676N and 4082T in Mukim No. 31 and the sea-bed within the territorial waters of Singapore containing an area of about 23,3616 square metres and bounded approximately as follows:

Commencing at a point of the perimeter fence which is 41,012.559 metres North and 44,303.078 metres East of the Singapore Land Authority origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
240° 54' 59"	12.123 (along a fence)
239° 11' 53"	14.233 (along a fence)
238° 38' 21"	9.620 (along a fence)
238° 15' 59"	12.461 (along a fence)
237° 35' 28"	9.971 (along a fence)
234° 19' 47"	10.048 (along a fence)
232° 46' 18"	4.988 (along a fence)
229° 34' 16"	12.434 (along a fence)
228° 39' 57"	12.584 (along a fence)
227° 32' 38"	12.417 (along a fence)
224° 35' 48"	12.404 (along a fence)
222° 02' 51"	12.451 (along a fence)
221° 13' 00"	12.588 (along a fence)
217° 51' 36"	14.837 (along a fence)
215° 52' 45"	12.533 (along a fence)
214° 40' 29"	10.236 (along a fence)
210° 23' 01"	27.198 (along a fence)
206° 37' 48"	17.562 (along a fence)
207° 09' 25"	11.486 (along a fence)
202° 51' 35"	4.883 (along a gate)
200° 34' 32"	20.953 (along a fence)
199° 08' 43"	7.834 (along a fence)
203° 22' 36"	1.140 (along a fence)

199° 31' 12"	1.519 (along a fence)
197° 31' 54"	10.103 (across a road access)
193° 07' 49"	37.761 (along a fence)
188° 19' 49"	19.891 (along a fence)
184° 46' 43"	19.918 (along a fence)
181° 28' 13"	19.809 (along a fence)
178° 23' 23"	19.812 (along a fence)
176° 34' 50"	42.481 (along a fence)
176° 30' 06"	42.069 (along a fence)
176° 34' 23"	50.185 (along a fence)
176° 31' 00"	49.922 (along a fence)
176° 34' 32"	45.065 (along a fence)
177° 42' 57"	7.385 (along a gate)
176° 41' 07"	33.703 (along a fence)
176° 34' 00"	44.689 (along a fence)
175° 52' 37"	12.619 (along a fence)
176° 54' 13"	12.454 (along a fence)
173° 46' 50"	2.933 (along a fence)
177° 46' 03"	10.045 (along a fence)
176° 31' 58"	8.892 (along a fence)
176° 28' 05"	40.319 (along a fence)
176° 40' 25"	48.901 (along a fence)
176° 31' 24"	45.208 (along a fence)
330° 10' 58"	35.435 (along a fence)
330° 29' 43"	46.545 (along a fence)
330° 31' 18"	47.500 (along a fence)
330° 27' 35"	50.027 (along a fence)
330° 21' 39"	51.007 (along a fence)
330° 24' 35"	50.004 (along a fence)
330° 23' 00"	47.529 (along a fence)
330° 20' 17"	49.139 (along a fence)
330° 27' 06"	55.799 (along a fence)
58 °32' 42"	5.310 (along a fence)

329° 59' 35"	45.086 (along a fence)
330° 00' 14"	44.836 (along a fence)
329° 49' 47"	54.886 (along a fence)
330° 00' 17"	47.426 (along a fence)
330° 01' 35"	48.683 (along a fence)
329° 50' 47"	46.066 (along a fence)
330° 11' 34"	47.510 (along a fence)
330° 04' 06"	50.134 (along a fence)
59° 53' 22"	19.884 (along a fence)
330° 17' 03"	40.793 (along a fence)
53° 51' 15"	9.103 (along a fence)
62° 46' 23"	0.206 (along a fence)
358° 01' 57"	42.371 (along edge of steel bridge)
358° 08' 04"	18.892 (along edge of steel bridge)
357° 57' 24"	16.321 (along edge of steel bridge)
284° 11' 12"	5.412 (along a fence)
291° 57' 48"	19.517 (along a fence)
308° 09' 12"	2.362 (along a fence)
338° 16' 22"	34.181 (along a fence)
338° 29' 48"	12.192 (along a fence)
342° 49' 33"	33.973 (along a fence)
345° 45' 56"	36.533 (along a fence)
342° 16' 00"	16.977 (along a fence)
335° 48' 43"	2.488 (along a fence)
327° 00' 12"	2.378 (along a fence)
318° 19' 02"	4.784 (along a fence)
303° 28' 05"	2.586 (along a fence)
290° 40' 55"	31.183 (along a fence)
291° 20' 05"	30.282 (along handrail)
221° 58' 52"	0.192 (along edge of jetty)
195° 19' 37"	0.645 (along edge of jetty)

285° 20' 07"	0.833 (along edge of jetty)
198° 18' 08"	0.723 (along edge of jetty)
199° 33' 00"	3.678 (along edge of steps)
293° 32' 12"	1.250 (along edge of steps)
14° 04' 46"	2.346 (along edge of steps)
288° 01' 34"	29.977 (along edge of jetty)
252° 40' 59"	11.910 (along edge of jetty)
162° 43' 42"	0.996 (along edge of jetty)
252° 57' 09"	2.763 (along edge of jetty)
343° 58' 43"	0.976 (along edge of jetty)
252° 36' 43"	16.481 (along edge of jetty)
161° 27' 42"	0.936 (along edge of jetty)
252° 27' 18"	2.750 (along edge of jetty)
344° 14' 29"	0.464 (along edge of jetty)
258° 23' 20"	0.764 (along edge of jetty)
331° 57' 55"	0.489 (along edge of jetty)
252° 28' 23"	11.235 (along edge of ramp)
252° 44' 06"	19.943 (along edge of ramp)
344° 13' 49"	9.982 (along edge of ramp)
72° 53' 55"	19.733 (along edge of ramp)
72° 36' 10"	11.159 (along edge of ramp)
4° 17' 04"	0.610 (along edge of jetty)
71° 52' 00"	0.601 (along edge of jetty)
337° 51' 26"	0.432 (along edge of jetty)
72° 35' 28"	22.817 (along edge of jetty)
341° 50' 39"	4.839 (along edge of jetty)
308° 29' 45"	1.571 (along edge of jetty)
34° 58' 58"	1.285 (along edge of jetty)
296° 18' 09"	6.070 (along edge of jetty)
306° 18' 47"	0.480 (along edge of jetty)
26° 50' 37"	3.228 (along edge of jetty)
295° 37' 10"	0.160 (along edge of jetty)
269° 25' 00"	0.140