
First published in the *Government Gazette*, Electronic Edition, on 19th February 2013 at 5.00 pm.

No. S 93

**DANGEROUS FIREWORKS ACT
(CHAPTER 72)**

**DANGEROUS FIREWORKS
(EXEMPTION) (NO. 5)
NOTIFICATION 2013**

ARRANGEMENT OF PARAGRAPHS

Paragraph

1. Citation
 2. Exemption
 3. Application
- The Schedule
-

In exercise of the powers conferred by section 9 of the Dangerous Fireworks Act, the Minister for Home Affairs hereby makes the following Notification:

Citation

1. This Notification may be cited as the Dangerous Fireworks (Exemption) (No. 5) Notification 2013.

Exemption

2. Section 3 of the Act shall not apply in respect of dangerous fireworks used in a fireworks display executed by Glorious (S) Pte Ltd (referred to in this Notification as the exempted person) for or on behalf of any person at the event specified in Part I of the Schedule in accordance with the conditions specified in Part II thereof.

Application

3. The Dangerous Fireworks (Annual Exemption) Notification 2012 (G.N. No. S 125/2012) shall not apply to any fireworks display executed by the exempted person for or on behalf of any person at the event specified in Part I of the Schedule.

THE SCHEDULE

Paragraphs 2 and 3

PART I

EVENT

1. Name of Event: Chingay Heartland 2013 @ Yew Tee
2. Place: Hardcourt at Yew Tee Close next to Choa Chu Kang North 6
3. Date and Time: On 2nd March 2013 from 8 p.m. to 9 p.m.

PART II

CONDITIONS

1. The fireworks display shall be limited to firecrackers.
2. In the fireworks display, no fireworks shall be discharged unless they have been certified safe and approved by —
 - (a) the competent authority of the country of origin or manufacture; and
 - (b) the manufacturer of the fireworks.
3. In the fireworks display, no fireworks shall be discharged where the period of recommended usage of the fireworks has expired.
4. Where the fireworks display is executed, the exempted person shall execute it in accordance with the instructions by the manufacturer and maintain a safety area as recommended by the manufacturer.
- 5.—(1) The exempted person shall maintain a safety area around the firing point of the fireworks display in accordance with this paragraph.
 - (2) The maximum height of firing for the fireworks event is 5 metres.
 - (3) The safety area for each firing point shall be a radius of the furthest point of effect produced by the fireworks plus an additional distance of 6 metres (measured horizontally from the firing point).
 - (4) There must not be any person or structure present within the safety area, other than —
 - (a) either or both of the following persons:
 - (i) the exempted person;
 - (ii) any other person authorised by the Officer-in-Charge, Licensing (General Licensing), Police Licensing and Regulatory Department of the Singapore Police Force to handle the fireworks; and
 - (b) the necessary set up for the fireworks display.