Free Trade Zones (Declared Areas) (Amendment) Notification 2005

Table of Contents

Enacting Formula

- 1 Citation and commencement
- 2 Amendment of First Schedule
- **3** Amendment of Second Schedule

No. S 626

FREE TRADE ZONES ACT (CHAPTER 114)

FREE TRADE ZONES (DECLARED AREAS) (AMENDMENT) NOTIFICATION 2005

In exercise of the powers conferred by section 3(1) of the Free Trade Zones Act, the Minister for Finance hereby makes the following Notification:

Citation and commencement

1. This Notification may be cited as the Free Trade Zones (Declared Areas) (Amendment) Notification 2005 and shall come into operation on 1st October 2005.

Amendment of First Schedule

2. The First Schedule to the Free Trade Zones (Declared Areas) Notification (N 3) is amended by deleting item (5) and substituting the following item:

"(5) Changi Airport Cargo Terminal Complex

All that area comprised part of Lot Nos. 1288Cpt, 3363Kpt, 4288Tpt, 4289Apt, 4290Ppt and 4294Npt and Lot Nos. 1246V and 1273L occupied by "CHANGI

AIRPORT CARGO TERMINAL COMPLEX — FREE TRADE ZONE" containing an area of about 474,784 square metres and bounded approximately as follows:

The boundary commences at the eastern-most corner of "CHANGI AIRPORT CARGO TERMINAL COMPLEX — FREE TRADE ZONE" which point is 40,701.9 metres North and 46,632.8 metres East of the Survey Department origin of co-ordinates, the boundary runs along successive lines of fence of bearings and distances as follows:

Bearing	Distance in metres
196° 02'	8.6
197° 00'	7.2
196° 26'	29.7
196° 40	28.4
196° 20'	91.2
196° 28'	47.8
202° 56'	38.8
203° 00'	26.8

to a point where it meets a line, thence along that and other successive lines of bearings and distances as follows:

Bearing	Distance in metres
219° 22'	35.5
254° 02'	7.2
239° 14'	6.1
227° 28'	4.4
217° 35'	4.5
203° 08'	7.7
184° 37'	7.9
219° 22'	15

to a point where it meets a fence, thence along successive lines of fence of bearings and distances as follows:

Bearing	Distance in metres
289° 45'	8.9
283° 44'	14.8
281° 53'	20.6
282° 06'	22.9
357° 15'	14.1
356° 41'	20.2
292° 28'	16.1
263° 47'	15.1
249° 19'	12
237° 43'	9.1
226° 17'	9.1
218° 14'	6
203° 05'	667.1
113° 11'	79.5
112° 59'	63.4

to a point where it meets a line, thence along the line on a bearing of $203^{\circ} 01'$ for a distance of 118.1 metres to a point where it meets a fence, thence along successive lines of fence of bearings and distances as follows:

Bearing	Distance in metres
113° 04'	82.4
203° 03'	205.4

to a point where it meets a line, thence along that and other successive lines of bearings and distances as follows:

Bearing	Distance in metres
203° 03'	19.4
113° 01'	9.6
203° 01'	288.5
293° 02'	34
203° 02'	22

Published in Subsidiary Legislation Supplement on 30 Sep 2005

293° 02'	46.3
203° 02'	75.3
293° 01'	49.2
23° 08'	49.3

to a point where it meets a fence, thence along successive lines of fence of bearings and distances as follows:

Bearing	Distance in metres
23° 18'	26.5
292° 53'	35.1

to meet a line, thence along the line of a bearing 286° 56' and distance of 2 metres to the corner of a wall, thence along a line of bearing 293° 01' and distance of 90.7 metres which follows closely a series of walls and fence, thence along that and other successive lines of wall of bearings and distances as follows:

Bearing	Distance in metres
203° 01'	93.4
293° 04'	152.5
23° 04'	10.6
113° 04'	14
23° 04'	57.1
293° 04'	2
23° 04'	3.4
293° 04'	12.1
23° 04'	22.2
293° 01'	2.2

to a point where it meets a line, thence along that and other successive lines of bearings and distances as follows:

Bearing	Distance in metres
23° 02'	577.1
23° 02'	129.5