First published in the Government Gazette, Electronic Edition, on 17th October 2001 at 5:00 pm.

No. S 525

TELECOMMUNICATIONS ACT (CHAPTER 323)

TELECOMMUNICATIONS (EXEMPTION FROM SECTIONS 33, 34(1)(b) AND 35) (AMENDMENT) NOTIFICATION 2001

ARRANGEMENT OF PARAGRAPHS

Paragraph

- 1. Citation and commencement
- 2. Amendment of paragraph 2
- 3. Deletion and substitution of Schedule

In exercise of the powers conferred by section 73 of the Telecommunications Act, the Minister for Communications and Information Technology hereby makes the following Notification:

Citation and commencement

1. This Notification may be cited as the Telecommunications (Exemption from sections 33, 34(1)(b) and 35) (Amendment) Notification 2001 and shall come into operation on 17th October 2001.

Amendment of paragraph 2

2. Paragraph 2(b) of the Telecommunications (Exemption from sections 33, 34(1)(b) and 35) Notification 2001 (G.N. No. S 115/2001) is amended by deleting the words "in-building or".

Deletion and substitution of Schedule

3. The Schedule to the Telecommunications (Exemption from sections 33, 34(1)(b) and 35) Notification 2001 is deleted and the following Schedule substituted therefor:

"THE SCHEDULE

Paragraph 2(b)

EXEMPTION IN RESPECT OF LOCALISED ON-SITE OPERATION OF EQUIPMENT*

Equipment	Authorised Radio Frequency Bands	Maximum Approved Field Strength or Power
CB Walkie Talkie Transceivers	26.96 – 27.28 MHz	500 mW ERP
2. Multi-channel Walkie Talkie Transceivers	477.000 – 477.250 MHz	500 mW ERP
3. Wireless Microphones	0.51 - 1.60 MHz 40.66 - 40.70 MHz 88.00 - 108.00 MHz 180.000 - 200.000 MHz 487.000 - 507.000 MHz	57 dBμV/m @ 3m 65 dBμV/m @ 10m 60 dBμV/m @ 10m 112 dBμV/m @ 10m 112 dBμV/m @ 10m
4. CB Band Radio Paging Systems	26.96 – 27.28 MHz 40.66 – 40.70 MHz	500 mW ERP 500 mW ERP
5. Induction Loop Communication Systems	0.016 – 0.150 MHz	100 dBμV/m @ 3m
6. VHF Radio Paging System	151.125 MHz 151.150 MHz	1,000 mW ERP 1,000 mW ERP
7. Radio Detection and Alarm Systems — (a) Car Theft Alarm Systems (b) Burglar Alarm Systems (c) Field Disturbance Sensing Devices	0.016 - 0.150 MHz 13.553 - 13.567 MHz 26.96 - 27.28 MHz 146.350 - 146.500 MHz 240.150 - 240.300 MHz	100 dBμV/m @ 3m 94 dBμV/m @ 10m 500 mW ERP 100 mW ERP 100 mW ERP 100 mW ERP 100 mW ERP 100 mW ERP 100 mW ERP 65 dBμV/m @ 10m 117dBμV/m @ 10m

Equipment	Authorised Radio Frequency Bands	Maximum Approved Field Strength or Power
(d) Other Miscellaneous Radio Detection and Alarm Systems	300.000 – 300.300 MHz 314.700 – 315.000 MHz 444.400 – 444.800 MHz 868.10 – 869.00 MHz 10.50 – 10.55 GHz	
8. Medical and Biological Telemetry Devices	40.500 – 41.000 MHz 454.000 – 454.500 MHz	0.01 mW ERP 2 mW ERP
9. Wireless Modem	72.080 MHz 72.200 MHz 72.400 MHz 72.600 MHz 158.275/162.875 MHz 158.325/162.925 MHz 453.7250/458.725 0 MHz 453.7375/458.737 5 MHz 453.7500/458.750 0 MHz 453.7625/458.762 5 MHz	1,000 mW ERP 1,000 mW ERP
10. Radio Telemetry Equipment	26.96 – 27.28 MHz 29.700 – 30.000 MHz	500 mW ERP 500 mW ERP
11. Remote Control Devices —	26.96 – 27.28 MHz 40.66 – 40.70 MHz	500 mW ERP 500 mW ERP