

Protected Places (Consolidation) (Amendment No. 4) Order 1998

Table of Contents

Enacting Formula

1 Citation and commencement

2 Amendment of Schedule

No. S 442

PROTECTED AREAS AND PROTECTED PLACES ACT (CHAPTER 256)

PROTECTED PLACES (CONSOLIDATION) (AMENDMENT NO. 4) ORDER 1998

In exercise of the powers conferred by section 5(1) of the Protected Areas and Protected Places Act, the Minister for Home Affairs hereby makes the following Order:

Citation and commencement

1. This Order may be cited as the Protected Places (Consolidation) (Amendment No. 4) Order 1998 and shall come into operation on 24th August 1998.

Amendment of Schedule

2. Item (53) of the Schedule to the Protected Places (Consolidation) Order (O 2) is deleted and the following item substituted therefor:

“(53) Commanding SLIM BARRACKS
 Officer SMI

All that area comprised in part of State Land Lots 3084W, 3087T and 3180A. Mukim No.3 (PASIR PANJANG) occupied by “SLIM BARRACKS” containing an area of about 222,802 square metres and

bounded approximately as follows:

Commencing at the northernmost corner of the perimeter fence of the aforesaid "SLIM BARRACKS" which point is 31,935.615 metres North and 23,191.302 metres East of the Survey Department origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of bearings and distances as under:

<i>Bearing</i>	<i>Distance in metres</i>
89° 55' 10	12.927
128° 46' 54"	26.804
124° 04' 44"	17.411
114° 40' 53"	18.572
105° 16' 26"	18.574
95° 52' 14"	17.031
92° 42' 39"	34.275
38° 47' 00"	4.306
80° 33' 40"	16.347
74° 25' 20"	18.216
83° 41' 00"	12.136
89° 12' 50"	12.160
94° 51' 10"	18.014
97° 26' 40"	15.160
106° 31' 00"	9.090
118° 11' 00"	18.242
85° 56' 00"	9.932
93° 57' 00"	9.282
110° 53' 10"	12.152
133° 58' 00"	6.040
157° 04' 00"	9.042
151° 35' 00"	3.184
155° 19' 10"	18.050
145° 59' 00"	9.020
153° 11' 40"	15.072
149° 18' 00"	22.186

165° 30' 10"	30.402
173° 27' 10"	13.192
177° 19' 20"	16.782
185° 02' 20"	102.512
180° 20' 20"	37.064
186° 12' 10"	57.874
186° 50' 10"	130.470
187° 33' 40"	69.648
254° 19' 20"	28.512
262° 58' 00"	22.376
275° 06' 20"	15.752
285° 55' 10"	35.158
298° 25' 40"	77.868
340° 36' 10"	12.070
7° 26' 30"	6.164
25° 00'	61.1
111° 34'	1.4 (along gate)
108° 22'	22.6
16° 52'	15.7
287° 34'	24.1
286° 59'	1.4 (along gate)
7° 00'	30.9
21° 33'	20.5
21° 54'	1.2 (along gate)
21° 43'	85.3
21° 21'	1.2 (along steel plate)
21° 41'	15.0
15° 37'	9.1
104° 12'	19.8
108° 39'	15.7
110° 25'	10.1
15° 25'	13.3