

NOTICE 207 OF 2010**DEPARTMENT OF PUBLIC WORKS****AGRÉMENT SOUTH AFRICA****(Approval of innovative construction products and systems)**

Notice is hereby given that Agrément South Africa has, with effect from 9 December 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE**Agrément Certificate No 2009/369**

Name of product: Spunsulation 5 Light Roofing Radiant Barrier

Certificate holder: Spunchem International (Pty) Ltd

Description: The top layer of Spunsulation 5 Light Roofing Radiant Barrier is manufactured from pigmented ultraviolet light resistant and non-toxic flame retarded non-woven spunbond polypropylene. The layers are laminated by means of homogenous polyolefin based film web to the aluminium foil bottom layer. The membrane has a nominal mass of 174 g/m² with a thickness of between 0, 29 mm to 0, 31 mm. It is supplied in rolls 30 m long and 1, 5 m wide.

Spunsulation 5 Light Roofing Radiant Barrier is suitable for installation in all tiled-roof buildings with timber roof construction. It was not evaluated for metal roof construction and side-wall cladding

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 PRETORIA