

NOTICE 209 OF 2010**DEPARTMENT OF PUBLIC WORKS
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 21 October 2009, issued an Agrément certificate, details of which appear in the schedule hereto.

SCHEDULE

Agrément Certificate No 2009/367

Name of product: Spunsulation 5 Roofing Radiant Barrier

Certificate holder: Spunchem International (Pty) Ltd

Description: The Spunsulation 5 Roofing Radiant Barrier is manufactured from pigmented ultraviolet light-resistant, non-toxic flame retarded, non-woven spunbond polypropylene membrane laminated by means of homogenous polyolefin based film web to both sides of a layer of aluminium foil. The membrane has a nominal mass of 250 g/m² with a thickness of between 0,42 mm to 0,46 mm. It is supplied in rolls 30 m long and 1,5 m wide.

Spunsulation 5 Roofing Radiant Barrier is suitable for installation in housing and industrial buildings used in conjunction with timber and steel roof construction with concrete roof tiles or galvanised sheet steel cladding and for use in conjunction with side claddings

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager
Agrément South Africa
P O Box 395
0001 PRETORIA