Draft Order laid before Parliament under section 2(5) of the Misuse of Drugs Act 1971 for approval by resolution of each House of Parliament.

DRAFT STATUTORY INSTRUMENTS

2013 No.

DANGEROUS DRUGS

The Misuse of Drugs Act 1971 (Amendment) Order 2013

Made - - - - ***

Coming into force in accordance with article 1

At the Court at *** , the ***

Present,

The Queen's Most Excellent Majesty in Council

In accordance with section 2(5) of the Misuse of Drugs Act 1971(**1**) a draft of this Order has been laid before Parliament on the recommendation of the Advisory Council on the Misuse of Drugs and approved by a resolution of each House of Parliament.

Accordingly, Her Majesty, in exercise of the powers conferred upon Her by section 2(2) of that Act, is pleased, by and with the advice of Her Privy Council, to order as follows:

Citation and commencement

1. This Order may be cited as the Misuse of Drugs Act 1971 (Amendment) Order 2013 and shall come into force on the fourteenth day after the day on which it is made.

Amendments to the Misuse of Drugs Act 1971

2. The following amendments are made to Part 2 of Schedule 2 to the Misuse of Drugs Act 1971 (which specifies the drugs which are subject to control under that Act as Class B drugs).

3. In paragraph 1(a), after "Zipeprol", insert—

"2-((Dimethylamino)methyl)-1-(3-hydroxyphenyl)cyclohexanol.".

4. For paragraph 1(c), substitute—

(**1**) 1971 c. 38. Schedule 2 has been amended by section 21 of the Drugs Act 2005 (c. 17) and S.I. 1973/771, 1975/421, 1977/1243, 1979/299, 1983/765, 1984/859, 1985/1995, 1986/2230, 1989/1340, 1990/2589, 1995/1966, 1996/1300, 1998/750, 2001/3932, 2003/1243, 2003/3201, 2005/3178, 2006/3331, 2008/3130, 2009/3209, 2010/1207, 2010/1833, 2011/744 and 2012/1390.

"(c) [2,3–Dihydro–5–methyl–3–(4–morpholinylmethyl)pyrrolo[1, 2, 3–*de*]–1,4–benzoxazin–6–yl]–1–naphthalenylmethanone.

3–Dimethylheptyl–11–hydroxyhexahydrocannabinol.

[9–Hydroxy–6–methyl–3–[5–phenylpentan–2–yl] oxy–5, 6, 6a, 7, 8, 9, 10, 10a–octahydrophenanthridin–1–yl] acetate.

9-(Hydroxymethyl)–6, 6–dimethyl–3–(2–methyloctan–2–yl)–6a, 7, 10, 10a–tetrahydrobenzo[*c*]chromen–1–ol.

Nabilone.

Any compound structurally derived from 3–(1–naphthoyl)indole, 3-(2-naphthoyl) indole, 1*H*–indol–3–yl–(1–naphthyl)methane or 1*H*-indol-3-yl-(2-naphthyl)methane by substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl, cycloalkylethyl, (*N*-methylpiperidin-2-yl)methyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to any extent.

Any compound structurally derived from 3–(1–naphthoyl)pyrrole or 3-(2-naphthoyl)pyrrole by substitution at the nitrogen atom of the pyrrole ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl, cycloalkylethyl, (*N*-methylpiperidin-2-yl)methyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the pyrrole ring to any extent and whether or not substituted in the naphthyl ring to any extent.

Any compound structurally derived from 1–(1–naphthylmethylene)indene or 1-(2-naphthylmethylene)indene by substitution at the 3–position of the indene ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl, cycloalkylethyl, (*N*-methylpiperidin-2-yl)methyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the indene ring to any extent and whether or not substituted in the naphthyl ring to any extent.

Any compound structurally derived from 3–phenylacetylindole by substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl, cycloalkylethyl, (*N*-methylpiperidin-2-yl)methyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent.

Any compound structurally derived from 2–(3–hydroxycyclohexyl)phenol by substitution at the 5–position of the phenolic ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the cyclohexyl ring to any extent.

Any compound structurally derived from 3-benzoylindole by substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl, cycloalkylethyl, (*N*-methylpiperidin-2-yl)methyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent.

Any compound structurally derived from 3-(1-adamantoyl)indole or 3-(2-adamantoyl)indole by substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl, cycloalkylethyl, (*N*-methylpiperidin-2-yl)methyl or 2–(4–morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent and whether or not substituted in the adamantyl ring to any extent.

Any compound structurally derived from 3-(2,2,3,3-tetramethylcyclopropylcarbonyl)indole by substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cyanoalkyl, hydroxyalkyl, cycloalkylmethyl,