



**Multi-Country Western Pacific Integrated
HIV/TB Programme**
KEY PERFORMANCE INDICATOR RESULTS
2019

Regional Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 1,160 = 0%	(a)
HIV positivity rate amongst transgender women	00 1,910 = 0%	(a)
HIV positivity rate amongst female female sex workers	01 1,364 = 0%	(a)
TB mortality rate per 100,000 population	13 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	01 355 = 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	10 11 = 91%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	275 1,054 = 26%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	1,323 1,760 = 75%	(e)
Percentage of female female sex workers reporting the use of a condom with their most recent client	582 1,253= 46%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	988 992 = 100%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	04 04 = 100%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	1,472 9,284 = 16%	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	1,160 9,284 = 12%	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	2,046 18,569 = 11%	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	1,910 18,569 = 10%	(a)
Number of female female sex workers reached with HIV prevention programs - defined package of services	1,369 3,904 = 35%	(a)
Number of female female sex workers that have received an HIV test during the reporting period and know their results	1,364 3,904 = 35%	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	56 70 = 80%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	895	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	899 988 = 91%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	05	(g)
OTHER INDICATORS		
HIV positivity rate amongst seafarers	00 1,019 = 0%	(a)
HIV positivity rate amongst prisoners	00 265 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	170 259 = 66%	(e)
Percentage of prisoners reporting the use of a condom during last sex	19 162 = 12%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	455	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	1,019	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	184	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	265	(a)

Cook Islands Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 54 = 0%	(a)
HIV positivity rate amongst transgender women	00 90 = 0%	(a)
HIV positivity rate amongst female female sex workers	00 26 = 0%	(a)
TB mortality rate per 100,000 population	0 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00 01 = 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00 00 = 00%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	17 22 = 77%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	19 25 = 76%	(e)
Percentage of female female sex workers reporting the use of a condom with their most recent client	19 26 = 73%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	00 00 = 0%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00 00 = 0%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	54	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	54	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	90	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	90	(a)
Number of female female sex workers reached with HIV prevention programs - defined package of services	26	(a)
Number of female female sex workers that have received an HIV test during the reporting period and know their results	26	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	01 01 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	01	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	00 00 = 0%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
OTHER INDICATORS		
HIV positivity rate amongst seafarers	00 00 = 0%	(a)
HIV positivity rate amongst prisoners	00 20 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00 00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00 00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	20	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	20	(a)

Federated States of Micronesia Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 65 = 0%	(a)
HIV positivity rate amongst transgender women	00 107 = 0%	(a)
HIV positivity rate amongst female sex workers	01 61 = 2%	(a)
TB mortality rate per 100,000 population	12 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00 49 = 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02 02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	23 62 = 37%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	44 101 = 44%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	24 59 = 41%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	93 114 = 82%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	01 01 = 100%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	66	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	65	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	108	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	107	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	62	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	61	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	12 14 = 86%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	92	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	87 93 = 94%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
OTHER INDICATORS		
HIV positivity rate amongst seafarers	00 00 = 0%	(a)
HIV positivity rate amongst prisoners	00 94 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00 00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00 01 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	09	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	94	(a)

Kiribati Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 244 = 0%	(a)
HIV positivity rate amongst transgender women	00 133 = 0%	(a)
HIV positivity rate amongst female sex workers	00 648 = 0%	(a)
TB mortality rate per 100,000 population	37 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	01 88 = 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02 02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	50 234 = 21%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	42 133 = 32%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	359 633 = 57%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	323 419 = 77%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	02 02 = 100%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	244	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	244	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	133	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	133	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	648	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	648	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	10 10 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	409	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	298 323 = 92%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	03	(g)
OTHER INDICATORS		
HIV positivity rate amongst seafarers	00 788 = 0%	(a)
HIV positivity rate amongst prisoners	00 72 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00 00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00 132 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	198	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	788	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	72	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	72	(a)

Nauru Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 00 = 0%	(a)
HIV positivity rate amongst transgender women	00 00 = 0%	(a)
HIV positivity rate amongst female sex workers	00 00 = 0%	(a)
TB mortality rate per 100,000 population	4.4 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00 02= 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00 00 = 0%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	00 00 = 0%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	00 00 = 0%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	00 00 = 0%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	05 06 = 83%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00 00 = 0%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	00	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	00	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	00	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	00	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	00	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	00	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	01 01 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	17	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	05 05 = 100%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
OTHER INDICATORS		
HIV positivity rate amongst seafarers	00 00 = 0%	(a)
HIV positivity rate amongst prisoners	00 00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00 00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00 00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

Niue Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 00 = 0%	(a)
HIV positivity rate amongst transgender women	00 00 = 0%	(a)
HIV positivity rate amongst female sex workers	00 00 = 0%	(a)
TB mortality rate per 100,000 population	5.8 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00 00 = 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00 00 = 0%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	00 00 = 0%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	00 00 = 0%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	00 00 = 0%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	02 01 = 200%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00 00 = 0%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	00	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	00	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	00	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	00	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	00	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	00	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	00 00 = 0%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	00	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	01 02 = 50%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
OTHER INDICATORS		
HIV positivity rate amongst seafarers	00 00 = 0%	(a)
HIV positivity rate amongst prisoners	00 00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00 00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00 00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

Palau Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
IMPACT		
HIV positivity rate amongst men who have sex with men	00 09 = 0%	(a)
HIV positivity rate amongst transgender women	00 09 = 0%	(a)
HIV positivity rate amongst female sex workers	00 06 = 0%	(a)
TB mortality rate per 100,000 population	9 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00 06 = 0%	(c)
OUTCOME		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02 02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	03 09 = 33%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	02 08 = 25%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	03 06 = 50%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	17 20 = 85%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00 00 = 0%	(g)
COVERAGE		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	11	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	09	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	09	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	09	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	06	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	06	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	03 07 = 43%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	06	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	13 17 = 76%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
OTHER INDICATORS		
HIV positivity rate amongst sex workers	00 00 = 0%	(a)

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_11664

