



# COASTAL BLUE CARBON

methods for assessing carbon stocks and emissions factors  
in mangroves, tidal salt marshes, and seagrass meadows

the  
**BLUE  
CARBON**  
initiative

CONSERVATION  
INTERNATIONAL





## Coordinators of the International Blue Carbon Initiative

### CONSERVATION INTERNATIONAL

Conservation International (CI) builds upon a strong foundation of science, partnership and field demonstration, CI empowers societies to responsibly and sustainably care for nature, our global biodiversity, for the long term well-being of people. For more information, visit [www.conservation.org](http://www.conservation.org)

### IOC-UNESCO

UNESCO's Intergovernmental Oceanographic Commission (IOC) promotes international cooperation and coordinates programs in marine research, services, observation systems, hazard mitigation, and capacity development in order to understand and effectively manage the resources of the ocean and coastal areas. For more information, visit [www.ioc.unesco.org](http://www.ioc.unesco.org)

### IUCN

International Union for Conservation of Nature (IUCN) helps the world find pragmatic solutions to our most pressing environment and development challenges. IUCN's work focuses on valuing and conserving nature, ensuring effective and equitable governance of its use, and deploying nature-based solutions to global challenges in climate, food and development. For more information, visit [www.iucn.org](http://www.iucn.org)



# COASTAL BLUE CARBON

methods for assessing carbon stocks and emissions factors  
in mangroves, tidal salt marshes, and seagrass meadows



## **EDITORS**

Jennifer Howard – Conservation International  
Sarah Hoyt – Duke University  
Kirsten Isensee – Intergovernmental Oceanographic Commission of UNESCO  
Emily Pidgeon – Conservation International  
Maciej Telszewski – Institute of Oceanology of Polish Academy of Sciences

## **LEAD AUTHORS**

James Fourqurean – Florida International University  
Beverly Johnson – Bates College  
J. Boone Kauffman – Oregon State University  
Hilary Kennedy – University of Bangor  
Catherine Lovelock – University of Queensland  
J. Patrick Megonigal – Smithsonian Environmental Research Center  
Abdullha (Faiz) Rahman – University of Texas-Pan American  
Neil Saintilan – New South Wales Office of Environment and Heritage, Australia  
Marc Simard – Jet Propulsion Lab, NASA

## **CO-AUTHORS**

Daniel M. Alongi – Australian Institute of Marine Science  
Miguel Cifuentes – Tropical Agricultural Research and Higher Education Center (CATIE)  
Margareth Copertino – Federal University Foundation of Rio Grande (FURG)  
Steven Crooks – Environmental Science Associates  
Carlos Duarte – Mediterranean Institute for Advanced Studies (IMEDEA)  
Igino Emmer – Silvestrum  
Miguel Fortes – University of the Philippines  
Chandra Giri – US Geological Survey  
Dorothee Herr – International Union for Conservation of Nature  
Andreas Hutahaean – Agency for Research and Development of Marine and Fisheries  
James Kairo – Kenya Marine and Fisheries Research Institute  
Daniel Laffoley – International Union for Conservation of Nature  
Núria Marbà – Mediterranean Institute for Advanced Studies (IMEDEA)  
James Morris – University of South Carolina  
Daniel Murdiyarso – Center for International Forestry Research  
Marco Quesada – Conservation International  
Peter Ralph – University of Technology Sydney  
Oscar Serrano – Edith Cowan University  
Jorge Luis Valdes – Intergovernmental Oceanographic Commission of UNESCO  
Tonny Wagey – Ministry of Marine Affairs and Fisheries, Indonesia

## **SUGGESTED CITATION**

Howard, J., Hoyt, S., Isensee, K., Telszewski, M., Pidgeon, E. (eds.) (2014). Coastal Blue Carbon: Methods for assessing carbon stocks and emissions factors in mangroves, tidal salt marshes, and seagrasses. Conservation International, Intergovernmental Oceanographic Commission of UNESCO, International Union for Conservation of Nature. Arlington, Virginia, USA.





© STEVEN CROOKS, ESA

## CONTENTS

15	<b>Chapter 1</b> – Why Measure Carbon Stocks
25	<b>Chapter 2</b> – Conceptualizing the Project and Developing a Field Measurement Plan
39	<b>Chapter 3</b> – Field Sampling of Soil Carbon Pools in Coastal Ecosystems
67	<b>Chapter 4</b> – Field Sampling of Vegetative Carbon Pools in Coastal Ecosystems
109	<b>Chapter 5</b> – How to Estimate Carbon Dioxide Emissions
123	<b>Chapter 6</b> – Remote Sensing and Mapping
137	<b>Chapter 7</b> – Data Management
145	<b>Appendices</b>
173	<b>References</b>

## FIGURE LIST

<b>Figure 1.1</b>	Blue carbon ecosystems . . . . .	16
<b>Figure 1.2</b>	Mechanisms by which carbon moves into and out of coastal wetlands . .	20
<b>Figure 2.1</b>	Steps to preparing a measurement plan. . . . .	27
<b>Figure 2.2</b>	Example of mangrove stratification. . . . .	28
<b>Figure 2.3</b>	Carbon pools in mangrove ecosystems . . . . .	30
<b>Figure 2.4</b>	Carbon pools in tidal salt marsh ecosystems . . . . .	31
<b>Figure 2.5</b>	Carbon pools in seagrass ecosystems. . . . .	32
<b>Figure 2.6</b>	Plot location strategies. . . . .	35
<b>Figure 2.7</b>	Plot nesting and clustering designs . . . . .	36
<b>Figure 3.1</b>	Mean carbon storage in the above- and belowground biomass in . . . . .	40
	coastal vegetative ecosystems versus terrestrial forest	
<b>Figure 3.2</b>	Examples of organic and mineral soil . . . . .	41
<b>Figure 3.3</b>	Equipment typically needed for field collections of soil carbon . . . . .	42
<b>Figure 3.4</b>	Measuring soil depth with a soil depth probe . . . . .	43
<b>Figure 3.5</b>	Sampling a soil core using a soil auger. . . . .	46
<b>Figure 3.6</b>	Seagrass coring devices. PVC tubes, rubber stopper, and syringe. . . . .	46
<b>Figure 3.7</b>	A demonstration of method used to drive core into soil in . . . . .	47
	seagrass meadows	
<b>Figure 3.8</b>	Set up for core sampling in seagrass ecosystems . . . . .	47
<b>Figure 3.9</b>	Diagram of soil core compaction that can occur while sampling. . . . .	48
<b>Figure 3.10</b>	Soil core liner that has been cut lengthwise to expose the soil . . . . .	49
	for archiving and subsampling	
<b>Figure 3.11</b>	Examples of cores from water saturated/loose soil types . . . . .	50
<b>Figure 3.12</b>	Cores are collected using a corer with predrilled sampling ports. . . . .	51
<b>Figure 3.13</b>	Alternative core sampling strategies. . . . .	52
<b>Figure 3.14</b>	Core sub-sampling strategy. . . . .	53
<b>Figure 3.15</b>	Collection of soil samples from open-face auger . . . . .	53
<b>Figure 3.16</b>	Samples are each placed in individual, numbered containers. . . . .	54
<b>Figure 3.17</b>	Removal of sample from syringe and preparing it for oven drying. . . . .	55
<b>Figure 3.18</b>	Soil sample cooling to room temperature in desiccator . . . . .	56
<b>Figure 3.19</b>	Bulk density of cores from tidal salt marsh . . . . .	57
<b>Figure 3.20</b>	Decision tree to determining which method is best for calculating . . . . .	57
	the organic carbon component of soil	
<b>Figure 3.21</b>	Grinding and homogenization of a soil sample . . . . .	58
<b>Figure 3.22</b>	Chromatogram results from a CHN analyzer . . . . .	59
<b>Figure 3.23</b>	Preparing a dried sample for CHN analysis . . . . .	59
<b>Figure 3.24</b>	Testing for carbonate . . . . .	60



<b>Figure 4.1</b>	Classification of mangroves . . . . .	69
<b>Figure 4.2</b>	Height differences among mangrove vegetation. . . . .	69
<b>Figure 4.3</b>	Plot scale depends on the component being assessed . . . . .	71
<b>Figure 4.4</b>	Estimating diameter at breast height for irregular mangrove trees. . . . .	73
<b>Figure 4.5</b>	Comparison of tree biomass estimates . . . . .	77
<b>Figure 4.6</b>	Field measurement techniques for dwarf mangroves . . . . .	79
<b>Figure 4.7</b>	Examples of dead tree decay status . . . . .	80
<b>Figure 4.8</b>	Lianas . . . . .	82
<b>Figure 4.9</b>	Examples of palm plants found in mangroves . . . . .	83
<b>Figure 4.10</b>	Pneumatophores . . . . .	85
<b>Figure 4.11</b>	Pre-labelled plastic bags containing litter . . . . .	86
<b>Figure 4.12</b>	Downed wood . . . . .	87
<b>Figure 4.13</b>	Examples of woody debris transect strategy . . . . .	88
<b>Figure 4.14</b>	Example of a wood debris transect for sampling downed wood. . . . . in mangroves using the line intersect technique	88
<b>Figure 4.15</b>	Salt marsh abundance by marine ecoregion . . . . .	91
<b>Figure 4.16</b>	Zonation of salt marsh vegetation in herb dominated systems . . . . .	92
<b>Figure 4.17</b>	Recommended Placement of sampling plots in tidal salt marshes . . . . .	93
<b>Figure 4.18</b>	Measuring stem height and width . . . . .	94
<b>Figure 4.19</b>	Allometric equations between stem biomass and height . . . . .	95
<b>Figure 4.20</b>	Field measurement techniques for shrubs . . . . .	96
<b>Figure 4.21</b>	Tidal salt marsh leaf litter . . . . .	99
<b>Figure 4.22</b>	Examples of common seagrass species . . . . .	100
<b>Figure 4.23</b>	Biomass sampling/coring in seagrass meadows in Ceara, Brazil . . . . .	102
<b>Figure 4.24</b>	Above and belowground biomass for <i>R. maritima</i> . . . . .	102
<b>Figure 4.25</b>	Epiphytes. . . . .	103
<b>Figure 4.26</b>	Epiphyte removal and processing . . . . .	104
<b>Figure 5.1</b>	Establishing a reference datum . . . . .	111
<b>Figure 5.2</b>	Effect of accretion and erosion on soil samples . . . . .	113
<b>Figure 5.3</b>	Diagram of a Surface Elevation Table (SET) marker horizon (MH) . . . . . method used to detect changes in soil surface elevation	113
<b>Figure 5.4</b>	Diagram of how carbon losses may be accounted for where . . . . . the soil surface has subsided or been eroded	115
<b>Figure 5.5</b>	Diagram of static chambers . . . . .	119
<b>Figure 5.6</b>	Proportion of CH <sub>4</sub> gas in a flux chamber . . . . .	120
<b>Figure 6.1</b>	Effect of pixel size on the visual appearance of an area . . . . .	125
<b>Figure 6.2</b>	Example image from LANDSAT-8 data. . . . .	126
<b>Figure 6.3</b>	Example image from MODIS data . . . . .	128

<b>Figure 6.4</b>	Example of a falsely colored image from SRTM elevation data . . . . .	129
<b>Figure 6.5</b>	Example Image from PALSAR data . . . . .	130
<b>Figure 6.6</b>	Steps for processing remotely sensed images . . . . .	132
<b>Figure 6.7</b>	Global distribution of mangroves prepared using Landsat satellite . . . . .	134
	data at 30 m spatial resolution of year 2000	
<b>Figure 7.1</b>	Photo point monitoring . . . . .	141
<b>Figure 7.2</b>	Example of a data sheet . . . . .	142
<b>Figure D1</b>	The relationship of organic matter calculated via loss on ignition . . . . .	161
	to carbon concentration (percent) calculated via dry combustion	
	for mangrove soil samples from the republic of Palau	
<b>Figure D2</b>	The relationship of organic matter (% LOI) with . . . . .	162
	organic carbon (% OC) for tidal salt marsh samples in Maine	
<b>Figure D3</b>	The relationship of organic matter (% LOI) with . . . . .	163
	organic carbon (% OC) for seagrasses	

预览已结束，完整报告链接和二维码如下：

[https://www.yunbaogao.cn/report/index/report?reportId=5\\_14828](https://www.yunbaogao.cn/report/index/report?reportId=5_14828)

