Technical Report of the Arctic Council Task Force on Short-Lived Climate Forcers

# An Assessment of Emissions and Mitigation Options for Black Carbon for the Arctic Council



#### **Acknowledgments**

An Assessment of Emissions and Mitigation Options for Black Carbon for the Arctic Council is a report of the Arctic Council Task Force on Short-Lived Climate Forcers.

#### © Arctic Council 2011

This report and its supplemental material contained in appendices are available at: http://arctic-council.org.

The Task Force's 2011 Progress Report and Recommendations for Ministers is also available at: <a href="http://arctic-council.org">http://arctic-council.org</a>.

Co-chairs of the Task Force on Short-Lived Climate Forcers:

- Benjamin DeAngelo, U.S. Environmental Protection Agency, editor
- · Håvard Toresen, Norwegian Ministry of the Environment

National representatives of the Task Force and contributors to this report:

- Reino Abrahamsson, Swedish Environmental Protection Agency
- Carsten Eskebjerg, Danish Ministry of Climate and Energy
- · Mette Frost, Infrastructure Agency, Greenland
- Michael Geller, U.S. Environmental Protection Agency
- · Jeanne-Marie Huddleston, Environment Canada
- Jennifer Kerr, Environment Canada
- Kaarle Kupiainen, Finnish Environment Institute/International Institute for Applied Systems Analysis (IIASA)
- Venkatesh Rao, U.S. Environmental Protection Agency
- Seppo Sarkkinen, Finnish Ministry of the Environment
- Marcus Sarofim, U.S. Environmental Protection Agency
- Erika Sasser, U.S. Environmental Protection Agency
- Jesper Stubkjær, Danish Environmental Protection Agency
- Vigdis Vestreng, Climate and Pollution Agency, Norway

The Task Forces wishes to especially thank Zig Klimont of IIASA for making available the GAINS analyses for this report.

The Task Force also thanks those who provided reviews and comments:

Peter Lahm, U.S. Forest Service; Pam Pearson, International Cryosphere Climate Initiative; Elena Kobets, ERC Bellona; Michael Walsh, independent consultant; Ellen Baum, Clean Air Task Force; Brad Kinder, U.S. Forest Service; Brian Muehling, U.S. Environmental Protection Agency

Editing and layout: Katherine Bronstein, RTI International

Photos: All photos contained in this report were taken in Ilulissat, Greenland at the time of the April 2010 Senior Arctic Officials meeting.

### **Table of Contents**

Acknow	ledgmen	its	iii
List of A	Acronym	S	xi
Technic	al Summ	ary	TS-1
		S	
Section	1 – Intro	duction	1-1
		ate Change and Health Effects: Setting the Context	
		ate Change and Health Effects. Setting the Context	
2.1		e Change in the Arctic	
2.1	2.1.1	The Role of Black Carbon in Arctic Climate Change	
	2.1.2		
	2.1.3	The Potential Role of Methane and Tropospheric Ozone in Arctic	2 0
	2.1.3	Climate Change	2-10
2.2	Brief (	Overview of Global Health Effects Related to SLCFs	
Section	3 – Curr	ent Black Carbon and Organic Carbon Emissions	3-1
3.1		Region Emissions in the Global Context	
3.2		aring Emission Inventories	
0.2		ainties	
3.3		Arctic Council Emission Estimates	
	3.3.1	Bond Emissions Estimates	
	3.3.2	GAINS Emissions Estimates	3-15
	3.3.3	Emissions Data Used by AMAP	3-17
3.4	Nation	al Emission Inventories of Arctic Council Nations	
	3.4.1	Canada	3-18
	3.4.2	Denmark, Greenland, and the Faroe Islands	3-23
	3.4.3	Finland	3-28
	3.4.4	Norway	3-30
	3.4.5	Sweden	3-38
	3.4.6	United States	3-42
3.5	Synthe	sis of Emissions Inventories	3-50
Section	4 – Proje	ected Future Emissions	4-1
4.1	GAINS	S Projected Emissions for 2020 and 2030	4-2
4.2		al Projections	
	4.2.1	Canada	4-11
	4.2.2	Denmark, Greenland, and the Faroe Islands	4-14
	4.2.3	Finland	4-17
	4.2.4	Norway	4-20
	4.2.5	Sweden	4-22
	4.2.6	United States	4-25
Section	5 – Curr	ent Regulations, Policies, and Programs Relevant for Emission Control	1 5-28
5.1		ational Programs	
		North American Programs	

	5.1.2	European Programs	5-30
	5.1.3	International Shipping Regulations	5-34
5.2	Arctic (	Council Nations' Specific Initiatives	5-34
	5.2.1	Canada	5-34
	5.2.2	Denmark, Greenland, and the Faroe Islands	5-38
	5.2.3	Finland	5-41
	5.2.4	Norway	5-42
	5.2.5	Sweden	
	5.2.6	United States	5-45
Section	6 – Addit	ional Mitigation Opportunities	6-1
Intro	oduction		6-2
6.1	Additio	nal Mitigation Potential Estimated by the GAINS Model	6-2
6.2	Sectora	l Information Provided By Arctic Council Nations	6-6
	6.2.1 D	omestic (Residential Heating)	6-6
6.3	Transpo	ort	
	6.3.1	Off-Road Vehicles and Working Machinery	
	6.3.2	International Marine Shipping	
	6.3.3	Fishing Vessels	
6.4	05	and Industrial Production and Waste	
	6.4.1	Energy Production	
	6.4.2	Industrial Production	
6.5	_	tural and Open Biomass Burning	
	6.5.1	Agricultural Burning	
	6.5.2	Prescribed Forest Burning	
	6.5.3	Wildfires	
6.6	Gas Fla	ring	6-18
Referen	ces		R-1
Appendi	x A – Cana	ada	
Appendi	x B – King	gdom of Denmark, Greenland, and the Faroe Islands	
Appendi	x C – Finla	and	
Appendi	x D – Norv	way	
	x E – Swed	•	
	x F – Unite		
	x G – GAI		
	v H – Ron		
	$\lambda$ $\Box$ $\Box$ $\Box$ $\Box$ $\Box$	u Dala	

July 2011 vi

## **List of Figures**

TS-1.	Total black carbon and organic carbon emissions, excluding open biomass burning,	
	in 2000 and 2005 from the Arctic Council nations, Gigagrams	TS-4
TS-2.	Total black carbon and organic carbon emissions, including open biomass burning, in	
	2000 and 2005 from the Arctic Council nations, Gigagrams	TS-5
TS-3.	Black carbon emissions projections based on current legislation and a baseline of	
	2005 (Amman et al., 2010)	TS-7
2-1.	Average monthly Arctic sea ice extent, September 1979 to 2010 (NSIDC, 2008)	2-3
2-2.	Arctic September sea ice extent (10 <sup>6</sup> km <sup>2</sup> ) from observations (thick red line) and 13	
	IPCC AR4 climate models, together with the multi-model ensemble mean (solid	
	black line) and +/- standard deviation (dotted black line). (Stroeve et al., 2007)	2-7
3-1.	Relative importance of source regions to annual mean Arctic concentrations at the	
	surface and in the upper troposphere (250 hPa) for BC (Shindell et al., 2008)	3-3
3-2.	Global BC emissions by latitude for the Arctic region and the rest of the world	
·	(Gg/degree latitude).	3-4
3-2.	Global BC emissions by source category for 2000 by latitude	
3-2. 3-3.	Black carbon emissions by sector and Arctic Council nation for 2000 in Gg (Bond,	5-5
<i>3-3</i> .	2009)	3 1/1
3-4.	Organic carbon emissions by sector and Arctic Council nation for 2000 in Gg (Bond,	3-14
3-4.	2009); open burning included.	2 14
2 5		3-14
3-5.	Organic carbon emissions by sector and Arctic Council nation for 2000 in Gg (Bond,	2 15
2.6	2009); open burning not included.	3-13
3-6.	BC emissions by sector for 2000 and 2005, not including open biomass burning, all	2.16
	Arctic Council nations (Gg/yr).	
3-7.	OC emissions by sector for 2000 and 2005, all Arctic Council nations (Gg/yr)	
3-8.	BC and OC emissions for 2006 by sector, Canada (Gg/yr)	
3-9.	Provincial breakdown of BC emissions in 2006 by sector, Canada (Gg/yr)	
3-10.	Provincial breakdown of OC emissions in 2006 by sector, Canada (Gg/yr)	3-21
3-11.	BC and OC emissions for 2000 and 2005 by sector, excluding open biomass burning,	
	Canada in Gg/yr.	3-23
3-12.	BC and OC emissions by sector for 2000, 2005, and 2010, Denmark and the Faroe	
	Islands (Gg/yr).	3-24
3-13.	BC and OC emissions by sector for 2000, 2005, and 2010, Greenland (Gg/yr)	3-26
3-14.	Comparison of total BC and OC emissions inventories for Denmark, Greenland, and	
	the Faroe Islands to GAINS and Bond (Gg/yr)	3-27
3-15.	BC and OC emissions for 2000 and 2005 by sector, Denmark, Greenland, and the	
	Faroe Islands in Gg/yr	3-27
3-16.	BC and OC emissions by sector for 2000 and 2005, Finland (Gg/yr)	3-29
3-17.	BC and OC emissions for 2000 and 2005 by sector, Finland in Gg/yr	
3-18.	Historical trends in PM <sub>2.5</sub> emissions by SNAP category for 1980, 1990, 1995, and	
2 10.	2000–2008, Norway (Gg/yr)	3-31
3-19.	Temperature and snow cover in Oslo, Norway, in autumn 2002	3-32
3-20.	Ratio between flared and produced petroleum in Norway, 1990–2008	
3-20. 3-21.	Comparison of Norwegian and GAINS PM <sub>2.5</sub> emissions for 1990–2005, aggregated to	5-55
J-21.	SNAP categories in Gg/yr	2 27
2 22	BC and OC emissions for 2000 and 2005 by sector, Norway (Gg/yr).	
3-22.	·	
3-23.	Total emissions of PM <sub>2.5</sub> for 1990–2008, Sweden (Gg/yr)	3-38
3-24.	Detailed emissions breakdown of PM <sub>2.5</sub> emissions in Sweden for 1990–2008,	2.20
2.25	excluding international shipping (Gg/yr).	3-39
3-25.	Emissions of PM <sub>2.5</sub> in 2007 from combustion sources and the amount derived from	2.40
2.25	different fuels, Sweden (Gg/yr).	
3-26.	BC and OC emissions by sector for 2007, Sweden (Gg/yr).	3-41

July 2011 vii

3-27.	BC and OC emissions for 2000 and 2005 by sector, Sweden (Gg/yr)	3-42
3-28.	BC and OC emissions by sector for 2005, United States (Gg/yr)	3-45
3-29.	Emissions of PM <sub>2.5</sub> , OC, and BC by source category in 2005, United States (Gg/yr)	3-46
3-30.	Percent of BC and OC emissions in Gg for 2005, grouped by combustion categories,	
	United States.	3-47
3-31.	Detailed breakdown of BC emissions (total of 308 Gg) in the Transport sector,	
	United States 2005 NEI (U.S. EPA, 2011).	3-48
3-32.	BC and OC emissions for 2000 and 2005 by sector, United States (Gg/yr)	3-49
3-33.	BC and OC emissions for 2000 and 2005 by sector, United States (Gg/yr)	3-50
3-34.	BC and OC emissions for 2000 and 2005 by sector, Iceland (Gg/yr)	3-51
3-35.	BC and OC emissions for 2000 and 2005 by sector, the Russian Federation (Gg/yr)	3-52
4-1.	BC emissions for all Arctic Council nations by aggregated sector (Gg/yr)	4-5
4-2.	OC Emissions for Arctic Council nationa by aggregated sector (Gg/yr)	4-6
4-3.	GAINS projected BC and OC emissions for Canada (Gg/yr)	4-7
4-4.	GAINS projected BC and OC emissions for Denmark, Greenland, and the Faroe	
	Islands (Gg/yr).	
4-5.	GAINS projected BC and OC emissions for Finland (Gg/yr).	4-8
4-6.	GAINS projected BC and OC emissions for Iceland (Gg/yr)	4-8
4-7.	GAINS projected BC and OC emissions for Norway (Gg/yr)	4-9
4-8.	GAINS projected BC and OC emissions for the Russian Federation (Gg/yr)	4-9
4-9.	GAINS projected BC and OC emissions for Sweden (Gg/yr)	
4-10.	GAINS projected BC and OC emissions for the United States (Gg/yr)	4-10
4-11.	Total BC emissions trends 2005 through 2030, Canada.	4-12
4-12.	BC emissions trends by major sector in Gg, 2005 through 2030, Canada	4-13
4-13.	Comparison of national and GAINS CLE projected 2030 BC emissions estimates,	
	Canada (Gg).	4-14
4-14.	BC and OC emissions for 2000–2030, Denmark and the Faroe Islands	4-15
4-15.	BC and OC emissions projections for Greenland in Gg/yr, 2010–2030	4-16
4-16.	Comparison of national and GAINS projected 2030 BC emissions estimates,	
	Denmark, Greenland, and the Faroe Islands (Gg).	4-17
4-17.	Comparison of national and GAINS projected 2030 OC emissions estimates,	
	Denmark, Greenland, and the Faroe Islands (Gg).	4-17
4-18.	BC and OC Emissions Projections for Finland, 2005 and 2020.	4-19
4-19.	Comparison of 2020 Projected BC Emissions, Finland (Gg).	4-19
4-20.	Comparison of 2020 Projected OC Emissions, Finland (Gg).	4-20
4-21.	Projections of PM <sub>2.5</sub> emissions for 2000, 2010, and 2020, Norway (SFT, 2006)	4-21
4-22.	Comparison of PM <sub>2.5</sub> emissions from SFT and GAINS for 2000, 2010, and 2020 in	
	Gg, Norway.	4-22
4-23.	PM <sub>2.5</sub> emissions projections in Gg with base year of 2007, Sweden	4-23
4-24.	Projected BC and OC emissions for 2020 compared with base year 2007, Sweden	
4-25.	Comparison of projected 2020 BC emissions to GAINS, Sweden (Gg).	4-24

# 预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5\_9739



