

Lao PDR

Lao Social Indicator Survey II (LSIS II)

2017

June 2018



Lao PDR

Lao Social Indicator Survey II

2017

Survey Findings Report

June 2018



The Lao Social Indicator Survey II (LSIS II) was carried out in 2017 by Lao Statistics Bureau (LSB) in collaboration with Ministry of Health and Ministry of Education and Sport, as part of the Global Multiple Indicator Cluster Survey (MICS) Programme. Technical support was provided by the United Nations Children’s Fund (UNICEF), with government funding and financial support of UNICEF and United Nations Population Fund (UNFPA), European Union (EU), Luxembourg Government, United States Agency for International (USAID), Swiss Development Cooperation (SDC), World Food Programme (WFP), and United Nations Development Programmes (UNDP), World Health Organisation (WHO) and Japanese International Cooperation Agency (JICA). USAID provided technical support for the data collection and analysis on anaemia.

The Global MICS Programme was developed by UNICEF in the 1990s as an international multi-purpose household survey programme to support countries in collecting internationally comparable data on a wide range of indicators on the situation of children and women. MICS surveys measure key indicators that allow countries to generate data for use in policies, programmes, and national development plans, and to monitor progress towards the Sustainable Development Goals (SDGs) and other internationally agreed upon commitments. The LSIS II presents up-to date information for assessing the situation of children, women and men as well as to provide data for monitoring progress towards existing strategies and action plans including the 8th National Socio-Economic Development Plan (NSED) 2016-2020, update the status of the provincial social development indicators and track the graduation of the country from the category of Least Developed Country by 2020.

The objective of this report is to facilitate the timely dissemination and use of results from the LSIS II. The report contains detailed information on the methodology of the survey, and tables following MICS standard and templates.

For more information on the Global MICS Programme, please go to mics.unicef.org.

Suggested citation:

Lao Statistics Bureau. 2018. *Lao Social Indicator Survey II 2017, Survey Findings Report*. Vientiane, Lao PDR: Lao Statistics Bureau and UNICEF.

Summary table of survey implementation and the survey population, Lao Social Indicator Survey II, 2017

Survey sample and implementation			
Sample frame	2015 Population and Housing Census	Questionnaires	Household
- Updated	December, 2016 to February, 2017		Women (age 15-49) Men (age 15-49) Children under five Children age 5-17 Water Quality Testing
Interviewer training	June, 2017	Fieldwork	July-November, 2017
Survey sample			
Households		Children under five	
- Sampled	23, 299	- Eligible	11, 812
- Occupied	22, 443	- Mothers/caretakers interviewed	11, 720
- Interviewed	22, 287	- Response rate (Per cent)	99.2
- Response rate (Per cent)	99.3		
Women (age 15-49)		Children age 5-17	
- Eligible for interviews	26, 103	- Eligible	15, 494
- Interviewed	25, 305	- Mothers/caretakers interviewed	15, 435
- Response rate (Per cent)	96.9	- Response rate (Per cent)	99.6
Men (age 15-49)		Water Quality Testing	
- Eligible for interviews	12, 694	- Eligible	3, 495
- Interviewed	12, 017	- Interviewed	3, 346
- Response rate (Per cent)	94.7	- Response rate (Per cent)	95.7

Survey population			
Average household size	4.7	Percentage of population living in	
Percentage of population under:		- Urban areas	32.4
- Age 5	10.8	- Rural areas	67.6
- Age 18	39.4	- Rural with road	86.0
Percentage of women age 15-49 years with at least one live birth in the last 2 years	16.7	- Rural without road	14.0

Table of contents

Summary table of survey implementation and the survey population,	iii
Survey name, year-year of fieldwork.....	iii
Table of contents	iv
List of abbreviations.....	xi
Foreward.....	xiii
Acknowledgements	xiv
 I. Introduction	
Background	1
Survey objectives	1
 II. Sample and survey methodology	3
Sample design	3
Questionnaires	3
Training and fieldwork.....	5
Data processing	6
 III. Indicators and definitions	8
 IV. Sample coverage and characteristics of respondents	23
SR.1. Results of interviews.....	23
Table SR.1.1: Results of household, women's, men's, under-5's and children age 5-17's interviews.....	24
SR.2. Housing and household characteristics	26
Table SR.2.1: Housing characteristics.....	26
Table SR.2.2: Household and personal assets	28
Table SR.2.3: Wealth quintiles	30
SR.3. Household composition	30
Table SR.3.1: Household composition.....	31
SR.4. Age structure of household population	32
Table SR.4.1: Age distribution of household population by sex	32
SR.5. Respondents' background characteristics	32
Table SR.5.1W: Women's background characteristics	33
Table SR.5.1M: Men's background characteristics	34
Table SR.5.2: Children under 5's background characteristics.....	35
Table SR.5.3: Children age 5-17's background characteristics	37
SR.6. Literacy.....	38
Table SR.6.1W: Literacy (women)	39
Table SR.6.1M: Literacy (men)	40
SR.7. Migratory status	41
Table SR.7.1W: Migratory status of women.....	42
Table SR.7.1M: Migratory status of men.....	46
SR.9. Mass media and ICT	50
Table SR.9.1W: Exposure to mass media (women)	50
Table SR.9.1M: Exposure to mass media (men)	51
Table SR.9.2: Household ownership of ICT equipment and access to internet.....	52

Table SR.9.3W: Use of ICT (women)	53
Table SR.9.3M: Use of ICT (men)	55
Table SR.9.4W: ICT skills (women)	57
Table SR.9.4M: ICT skills (men)	59
SR.10. Tobacco and alcohol use	61
Table SR.10.1W: Current and ever use of tobacco (women)	62
Table SR.10.1M: Current and ever use of tobacco (men)	64
Table SR.10.2W: Age at first use of cigarettes and frequency of use (women)	66
Table SR.10.2M: Age at first use of cigarettes and frequency of use (men)	67
Table SR.10.3W: Use of alcohol (women)	68
Table SR.10.3M: Use of alcohol (men)	69
SR.11. Children's living arrangements	70
Table SR.11.1: Children's living arrangements and orphanhood	71
Table SR.11.2: Children's living arrangements and co-residence with parents	72
Table SR.11.3: Children not in parental care	73
V. Survive	76
Table CS.1: Early childhood mortality rates	76
Table CS.2: Early childhood mortality rates by socioeconomic characteristics	77
Table CS.3: Early childhood mortality rates by demographic characteristics	78
Table CS.1: Children ever born, children surviving and proportion dead	76
Table CS.2: Infant and under-5 mortality rates by time since first birth groups of women	77
Table CS.3: Infant and under-5 mortality rates by background characteristics	78
Figure CS.1: Trend in under-5 mortality rates	79
VI. Thrive – Reproductive and maternal health	81
TM.1. Fertility	81
Table TM.1.1: Fertility rates	81
TM.2. Early childbearing	82
Table TM.2.1: Adolescent birth rate and total fertility rate	82
Table TM.2.2W: Early childbearing (young women)	84
Table TM.2.2M: Early fatherhood (young men)	85
Table TM.2.3W: Trends in early childbearing (women)	86
Table TM.2.3M: Trends in early fatherhood (men)	88
TM.3. Family planning	90
Table TM.3.1: Use of contraception (currently married/in union)	91
Table TM.3.2: Use of contraception (currently unmarried/not in union)	93
Table TM.3.3: Need for contraception (currently married/in union)	95
Table TM.3.4: Need for contraception (currently unmarried/not in union)	97
TM.4. Antenatal care	99
Table TM.4.1: Antenatal care coverage	100
Table TM.4.2: Number of antenatal care visits and timing of first visit	101
Table TM.4.3: Content of antenatal care	103
TM.5. Neonatal tetanus	104
Table TM.5.1: Neonatal tetanus protection	105
TM.6. Delivery care	106
Table TM.6.1: Place of delivery	106
Table TM.6.2: Assistance during delivery and caesarean section	108
TM.7. Birthweight	110
Table TM.7.1: Infants weighed at birth	110
TM.8. Postnatal care	112
Table TM.8.1: Post-partum stay in health facility	113
Table TM.8.2: Post-natal health checks for newborns	114

Table TM.8.3: Post-natal care visits for newborns within one week of birth.....	116
Table TM.8.4: Thermal care for newborns	118
Table TM.8.5: Cord cutting and care	120
Table TM.8.6: Content of postnatal care for newborns	122
Table TM.8.7: Post-natal health checks for mothers	124
Table TM.8.8: Post-natal care visits for mothers within one week of birth	126
Table TM.8.9: Post-natal health checks for mothers and newborns	127
TM.10. Sexual behaviour	129
Table TM.10.1W: Sex with multiple partners (women)	129
Table TM.10.1M: Sex with multiple partners (men)	131
Table TM.10.2W: Key sexual behaviour indicators (young women)	133
Table TM.10.2M: Key sexual behaviour indicators (young men)	135
TM.11. HIV	137
Table TM.11.1W: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (women)	138
Table TM.11.1M: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men)	140
Table TM.11.2W: Knowledge of mother-to-child HIV transmission (women)	142
Table TM.11.2M: Knowledge of mother-to-child HIV transmission (men)	144
Table TM.11.3W: Attitudes towards people living with HIV (women)	146
Table TM.11.3M: Attitudes towards people living with HIV (men)	148
Table TM.11.4W: Knowledge of a place for HIV testing (women)	150
Table TM.11.4M: Knowledge of a place for HIV testing (men)	152
Table TM.11.5: HIV counselling and testing during antenatal care	154
Table TM.11.6W: Key HIV and AIDS indicators (young women)	156
Table TM.11.6M: Key HIV and AIDS indicators (young men)	158
TM.13. Anemia	160
Table TM.13.1: Women's coverage of hemoglobin testing.....	161
Table TM.13.2: Prevalence of anemia in women	163
TM.14. Abortion	165
Table TM.14.1: Induced abortion rates	165
Table TM.14.2: Pregnancy Outcomes	166
Table TM.14.3: Method of Abortion, Lao PDR, 2017	168
VII. Thrive – Child health, nutrition and development	172
TC.1. Immunisation	172
Table TC.1.1: Vaccinations in the first years of life	173
Table TC.1.2: Vaccinations by background characteristics	174
TC.2. Disease episodes	176
Table TC.2.1: Reported disease episodes	177
TC.3. Diarrhoea	178
Table TC.3.1: Care-seeking during diarrhoea	179
Table TC.3.2: Feeding practices during diarrhoea	180
Table TC.3.3: Oral rehydration solutions, government-recommended homemade fluid and zinc	182
Table TC.3.4: Oral rehydration therapy with continued feeding and other treatments	183
Table TC.3.5: Source of ORS and zinc	185
TC.4. Household energy use	186
Table TC.4.1: Primary reliance on clean fuels and technologies for cooking	187
Table TC.4.2: Primary reliance on solid fuels for cooking	189
Table TC.4.3: Polluting fuels and technologies for cooking by type and characteristics of cookstove and place of cooking	191

Table TC.4.4: Primary reliance on clean fuels and technologies for space heating	193
Table TC.4.5: Type of space heater mainly used and presence of chimney	195
Table TC.4.6: Primary reliance on clean fuels and technologies for lighting	197
Table TC.4.7: Primary reliance on clean fuels and technologies for cooking, space heating, and lighting	199
TC.5. Symptoms of acute respiratory infection	201
Table TC.5.1: Care-seeking for and antibiotic treatment of symptoms of acute respiratory infection (ARI)	202
TC.6. Malaria	203
Table TC.6.1: Household possession of mosquito nets	204
Table TC.6.2: Source of mosquito nets	205
Table TC.6.3: Access to an insecticide-treated net (ITN) – number of household members	207
Table TC.6.4: Access to an insecticide-treated net (ITN) – background characteristics	208
Table TC.6.5: Use of mosquito nets by the household population	209
Table TC.6.6: Use of existing ITNs	210
Table TC.6.7: Use of mosquito nets by children	211
Table TC.6.8: Use of mosquito nets by pregnant women	213
Table TC.6.9: Use of Intermittent Preventive Treatment for malaria (IPTp by women during pregnancy	215
Table TC.6.10: Care-seeking during fever	216
Table TC.6.11: Treatment of children with fever	217
Table TC.6.12: Diagnostics and anti-malarial treatment of children	219
Table TC.6.13: Source of anti-malarial	221
TC.7. Infant and young child feeding	222
Table TC.7.1: Initial breastfeeding	224
Table TC.7.2: Newborn feeding	226
Table TC.7.3: Breastfeeding status	229
Table TC.7.4: Duration of breastfeeding	230
Table TC.7.5: Age-appropriate breastfeeding	231
Table TC.7.6: Introduction of solid, semi-solid, or soft foods	232
Table TC.7.7: Infant and young child feeding (IYCF) practices	233
Table TC.7.8: Bottle feeding	235
TC.8. Malnutrition	236
Table TC.8.1: Nutritional status of children	237
TC.9. Salt iodisation	240
Table TC.9.1: Iodized salt consumption	240
TC.10. Early childhood home environment	241

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_19733

