
Trends in Maternal Mortality: 1990 to 2013

Estimates by WHO, UNICEF, UNFPA, The World Bank and the United Nations Population Division



Trends in maternal mortality: 1990 to 2013

Estimates by WHO, UNICEF, UNFPA, The World Bank and the United Nations Population Division











WHO Library Cataloguing-in-Publication Data

Trends in maternal mortality: 1990 to 2013. Estimates by WHO, UNICEF, UNFPA, The World Bank and the United Nations Population Division

I.World Health Organization.

ISBN 978 92 4 150722 6

Subject headings are available from WHO institutional repository

© World Health Organization 2014

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications —whether for sale or for non-commercial distribution— should be addressed to WHO Press through the WHO website (www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Editing and layout by Inís Communication - www.iniscommunication.com

Contents

ACK	NOWLEDGEMENTS	٧٧
ABB	REVIATIONS	VI
EXE	CUTIVE SUMMARY	1
1	INTRODUCTION	3
2	MEASURING MATERNAL MORTALITY	
2.1	Concepts and definitions	
2.2	Coding of maternal deaths	
	Measures of maternal mortality	
2.3	Approaches for measuring maternal mortality	7
3	METHODOLOGY FOR THE 1990–2013 ESTIMATES OF MATERNAL MORTALITY	11
3.1	Sources of country data used for the 1990–2013 estimates	11
3.2	Methods used to estimate maternal mortality ratio in 1990–2013 according to data source	
	Estimation of maternal mortality ratio from Group 1 civil registration data (Group A)	
	Estimation of maternal mortality ratio using a statistical model (Groups B and C)	
	Uncertainty of estimates	
3.3	Computation of adult lifetime risk of maternal mortality	19
3.4	Global and regional estimates	20
3.5	Methodological updates	20
4	RESULTS	21
4.1	Maternal mortality estimates for 2013	21
4.2	Trends in maternal mortality from 1990 to 2013	
4.3	Comparison with previous maternal mortality estimates	26
5	PROGRESS TOWARDS MILLENNIUM DEVELOPMENT GOAL 5	27
REF	ERENCES	29
TAB	LES	
	le 1. Sources of maternal mortality data used in generating the 2013 maternal mortality	
ratio	o estimates	12
	le 2 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births), number of	
	ernal deaths, and lifetime risk, by United Nations MDG region, 2013	22
	le 3. Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births), number of	
	ernal deaths and maternal deaths attributed to HIV/AIDS, by United Nations MDG region, 2013	24
	le 4. Comparison of 1990 and 2013 maternal mortality ratio (MMR, maternal deaths per	
1()()	000 live hirths) and number of maternal deaths, by United Nations MDG regions	25

ANNEXES

Annex 1 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births), number	
of maternal deaths, lifetime risk and percentage of AIDS-related indirect maternal deaths, 2013	31
Annex 2. Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births),	
1990–2013, by country	36
Annex 3 . Countries with 40% or more decrease in the maternal mortality ratio (maternal deaths per	
100 000 live births) from 1990 to 2013	44
APPENDICES	
Appendix 1 . Adjustment factor to account for misclassification of maternal deaths in civil registration,	
literature review of reports and articles	45
Appendix 2 . Sixty-seven countries with civil registration data characterized as complete, with good	
attribution of cause of death	47
Appendix 3 . Ninety-six countries with incomplete civil registration and/or other types of maternal	
mortality data	47
Appendix 4. Twenty countries with no national data on maternal mortality	
Appendix 5. Estimation of maternal deaths due to HIV	48
Appendix 6. Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live	
births), 1990–2013, by United Nations Millennium Development Goal region (indicated in bold) and	
other grouping	50
Appendix 7 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births),	
number of maternal deaths, and lifetime risk by WHO region, 2013	51
Appendix 8. Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live	
births), 1990–2013, by WHO region	51
Appendix 9 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births),	
number of maternal deaths, and lifetime risk by UNICEF region, 2013	52
Appendix 10 . Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live	
births), by UNICEF region	52
Appendix 11 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births),	
number of maternal deaths, and lifetime risk by UNFPA region, 2013	53
Appendix 12 . Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live	
births) 1990–2013, by UNFPA region	53
Appendix 13 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births),	
number of maternal deaths, and lifetime risk by The World Bank region and income group, 2013	54
Appendix 14. Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live	
births), 1990–2013, by The World Bank region and income group	54
Appendix 15 . Estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live births),	
number of maternal deaths, and lifetime risk by UNPD region, 2013	55
Appendix 16 . Trends in estimates of maternal mortality ratio (MMR, maternal deaths per 100 000 live	
births), 1990–2013, by UNPD region	
Appendix 17. Summary of country consultations	56

Acknowledgements

The Maternal Mortality Estimation Inter-Agency Group (MMEIG), together with Leontine Alkema, of the National University of Singapore, Singapore, and Alison Gemmill, of the University of California at Berkeley, United States of America, collaborated in developing these maternal mortality estimates.

The MMEIG consists of the following individuals, listed in alphabetical order: Mohamed Ali of the World Health Organization (WHO); Ties Boerma of WHO; Liliana Caravajal of the United Nations Children's Fund (UNICEF); Doris Chou of WHO; Daniel Hogan of WHO; Victor Gaigbe-Togbe of the United Nations Population Division (UNPD) and Sara Hertog of UNPD; Edilberto Loaiza of the United Nations Population Fund (UNFPA); Matthews Mathai of WHO; Colin Mathers of WHO; Samuel Mills of The World Bank; Holly Newby of UNICEF; Vibeke Nielsen of Statistics Norway; Lale Say of WHO; Emi Suzuki of The World Bank; and Marleen Temmerman of WHO. Leontine Alkema is the lead adviser to the MMEIG. Flavia Bustreo of WHO oversaw the overall work and process of developing the estimates.

An external technical advisory group (TAG) provided independent technical advice. The members of the TAG are: Saifuddin Ahmed of Johns Hopkins University, Baltimore, MD, USA; David Braunholz of Aberdeen University, Scotland; Peter Byass of Umeå University, Sweden; Wendy Graham of Aberdeen University, Scotland; Dr Namuunda Mutombo, African Population and Health Research Centre, Nairobi, Kenya; Thomas Pullum of ICF Macro Calverton, Maryland, USA; and Neff Walker of Johns Hopkins University, Baltimore, MD, USA.

The Department of Governing Bodies and External Relations of WHO, WHO country offices, UNFPA country offices, and UNICEF country offices, are gratefully acknowledged for facilitating the country consultations. Thanks to the WHO regional office staff:

Regional Office for Africa

Derege Kebede Tigest Ketsela Mangestu Gisele Carole Wabo Nitcheu Triphonie Nkurunziza Leopold Ouedraogo

Regional Office for the Americas

Bremen De Mucio Patricia Ruiz Suzanne Serruya Gina Tambini

Regional Office for the Eastern Mediterranean

Mohamed Mahmoud Ali Haifa Madi Ramez Khairi Mahaini

Regional Office for Europe

Enrique Gerardo Loyola Elizondo Gauden Galea Gunta Lazdane Claudia Elisabeth Stein

Regional Office for South East Asia

Jyotsna Chikersal Arvind Mathur Neena Raina Sangay Thinley Martin Weber

Regional Office for the Western Pacific

Mark Landry Susan P. Mercado Hiromi Obara Howard Sobel Joanne Simpson-Deprez and Armando Seuc of WHO provided translation during country consultations. Thanks to all focal points of governments who reviewed the preliminary estimates of maternal mortality ratios and provided valuable feedback.

WHO, UNICEF, The World Bank, and the United States Agency for International Development (USAID) provided financial support.

This report was prepared by Leontine Alkema, Doris Chou, Alison Gemmill, Daniel Hogan, Colin Mathers, Samuel Mills, Ann-Beth Moller, Lale Say and Emi Suzuki. The report was reviewed by Agbessi Amouzou, Victor Gaigbe-Togbe, Lianne Gonsalves and Edilberto Loaiza.

Grateful thanks are extended to Peter Byass, Andres de Francisco, and Mary Mahy, who reviewed the drafts of this report and provided valuable advice.

Contact persons: Doris Chou (e-mail: choud@who.int) and Lale Say (e-mail: sayl@who.int), Department of Reproductive Health and Research, WHO.

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 20300



