

SRI LANKA

Climate & Food Security Monitoring Bulletin

April - June 2019

Department of Meteorology

Ministry of Public Administration, Disaster Management and Rural Economic Affairs

Technical Assistance: United Nations World Food Programme







According to the forecast issued in the previous bulletin (March 2019) for April to June, most parts of the country received below normal rainfall during April and May. Temperatures were above normal as predicted, and frequent heat weather advisories and precautions were issued.

The probabilistic forecast issued in April suggests, below normal rains in the months of June and July. So far, rains received during the first ten days of June shows above normal rainfall in many regions of the country (Figure 2). The situation will continue to be monitored closely, also considering impacts on drinking water and agriculture.

1. Access to water:

- Total precipitation received March, April and May was reported as below normal compared to the long-term average. Rainfall was above normal in June.
- Some areas in the Eastern province are experiencing prolonged dry-weather according to the Standard Precipitation Index (SPI) for the last 9 months.
- Water levels of major reservoirs in the Eastern province were at 36% of the total capacity as at 15th March 2019, almost 30% less than in March 2018. Senanayaka tank in Ampara District (largest tank in the country with 947 MCM) has only 17% of its total capacity.
- Country wide water capacity was above 50% until April, and dropped below 50% in May and fell to 36% by mid-June due to evapotranspiration in the warm weather conditions.

Figure 01: Monthly Water Capacity of Major Irrigation Reservoirs until mid-June





Figure 02: Rainfall anomaly January - June 2019

Figure 03: Standard Precipitation Index (SPI) 2019




Source: Platform for Real-time Information and Situation Monitoring (PRISM)


2. Impacts of Dry Weather on Crops

- Pockets in Ampara, Moneragala and Badulla Districts are facing severe water stress levels according to the 9 -month SPI (See Figure 03).
- Vegetation Health Index (VHI) maps shown in Figure 4 illustrate that the seasonal crops cultivated in the dry zone are currently facing water stress due to dry weather (mainly Vavuniya, Anuradhapura,

Polonnaruwa, Puttalam, Kurunegala, Hambanthota, Ampara and Moneragala Districts). This situation will impact agricultural production, especially paddy and chena cultivation.

Perennial crops including tea, rubber and coconut are not yet severely affected by the water stress. Productivity of coconut has picked up in May compared to last three years due to the intensified rains received to the North Western monsoon in 2018.






SPI Classification -2.0 and below (Extremely dry) 1.5 - -1.99 (Severely dry) -1.0 - -1.49 (Moderately dry) -0.5 - -0.99 (Mildly dry) -0.49 - +0.49 (Normal) +0.5 -).99 (Mildly wet) +1.0 - +1.49 (Moderately wet) +1.5 - +1.99 (Severely wet)

¹Rainfall anomaly compares the current monthly rainfall to the historical 30-year average level between 1961 and 1990: Dept. of Meteorology


Figure 04: Vegetation Health Index (VHI) - January - May 2019



3. Food Security

- ♦ The Maha season 2018/19 concluded reporting paddy cultivation extent of 759,571 ha. This is a 91% achievement from the target (832,785 ha). Rice production in Maha 2018/19 season will alone be sufficient for 9.36 months − until mid-September 2019. The Yala 2019 harvest will be available from August 2019, therefore ensuring domestic demand for rice is met by local production (See Figure 5).
- With the start of first inter-monsoonal rains, the seasonal agricultural practices, including paddy cultivation, for Yala 2019 commenced in May. The total rice production in Yala 2019 is estimated to be 970,000 MT, ensuring the total availability of rice meeting the national demand for 2019. Comparatively, the Yala production of 2018 was 850,000 MT.
- ♦ Yala paddy production in certain pockets of North Western, North Central, Uva and Eastern Provinces will be impacted as paddy cultivation was not undertaken due to lack of water storage in small-scale irrigation tanks.
- Other field crops, vegetable and fruits will face the challenge of current dry weather, and may result in reduced yields.


Figure 05: Total Rice Production Outlook



Source: Socio Economic Planning Centre of Department of Agriculture

4. Drinking Water Needs

- Access to drinking water has been reported as a challenge in several districts since March this year. Special attention needs to be given to the intermediate zones mainly in the drought prone divisions in Kurunegala and Puttalam Districts.
- The limited availability of ground water, as well as the reduction of tank water levels, have seriously affected households drinking water. Currently, divisional level water distribution is ongoing in 63 DS divisions in 14 districts.
- Sanitation measures are also becoming a challenge as water used for bathing and washing is limited in some areas.



Source: National Disaster Relief Services Center (NDRSC)

5. Contingency Planning and Immediate Response

The **following short to medium term recommendations** to be implemented with immediate effect to reduce the impact of dry weather and to address the current issues.

Drinking Water

- Prepare a contingency budget for water transportation and rehabilitation of secondary water sources to be used from July to early October 2019.
- Renovate the water-wells, boreholes and tube-wells as secondary sources of drinking water.
- Establish systems to control water supply to manage the demand with existing water capacity.
- Establish water purification units based on the availability in key locations to supply safe water.
- Increase awareness and media campaigns among public and private sector to conserve water and minimize water wastage.

Agriculture

- Farmers to be supported with agricultural inputs for cultivating arable lands in the wet zone which have sufficient access to water resources.
- Production of drought tolerant crops should be promoted for home gardening, especially in the wet zone.
- Renovation of agro-wells to be prioritized to feed livestock and water supply for additional up-land crops.

Food security

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 4573

