

Addressing and managing conflicts of interest in alcohol control policies

Snapshot series on alcohol control policies and practice

2

Brief at- a-glance

The problem

Overwhelming evidence indicates that companies producing and selling unhealthy commodities have defeated, delayed or weakened the design, implementation and evaluation of public policies worldwide. Strategies used include interference in policy development, litigation, coalition-building through front groups and misusing knowledge or propagating misinformation. The alcohol industry has also used these practices to legitimise its participation in the public health agenda strengthening the narrative that policies and regulations work only if economic operators sit at the table. Experiences of other unhealthy commodities showed that protecting policy development from conflicts of interest is essential to reduce the burden of disease.

The evidence

There are irreconcilable differences between the goals of governments, which include to protect and promote people's health and well-being and the goals of economic operators, which are to pursue private profit maximisation through increased alcohol consumption. Corporate social responsibility initiatives, narratives related to individual choices, *moderate* and *responsible* drinking and the co-option of public health researchers and universities to collaborate with alcohol industry-funded organizations may undermine the effectiveness of alcohol control policies. Evidence points to opportunities to reduce conflicts of interest including using evidence to inform the development of alcohol

control policies, disclosure of research funding and implementing national and regional policies that capitalize on opportunities such as those presented through trade law and negotiations.

The know-how

Previous experience in managing conflicts of interest for tobacco and other unhealthy commodities can help to inform future approaches to apply to alcohol. Examples are provided on country and regional governance mechanisms that can be used to reduce the conflict of interest between industry and policy development. These examples include The Framework Convention on Tobacco Control, the use of trade agreements to maintain regulatory control, and the removal of industry as a partner in alcohol control policy development.

The next steps

Coalitions of partners can help in managing conflicts of interest across multiple levels of governance. Other steps include developing guidance for addressing conflicts of interest on trade and customs agreements; providing tools to support in-country efforts to reduce industry interference; documenting and exposing industry behaviour; supporting the development of contextualised strategies and conducting implementation-focused research to help determine what works and in what setting; promoting the improvement of the disclosure of conflicts of interest in peer-reviewed journals and of academics acting in expert advisory roles.



Contributors

Adriana Blanco Marquizo, Convention Secretariat, WHO Framework Convention on Tobacco Control
Jeff Collin, University of Edinburgh, Scotland, United Kingdom
Maik Dünnbier, Movendi International
Sheila Gilheany, Alcohol Action Ireland
Anselm Hennis, Pan American Health Organization
David H. Jernigan, Boston University, United States of America
Cesar Leos-Toro, World Health Organization
Nason Maani, London School of Hygiene, United Kingdom
Aadielah Maker Diedericks, Southern African Alcohol Policy Alliance
Maristela Monteiro, Pan American Health Organization
Daniela Pantani, World Health Organization
Ilana Pinsky, World Health Organization
Emanuele Scafato, National Institute of Health, Italy
Belinda Townsend, Australian National University

Series editors

Juan Tello, World Health Organization
Kerry Waddell, McMaster University, Canada
Ruediger Krech, World Health Organization

This work has been made possible thanks to the financial contribution of the Government of Norway.

Related resources

[Webinar recording](#) | [Event description](#) | [Programme](#)

Addressing and managing conflicts of interest in alcohol control policies.

(Snapshot series on alcohol control policies and practice. Brief 3, 3 September 2021)

ISBN 978-92-4-004448-7 (electronic version)

ISBN 978-92-4-004449-4 (print version)

© World Health Organization 2022

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (<http://www.wipo.int/amc/en/mediation/rules/>).

Suggested citation. Addressing and managing conflicts of interest in alcohol control policies. Geneva: World Health Organization; 2022 (Snapshot series on alcohol control policies and practice, Brief 3, 3 September 2021). Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <https://www.who.int/copyright>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Layout and design: Lars Moller, Erica Barbazza



6

About the series


This Snapshot is part of a series of briefs tackling critical issues related to the determinants driving the acceptability, availability and affordability of alcohol consumption and how it affects people and their communities. The series aims to facilitate evidence and experience-informed conversations on key topics relevant to achieving the Sustainable Development Goals and the noncommunicable diseases targets in the context of the WHO Global Strategy for reducing the harmful use of alcohol and its global action plan. Each brief is the result of a global, multistakeholder conversation convened by the Less Alcohol Unit, part of the WHO Department of Health Promotion. The topics of the series emerged in response to blind spots in the current policy conversations. The approach and length of the Snapshots do not fully describe the complexities of each topic nor do the illustrative country experiences. The series is a conversation-starter rather than normative guidance. Relevant WHO resources are provided to explore the subject in more depth.

The series is intended for a wide audience, including professionals working in public health and local and national alcohol policy focal points, policy-makers, government officials, researchers, civil society groups, consumer associations, the mass media and people new to alcohol research or practice.

What is a health promotion approach to reducing alcohol consumption?

Drinking has multidimensional connotations. Robust and growing evidence demonstrates that cultural, social and religious norms influence alcohol consumption – acceptability, ease of purchase (availability) and price (affordability). Addressing this multidimensional causality chain requires a portfolio of health promotion interventions to moderate the determinants driving alcohol consumption and, in turn, enable populations to increase control over and improve their health to realise their full potential.

Determinants driving the consumption of alcohol





预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/reportId=5_23291

