

GLOBAL CAMPAIGN TO COMBAT AGEISM

# AGEISM IN ARTIFICIAL INTELLIGENCE FOR HEALTH WHO POLICY BRIEF

#### Ageism in artificial intelligence for health: WHO policy brief

ISBN 978-92-4-004079-3 (electronic version) ISBN 978-92-4-004080-9 (print version)

© World Health Organization 2022

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for noncommercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (<u>http://www.wipo.int/amc/en/mediation/rules/</u>).

**Suggested citation.** Ageism in artificial intelligence for health: WHO policy brief. Geneva: World Health Organization; 2022. Licence: <u>CC BY-NC-SA 3.0 IGO.</u>

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris

Sales, rights and licensing. To purchase WHO publications, see <u>http://apps.who.int/bookorders</u>. To submit requests for commercial use and queries on rights and licensing, see <u>https://www.who.int/copyright</u>

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

**General disclaimers.** The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

#### Front and Back cover photography credits:

- © Angelina Litvin/ Unsplash
- © vladimir-soares/ Unsplash
- © Azrul Shahrani/ Unsplash
- © cristian-newman/ Unsplash

#### ACKNOWLEDGEMENTS

This policy brief was prepared by Rohit Malpani (Health Ethics and Governance Unit, Department of Research for Health) and Vânia de la Fuente-Núñez (Demographic Change and Healthy Ageing Unit, Department of Social Determinants of Health), under the guidance of Andreas Reis (Health Ethics and Governance Unit, Department of Research for Health), Alana Officer (Demographic Change and Healthy Ageing Unit, Department of Social Determinants of Health), John Reeder (Director, Research for Health), Etienne Krug (Director, Department of Social Determinants of Health), Soumya Swaminathan (Chief Scientist) and Naoko Yamamoto (Assistant Director-General, Universal Health Coverage/Healthier Populations).

WHO is grateful to the following individuals for peer review of this document: Jotheeswaran Amuthavalli Thiyagaraja (Maternal, Newborn, Child and Adolescent Health and Ageing Department, WHO), Liat Ayalon (School of Social Work, Bar Ilian University, Israel), Valeria Bankoova (United Nations, USA), Katharina Ó Cathaoir (Faculty of Law, University of Copenhagen, Denmark), Mireia Fernández-Ardèvol (Internet Interdisciplinary Institute, Universitat Oberta de Catalunya, Spain), Isabella Gariboldi (Istituto Italiano di Technologia, Italy), Kenneth Goodman (Institute for Bioethics and Health Policy, University of Miami Miller School of Medicines, USA), Khaled Hassine (Office of the High Commissioner for Human Rights, Switzerland), Stefania Ilinca (WHO Regional Office for Europe, Denmark), Timo Minssen (Centre for Advanced Studies in Biomedical Innovation Law, Faculty of Law, University of Copenhagen, Denmark), Justyna Sypinska (Institute for East European Studies, Freie Universität Berlin, Germany) and Lisa Warth (United Nations Economic Commission for Europe, Switzerland).



GLOBAL CAMPAIGN TO COMBAT AGEISM

#### INTRODUCTION

**Ageism** refers to stereotypes, prejudice and discrimination directed towards others or ourselves on the basis of age. As reflected in the Global report on ageism (1), this issue **affects people throughout their lives and pervades many institutions and sectors of society,** including health and social care. Tackling ageism is critical to human well- being and human rights. Specifically for older people, ageism is associated with a shorter lifespan, poorer physical and mental health and decreased quality of life. It also contributes to poverty and financial insecurity in older age and can limit the quality and quantity of health care provided to older people (1).

The world today is also increasingly impacted by the application of artificial intelligence (AI). "Artificial intelligence" generally refers to the performance by computer programs of tasks that are commonly done by intelligent beings (2). The basis of AI systems is algorithms, which are translated into computer code that carries instructions for rapid analysis and transformation of data into conclusions, information and other outputs (3). Enormous quantities of data and the capacity to analyse them rapidly characterize AI systems, which are designed to operate at various levels of autonomy (3). The types of AI technology include machine-learning applications such as pattern recognition, natural language processing, signal processing and expert systems. Machine learning, which is a subset of AI techniques, is based on use of statistical and mathematical modelling to define and analyse data. Such learned patterns are then applied to perform or guide certain tasks and make predictions (2), such as to predict illness or major health events before they occur. Al technology could help to assess the relative risk of disease, which could be useful for the prevention of noncommunicable diseases such as cardiovascular disease and diabetes, or to identify individuals with tuberculosis in low- to middle-income countries who are not reached by the health system and therefore do not know their status (2).

Al holds great promise for the practice of public health and medicine (2). Yet, to fully reap the benefits of AI, ethical challenges for health-care systems, practitioners and beneficiaries of medical and public health services must be addressed. A pervasive ethical challenge for the use of Al for health is bias (4–7). The implicit and explicit biases of society are often replicated by AI technologies, including those used in the criminal justice system, banking, human resources management and the provision of public services. The forms of bias that can affect a person or a group of people because of certain characteristics, such as age. gender, race and sexual orientation, must be considered and addressed to ensure that AI technologies are used appropriately, equitably and responsibly (2, 8). This brief addresses the potential interplay between ageism and AI for health as it affects older people, including the conditions in which AI for health can exacerbate forms of ageism and whether use of AI for health introduces new forms (or risks) of ageism. It then presents legal, non-legal and technical measures that can be used to minimize the risk of ageism in AI and to maximize its use for older people as these technologies become more commonly used.

This brief does not cover ethical challenges of the use of AI that are not related to ageism, although such additional ethical challenges must also be addressed, as they could directly or indirectly impact older people in health and other areas (e.g., employment). Some of these concerns are addressed in WHO Guidance on the ethics and governance of AI for health (2), and others merit additional study and consultation.



### HOW AI TECHNOLOGIES FOR HEALTH ARE USED BY AND ON BEHALF OF OLDER PEOPLE

Technological software and devices that focus on the needs of older people are collectively known as "gerontechnology" (9). While many digital applications that are classified as gerontechnology do not include AI, AI has been identified as especially promising in at least two areas: remote monitoring to facilitate community care and long-term care and development of drugs related to ageing. This limited focus may in itself reflect age-based stereotypes about older people and the types of AI technologies that they may benefit from (9).

> Technological software and devices that meet the needs of older people are collectively known as "gerontechnology"

#### COMMUNITY CARE AND LONG-TERM CARE VIA REMOTE MONITORING

One aspect of gerontechnology focuses on the use of health technologies for monitoring the health of older people at a distance and to facilitate community and long-term care (10). Many remote monitoring systems already in use do not require or involve AI and are used in some settings as a means for alerting caregivers of a change in location or behaviour of the patient and also to facilitate remote data exchange between the caregiver and the patient (11, 12). Yet, as human resources are lacking even for remote monitoring and in view of some concern about human error, there is now interest in using AI in remote monitoring systems (12).

AI technologies are designed to mimic and replace human monitoring of older people by collecting data on individuals from health monitoring technologies and from additional sensors installed in the person's home to monitor and measure various activities and to detect unusual movements and activities that might signal cognitive or physical decline (11). Such continuous data collection has extended the possibility of predictive analysis of disease progression and health risks for older populations, personalization of care management and prevention of health risks through behavioural analysis (13). Common challenges for older people, such as falls or sudden emergencies, might therefore be predicted and prevented by algorithms based on the continuous collection of data on individuals at risk of injury or other health-related events (13). Other evidence indicates that AI-based systems could reduce the number of hospital admissions and overall health-care costs without reducing the quality of patient care (13).

#### DRUG DEVELOPMENT RELATED TO AGEING

Another use of AI for older people is in drug development. Generally, it is expected that AI will be used to both simplify and accelerate drug development, making the process less expensive and more effective (2). AI could change drug discovery from a labour-intensive to a capital- and data-intensive process with the use of robotics and models of genetic targets, drugs, organs, diseases and their progression, pharmacokinetics, safety and efficacy (2). Data on the ageing process are now applied to

## RISKS OF AGEISM IN THE DESIGN, DEPLOYMENT AND USE OF AI TECHNOLOGIES FOR HEALTH

Although AI technologies hold great promise for improving health care for older people, fulfillment of the promise depends partly on ensuring that the technologies do not exacerbate or introduce ageism. Encoding of stereotypes, prejudice, or discrimination in AI technology or their manifestation in its use could undermine, for example, the quality of health care for older people, reduce intergenerational engagement or limit the beneficial use of AI technologies for older people because of preconceived, often flawed assumptions of how older people wish to live or interact with technology in their daily lives. For example, AI is being considered for

machine-learning to provide a pipeline of medicines and other interventions to increase longevity (14). For example, Al can be used to identify targets of interest by screening compound libraries to identify those that might increase longevity (14).

Beyond these two areas of focus, Al technologies for health have also been used in health activities for all age groups, from diagnosis (including predictive diagnosis) and clinical care (including precision medicine and automatic decision-making systems) to public health surveillance and outbreak response (2).

use in decisions about prioritization or allocation of scarce resources. Use of computerized decision-support programs - Al or not - to inform or guide resource allocation and prioritization for clinical care has long raised ethical issues. At population level, a decisionsupport program that encodes a system based on quality-adjusted life-years could be inherently ageist, as it attaches less value to saving the lives of older people and encourages use of resources for people who are expected to realize the greatest net benefit in terms of expected life span, i.e., younger individuals (2). This section explores a few of these potential risks in greater detail.

#### **AGEISM MAY BE ENCODED IN DATA**

Machine-learning approaches require large amounts of data, referred to as "big data", to give tangible results. During the past two decades, data that qualify as health data have expanded dramatically and are collectively known as "biomedical big data". They include massive quantities of personal data from many sources, including genomic data, radiological images, medical records and non-health data converted into health data, such as "digital exhaust", or data that individuals generate from use of online services (2).

Biomedical big data can be ethically (and scientifically) important, as AI technologies based on high-quality data can improve the speed and accuracy of diagnosis, improve the quality of care and reduce subjective decision-making. Yet, data sets used to train AI models often exclude older people, who are frequently within a "minority" data set (2) for AI technologies that are not explicitly classified as gerontechnology. They are excluded despite the fact that they are likely to be the single largest group that uses health-care services in many countries. Exclusion of older people from data sets could introduce biases, especially in AI technologies for health intended for use in many age groups.

Such data biases with respect to older people may emerge for several reasons. Health-care provision may already have biases that affect the quality or type of care received by older people (15). For example, the Global report on ageism

(1) showed that age often determines who receives certain medical procedures or treatments. Any such systematic discrimination in the provision of health care can be reproduced in AI, which builds on historical data. In this way, AI algorithms can fix existing disparities in health care and systematically discriminate on a much larger scale than biased individuals. Health and medical data generated from other sources, including clinical trials, also tend to exclude or insufficiently represent older people in the data set (1, 16, 17). Thus, if the algorithm of an AI technology is trained with data on predominantly younger populations and then used for a population of older people for which the algorithm has not yet been trained, validated or assessed, it might be ineffective or, for example, provide an incorrect diagnosis or prediction (7).

Data sets used to train Al models often exclude older people, who are frequently within a "minority" data set for AI technologies that are not explicitly classified as gerontechnology.

Even if adequate data on older people are available, they may not be appropriately disaggregated for use (1, 16). Lack of disaggregation of data for older people may be due partly to lack of recognition that older people differ significantly, as later life is stereotypically seen as a "homogeneous life-stage". The diverse skills and interests of older people may therefore not be reflected in AI technologies (1).

#### **DIGITAL DIVIDE**

The "digital divide" refers to the uneven distribution of access to, use of or effect of information and communication technologies among any number of distinct groups. Although the cost of digital technologies is falling, access has not become more equitable, and the digital divide persists geographically and by race, ethnicity, gender and age. In the USA, for example, older people have a lower rate of adoption of technology, with greater disparities for those who are older, less affluent or less educated (18).

The digital divide between younger and older people is due in part to ageism (19). The prevailing stereotype that older people cannot master technologies is often internalized by older adults (an example of self-directed ageism), who may therefore not even try to adopt new technologies, even when they are both available and affordable (1, 19) Older people may also have less "algorithmic awareness" than younger people or less knowledge about the proliferation and use of algorithms in many digital technologies. Less "algorithmic awareness" is a new, reinforced level of the digital divide, as it is a skill required for successful negotiation of digital technologies (20).

Biases can reflect who funds and designs an AI technology, with these technologies often excluding older people from market research, design and testing of user experience with the technology. Such exclusion is often due to ageism and particularly the stereotype that older people are "forgetful, more rigid in thought, less motivated, less dynamic than their younger counterparts; frail, ill, dependent and incompetent" (20). The digital divide results in lower rates Thus, AI-based technologies, including of participation of older people in the those used for health, have tended to digital economy or inadequate use of be designed and developed by one digital technologies. Without sufficient demographic group – specifically participation in use of AI, older people young white males, which increases may not be fully represented in the the likelihood that ageism against older data sets used to train and validate

Al algorithms, thereby rendering the technologies less specific for individual characteristics and needs (21). Lack of sufficient participation may also mean that older people are viewed as less relevant to the private sector when they develop and deploy digital technologies, including AI (21).

Although some consider that the digital divide will narrow over time (defined more by generation than by age), it may in fact worsen, and older people may not accept such technologies (20).

#### **EXCLUSIONARY DESIGN**

The design of an AI technology, including how and who designs it, may also determine whether it encodes ageism. The design teams may not include older people or may not recognize ageist practices or biases that can be emulated and introduced in AI technology.

people is not identified or avoided (2). For example, one stereotype is that older people are not interested in digital health technologies or are not sophisticated enough to use Al technologies. This may lead to unilateral exclusion of older people, disempowering them as a group and perpetuating the exclusionary stigmatization of older people in Al technology, which may be diffused widely and thus undermine gradual efforts to change social attitudes towards older people.

Bias can also arise from insufficient diversity of the people who label data or validate an algorithm. A diverse team that includes older people is necessary to recognize flaws in the design or functionality of AI when validating algorithms to ensure a lack of bias (2).

Even if designers intend to classify and program an AI technology with older people in mind, they may nevertheless design the technology with misconceptions about how older people live and engage with technology and specifically how they may wish to use AI technologies for their health. The tendency is to design on behalf of older people instead of with older people. This can lead to inflexible uses of AI technology, and, if such technologies are adopted as standards of care, could require older people to adapt to the prevailing approach and philosophy of the AI

technology rather than use their lived experience.

#### REDUCTION OF INTER-GENERATIONAL CONTACT

One of the purported benefits of Al technologies is that they could extend or augment the provision of health care, either because they enable outreach to patients in remote areas or to underserved populations that otherwise lack appropriate medical advice, or because they could automate many of the tasks of health-care providers. By entrusting repetitive or administrative tasks to Al-supported technologies, health-care workers have more time to attend to more urgent, complex or rare cases (13).

Use of automated AI technologies, including to monitor the well-being of individuals remotely, could, however, potentially reduce the number of contacts between caregivers and older people. For some individuals, this could eliminate periodic caregiving by individuals in other age groups (11), limiting opportunities to reduce or prevent ageism against older people through intergenerational contact, which has proven to be one of the most effective strategies for addressing this issue (1). This would occur if remote surveillance AI technologies were used in lieu of personal visits instead of as part of a mix of approaches to increase contact.

The tendency is to design on behalf of older people instead of with older people.

#### CHALLENGES OF GOVERNANCE

One means of mitigating or avoiding the risks of ageism in AI technologies for health is to establish mechanisms or frameworks of governance that ensure that older people are included in oversight. Older people may, however, struggle to contribute to effective governance and oversight of AI technologies for health. Like many other age groups, they may not be aware of the use of AI technologies for health care that are used to make decisions within or outside a doctor-patient encounter (2). If older people do not know that algorithms may be used increasingly to formulate health-care policies or individual health care-decisions. they may not recognize that such technologies and their oversight, design and use are a concern to be addressed collectively.

If governments, intergovernmental agencies, public-private partnerships



and nongovernmental organizations do not exercise sufficient oversight of AI technologies for health, older people cannot ensure that such technologies are designed and deployed appropriately on their behalf. Older people must be involved in formulating new regulatory guidelines to test, approve and select AI technologies for use to ensure that their views are heard and that ageist policies and practices are identified and eliminated.

Even as governments exercise greater authority over AI technologies, technology companies will retain significant oversight and control of the technologies they design and market. Many companies may not exercise such power with the care it deserves and may therefore practise ageism or neglect older people in their policies and practices. Furthermore, their personnel may not adequately represent the needs and interests of older people in daily decision-making.

## MAXIMIZING THE BENEFITS OF AI TECHNOLOGIES FOR OLDER PEOPLE AND AVOIDING AGEISM

Al technologies for health can strengthen health and social care for older people by helping to identify risks and enabling older people to meet their own needs individually or in collaboration with their health-care providers. **To ensure that Al technologies play a beneficial role, ageism must be identified and eliminated from their design, development, use and evaluations.** 

The following **eight considerations** could ensure that AI technologies for health address ageism and that older people are fully involved in the processes, systems, technologies and services that affect them.

## Participatory design of AI technologies by and with older people:

While older people may be involved in the design of some Al technologies for health, their participation in design and programming is unlikely to be systematic (9). Provision of training and educational opportunities for older people to participate in the design of Al technologies and ensuring that workforces maintain programmers and designers for several generations would rebalance the pool of programmers. Inclusion of older people also depends on how their input and participation is obtained, including the setting, the tools and methods and the stage of the design process at which older people are involved.



https://www.yunbaogao.cn/report/index/report?reportId=5\_23363



2

#### Age-diverse data science teams:

As data are critical in both the training and validation of AI technologies, data science teams responsible for selecting, validating and applying data must also be inclusive and well-balanced (2). Inclusion of older people in such teams and training other data scientists to both recognize and overcome forms of ageism can ensure that AI technologies are appropriate. Data science teams should also be diverse with respect to age and another demographics (2).

#### Age-inclusive data collection:

Al developers should ensure that Al data are accurate, complete and diverse, including according to age (2). If a particular group, such as older people, is underrepresented in a dataset, that group might be oversampled relative to its size to ensure that the AI technology provides the same quality of results for that population as for better-represented groups. Government-sponsored data hubs should ensure that the data collected are appropriately representative, including by age (2). In some countries, measures have been taken to allow discrete communities to oversee their data, such as in data cooperatives, which allow members to set common ethical standards, and some have developed their own tools and applications to ensure that the data are used beneficially (4). Such cooperatives could have two functions – first, they could ensure that adequate data are collected on older people so that the data can inform AI technologies, and, secondly, they could set standards for the data to be collected, how it is collected and how it should be used.

# Investments in digital infrastructure and digital literacy for older people and their health-care providers and caregivers:

Even if AI technologies for health are appropriately developed for older people, their use may be limited in the absence of appropriate digital infrastructure (1). Lack of digital infrastructure could also contribute to the prevailing ageist belief that older people do not use digital (or AI) technologies and therefore need not be accounted for. The developers and regulators of such technologies must ensure that older people understand how AI technologies could affect their lives and