WHO guideline on health workforce development, attraction, recruitment and retention in rural and remote areas

An update of the WHO guideline Increasing access to health workers in remote and rural areas through improved retention: global policy recommendations (2010)



WHO guideline on health workforce development, attraction, recruitment and retention in rural and remote areas

An update of the WHO guideline Increasing access to health workers in remote and rural areas through improved retention: global policy recommendations (2010)



WHO guideline on health workforce development, attraction, recruitment and retention in rural and remote areas

ISBN 978-92-4-002422-9 (electronic version) ISBN 978-92-4-002423-6 (print version)

© World Health Organization 2021

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons. org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for noncommercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules/).

Suggested citation. WHO guideline on health workforce development, attraction, recruitment and retention in rural and remote areas. Geneva: World Health Organization; 2021. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Design by 400 Communications.

Contents

Ack	nowle	edgements	vi
Glo	ssary	of terms	viii
Exe	cutive	summary	xii
1.0	Back	ground	1
1.1	Ratio	nale	2
1.2		ous recommendations on	
		asing access to health workers al and remote areas	5
1.3		et audience	7
1.0	1.3.1	End users of the guideline	, 7
		Stakeholders	7
1.4		ctives of this guideline	7
2.0	Meth	ods	9
2.1	Scop	e	9
	2.1.1	Rural health workforce	10
	2.1.2	Rural and remote communities:	
		geographical considerations	10
	010	and definitions Outcomes of interest	10
~ ~	2.1.3	ess for reviewing this guideline	11
2.2		nethodology	11
	2.2.1	Contributors to the guideline	11
	2.2.2		
~ ~	Deser	guideline	12
2.3	Resul 2.3.1	Systematic review of results	13 13
	2.3.1	•	15
	2.0.2	survey results	17
2.4	Form	ulation of the recommendations	17
2.5		ulation of a good practice	
~ ~		ment for guidelines	17
2.6		ng principles for the formulation licies to improve access to health	
		ers in rural and remote areas	18
	2.6.1	Sustainable development,	
		universal health coverage, primar health care and decent work	y 18
	2.6.2	Gender, equity and rights	19
		Harmonization with national	
		health plan	20
	2.6.4	Understanding the health workforce	20
	2.6.5	Strengthening human resources	
	0.0.0	for health management	22
	2.6.6	Social accountability in health workforce education	24

3.0		practice statement and mmendations	25
	devel and r	l practice statement for the lopment, attraction, recruitment etention of health workers in rural emote areas	25
3.1	a ruro	mmendation 1: Enrol students with al background in health worker ation programmes	26
	3.1.1		20
	3.1.2		20
3.2	Reco	mmendation 2: Locate health er education facilities closer to areas	28
		Rationale for recommendation	28
		Implementation considerations	29
3.3	Reco healt	mmendation 3: Bring students in h worker education programmes al and remote communities	30
	3.3.1	Rationale for recommendation	30
	3.3.2	Implementation considerations	31
3.4		mmendation 4: Align health worker ation with rural health needs	32
	3.4.1	Rationale for recommendation	32
	3.4.2	Implementation considerations	32
3.5	conti	mmendation 5: Facilitate nuing education for rural and te health workers	33
	3.5.1	Rationale for recommendation	34
	3.5.2	Implementation considerations	34
3.6	healt of pro	mmendation 6: Enable rural h workers to enhance their scopes actice to better meet the needs of communities	35
	3.6.1	Rationale for recommendation	35
	3.6.2	Implementation considerations	36
3.7	of he	mmendation 7: Expand range alth worker occupations to meet health needs	36
	3.7.1	Rationale for recommendation	37
	3.7.2	Implementation considerations	37
3.8	comp respe and c	mmendation 8: Ensure that bulsory service agreements act the rights of health workers are accompanied with appropriate	20
		ort and incentives Rationale for recommendation	38 38
	5.5.1		00

3.8.2 Implementation considerations 39

3.9		mmendation 9: Tie education dies for health workers to	
		ements for return of service in	
	rural	areas and remote areas	39
	3.9.1	Rationale for recommendation	40
	3.9.2	Implementation considerations	40
3.10	of atti health	mmendation 10: Provide a package ractive incentives to influence n workers' decisions to relocate	41
		remain in a remote or rural area	41
		Rationale for recommendation	41
		Implementation considerations	42
3.11		mmendation 11: Improve living itions in rural and remote areas	43
	3.11.1	Rationale for recommendation	43
	3.11.2	Implementation considerations	44
3.12		mmendation 12: Ensure	
		place safety in rural and remote h facilities	44
	3.12.1	Rationale for recommendation	45
	3.12.2	Implementation considerations	45
3.13		mmendation 13: Ensure decent	
		for health workers in rural and te areas	46
		Rationale for recommendation	40
			40 47
21/		Implementation considerations mmendation 14: Foster the creation	47
3.14	of heo	alth workforce support networks	48
		Rationale for recommendation	48
	3.14.2	Implementation considerations	49
3.15	streng	mmendation 15: Develop and gthen career pathways for rural	
		hworkers	49
		Rationale for recommendation	50
		Implementation considerations	50
3.16	know	mmendation 16: Facilitate ledge exchange between	
		hworkers	51
		Rationale for recommendation	51
		Implementation considerations	51
3.17		mmendation 17: Raise the profile	FO
		al health workers	52
		Rationale for recommendation	52
	3.17.2	Implementation considerations	52

4.0 Selecting and evaluating the bundle of interventions 53

Def	erences	66
6.0	Updating this guideline	65
5.3	Ensuring evaluations are rigorous and well designed	64
5.2	Mainstreaming rural access into health systems and health outcomes research	63
5.1	Expanding the evidence base	63
	Research agenda	63
	4.7.2 Monitoring and evaluation	62
	4.7.1 Dissemination	62
4.7	Dissemination and implementation plans for this guideline	60
4.6	Impact: what indicators will be used to measure impact over time?	60
4.5	Effectiveness: have complementarities and potential unintended consequences between various interventions been considered?	59
4.4	Affordability: which interventions are cost effective and what is their fiscal impact?	58
4.3	Feasibility: which interventions face the fewest barriers to implementation?	58
4.2	Acceptability: which interventions are politically and socioculturally acceptable and have the most stakeholder support?	55
4.1	Relevance: which interventions best respond to national priorities, and to the expectations of health workers and rural communities?	55

iv

Tables

Iable I.I	on the health workforce	4
Table 1.2	Categories of interventions used to improve attraction, recruitment and retention of health workers in remote and rural areas (2010 guideline)	6
Table 1.3	Stakeholders impacting rural and remote health workforce policy	8
Table 2.1	Outputs and outcomes of interest	11
Table 2.2	Geographical distribution of single-country studies included in the original and updated systematic reviews by WHO region	15
Table 2.3	Health worker occupations represented in studies included in the systematic reviews	15
Table 4.1	Measuring the results of rural retention interventions	54
Table 4.2	Roles and responsibilities of stakeholders in the design and implementation of strategies to increase access to health workers in rural and remote areas (examples)	56
Table 4.3	Questions and indicators for the evaluation and monitoring of interventions to increase access to health workers in remote and rural areas through improved retention	61

Figures

Figure 2.1	PRISMA charts: original systematic review and updated systematic review	; 14
Figure 2.2	Studies of different health worker occupations	16
Figure 2.3	Factors related to decisions to relocate to, stay in, and leave a rural area	2

V

Web Annexes

https://apps.who.int/iris/bitstream/handle/ 10665/341112/9789240024243-eng.pdf

Web Annex A.	WHO guidelines and tools that support the guideline
Web Annex B.	Questions in population,
	intervention, comparison,
	outcome of interest, and
	setting (PICOS) format
Web Annex C.	Members of Steering Group,
	Guideline Development Group
	and External Review Group,
	and conflict of interest
	management
Web Annex D.	Authors of the updated
	systematic review (2010–2019)
Web Annex E.	Checklist of criteria to be met
	before making a good practice
	recommendation, developed
	by the GRADE Working Group
Web Annex F.	Evolution of the
	recommendation
Web Annex G.	Summaries of evidence
Web Annex H.	Summaries of evidence
	to decision tables

Acknowledgements

This guideline is part of the World Health Organization (WHO) programme of work on human resources for health. The concept for the revision of the guideline was initiated by James Campbell (Director, Health Workforce Department, WHO). Overall coordination of the guideline development process was led by Michelle McIsaac (Economist, Health Workforce Department, WHO).

WHO Steering Group

A WHO Steering Group led the development of the planning proposal for the guideline, identified members of the Guideline Development Group and External Review Group, facilitated the Guideline Development Group meetings and contributed to drafting the guideline document. The Steering Group comprised the following WHO staff members: Adam Ahmat, Regional Adviser, Human Resources for Health and Planning, WHO Regional Office for Africa; Onyema Ajuebor, Technical Officer, Health Workforce, WHO headquarters; Shannon Barkley, Technical Officer, Clinical Services and Systems, WHO headquarters; Gulin Gedik, Regional Adviser, Health Workforce Development, WHO Regional Office for the Eastern Mediterranean; Jose Francisco Garcia Gutierrez, Adviser, Human Resources Development, Pan American Health Organization; Indrajit Hazarika, Regional Adviser, Health Workforce Policy, WHO Regional Office for the Western Pacific; Margrieta Langins, Adviser, Primary Health Care Workforce, WHO Regional Office for Europe; Inke Mathauer, Senior Health Global Health, Stellenbosch University, Cape Town, South Africa; Gilles Dussault, Institute of Hygiene and Tropical Medicine, Lisbon, Portugal; Mayara Floss, Rural Seeds and WWPRP, Porto Alegre, Brazil; Amel Gesmalla, Human Resources for Health Directorate, Ministry of Health, Sudan; Michael Glasser, University of Illinois, Illinois, United States of America; Mona Gupta, National Health Systems Resource Centre, Ministry of Health and Family Welfare, New Delhi, India; Margaret Phiri, Seed Global Health, Lilongwe, Malawi; Roger Strasser, Northern Ontario School of Medicine, Ontario, Canada; Julia Tainjoki-Seyer, World Medical Association, France; Viroj Tangcharoensathien, International Health Policy Programme, Ministry of Public Health, Thailand (Co-Chair); Paul Worley, Rural Access Branch, Department of Health, Australia.

External Review Group

The following experts served as external peer reviewers of the draft guideline document: Edson Arguin World Bank Group United States

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 23920

