ISSN 1726-5274



Food and Agriculture Organization of the United Nations



# Risk assessment tools for *Vibrio parahaemolyticus* and *Vibrio vulnificus* associated with seafood

MEETING REPORT





MICROBIOLOGICAL RISK ASSESSMENT SERIES



# Risk assessment tools for *Vibrio parahaemolyticus* and *Vibrio vulnificus* associated with Seafood

MEETING REPORT

Food and Agriculture Organization of the United Nations World Health Organization

Rome, 2020

Required citation:

FAO and WHO. 2020. *Risk assessment tools for Vibrio parahaemolyticus and Vibrio vulnificus associated with seafood.* Microbiological Risk Assessment Series No. 20. Rome.

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) or World Health Organization (WHO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO or WHO in preference to others of a similar nature that are not mentioned.

The views expressed in this information product are those of the author(s) and do not necessarily reflect the views or policies of FAO or WHO.

ISBN 978-92-5-132020-4 [FAO] ISBN 978-92-4-000018-6 [WHO] © FAO and WHO, 2020



Some rights reserved. This work is made available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo/legalcode).

Under the terms of this licence, this work may be copied, redistributed and adapted for non-commercial purposes, provided that the work is appropriately cited. In any use of this work, there should be no suggestion that FAO or WHO endorses any specific organization, products or services. The use of the FAO or WHO logo is not permitted. If the work is adapted, then it must be licensed under the same or equivalent Creative Commons licence. If a translation of this work is created, it must include the following disclaimer along with the required citation: "This translation was not created by the Food and Agriculture Organization of the United Nations (FAO) or WHO. FAO/WHO are not responsible for the content or accuracy of this translation. The original English edition shall be the authoritative edition.

Disputes arising under the licence that cannot be settled amicably will be resolved by mediation and arbitration as described in Article 8 of the licence except as otherwise provided herein. The applicable mediation rules will be the mediation rules of the World Intellectual Property Organization http:// www.wipo.int/amc/en/mediation/rules and any arbitration will be conducted in accordance with the Arbitration Rules of the United Nations Commission on International Trade Law (UNCITRAL).

Third-party materials. Users wishing to reuse material from this work that is attributed to a third party, such as tables, figures or images, are responsible for determining whether permission is needed for that reuse and for obtaining permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

Sales, rights and licensing. FAO information products are available on the FAO website (www.fao.org/ publications) and can be purchased through publications-sales@fao.org. Requests for commercial use should be submitted via: www.fao.org/contact-us/licence-request. Queries regarding rights and licensing should be submitted to: copyright@fao.org.

## Contents

	Acknowledgements	vi	
	Contributors	vii	
	Declarations of interest	viii	
	Abbreviations	ix	
	Executive summary	x	
1	Introduction	1	
	1.1 Background	1	
	1.2 Vibrio parahaemolyticus and Vibrio vulnificus	2	
	1.3 Existing risk assessments and tools	8	
2	Pathogenicity	10	
	2.1 Virulence markers of V. parahaemolyticus	10	
	2.2 V. vulnificus virulence markers	15	
3	Factors relevant to the fate of <i>V. parahaemolyticus</i> and		
	V. vulnificus	17	
	3.1. Water temperature	18	
	3.2. Salinity	19	
	3.3. Other environmental factors	20	
	3.4 Seafood of concern	21	
	3.5 Preharvest and post harvest practices	22	
	3.5.1 Depuration	22	
	3.5.2 Refigeration storage	24	
	3.5.3 Freezing	24	
	3.5.4 High hydrostatic pressure	25	
	3.5.5 Mild heat treatment	25	
	3.6 Conclusion	25	
4	Evaluation and application of existing risk assessment tools	27	
	4.1 Introduction	27	
	4.1.1 Structure and purpose of the Vibrio Calculator	30	
	4.1.2 Shellfish contaminated by Vibrio spp.	31	

4.2 Evaluation of the models for Vibrio concentration at harvest	32
4.2.1 V. parahaemolyticus	33
4.2.2 V. vulnificus	36
4.3 Evaluation of the Vibrio growth rate models	37
4.3.1 Vibrio parahaeomolyticus model	37
4.3.2 Vibrio vulnificus model	38
4.4 Evaluation of dose response models	41
4.5 Conclusions and recommendations	42
4.5.1 Key Points / Conclusions	42
4.5.2 Recommendations	44
5 Methods for isolation, identification, and determination of pathogenic potential of shellfish-associated	f
V. parahaemolyticus and V. vulnificus	45
5.1 Introduction	45
5.2 Sampling strategy	46
5.3 Isolation, identification, and determination	46
5.3.1 Presence/Absence (Qualitative Analysis)	46
5.3.2 Enrichment	46
5.3.3 Isolation media	47
5.3.4 Identification	47
5.3.5 Total V. parahaemolyticus or V. vulnificus	48
	48
5.3.6 Pathogenic V. parahaemolyticus and V. vulnificus	
5.3.6 Pathogenic V. parahaemolyticus and V. vulnificus 5.3.7 Growth and survival studies	48
5.3.6 Pathogenic V. parahaemolyticus and V. vulnificus 5.3.7 Growth and survival studies 5.3.8 VBNC state	48 49
<ul> <li>5.3.6 Pathogenic V. paranaemolyticus and V. vulnificus</li> <li>5.3.7 Growth and survival studies</li> <li>5.3.8 VBNC state</li> <li>5.4 Method performance and comparability</li> </ul>	48 49 <b>49</b>
<ul> <li>5.3.6 Pathogenic V. parahaemolyticus and V. vulnificus</li> <li>5.3.7 Growth and survival studies</li> <li>5.3.8 VBNC state</li> <li>5.4 Method performance and comparability</li> <li>5.5 Conclusions and recommendations</li> </ul>	48 49 <b>49</b> 50
<ul> <li>5.3.6 Pathogenic V. paranaemolyticus and V. vulnificus</li> <li>5.3.7 Growth and survival studies</li> <li>5.3.8 VBNC state</li> <li>5.4 Method performance and comparability</li> <li>5.5 Conclusions and recommendations</li> <li>5.5.1 Methods</li> </ul>	48 49 <b>49</b> <b>50</b> 50
<ul> <li>5.3.6 Pathogenic V. paranaemolyticus and V. vulnificus</li> <li>5.3.7 Growth and survival studies</li> <li>5.3.8 VBNC state</li> <li>5.4 Method performance and comparability</li> <li>5.5 Conclusions and recommendations</li> <li>5.5.1 Methods</li> <li>5.5.2 Method performance</li> </ul>	48 49 <b>49</b> <b>50</b> 50 51
<ul> <li>5.3.6 Pathogenic V. paranaemolyticus and V. vulnificus</li> <li>5.3.7 Growth and survival studies</li> <li>5.3.8 VBNC state</li> <li>5.4 Method performance and comparability</li> <li>5.5 Conclusions and recommendations</li> <li>5.5.1 Methods</li> <li>5.5.2 Method performance</li> <li>6 Conclusions and recommendations</li> </ul>	48 49 <b>49</b> <b>50</b> 50 51 <b>52</b>

#### FIGURES

Figure 1	Effect of salinity on the genotype distribution among <i>V. vulnifcus</i> isolates from sea water (Oliver, unpublished data)	16
Figure 2	Overview of the role of models and data in microbial food safety risk assessment and risk management	29
Figure 3	Illustration of the complexicity of the risk assessment model and of the use of such models to respond to risk management questions	33
Figure 4a, b	Effect of oyster species (upper figure) and <i>V. parahaemolyticus</i> strains (lower figure) on growth rate of <i>V. parahaemolyticus</i> in oysters. Systematic differences in growth rate can be observed. The upper figure also shows the USFDA growth rate model predictions indicating that the model is highly conservative	39
Figure 5	Comparison of V. vulnificus growth rate model (FAO/WHO, 2005; dashed line) with observed growth rates in oysters ( <i>Crassostrea virginica</i> and <i>Crassostrea ariakensis</i> ) and also compared with an alternative square root growth model (solid line)	40
TABLES		
Table 1	Available data on the incidence of V. parahaemolyticus infections	3
Table 2	Available data on the incidence of <i>V. vulnificus</i> infections in different countries	6
Table 3	Distribution of genetic markers in clinical strains of <i>Vibrio</i> parahaemolyticus	13
Table 4	Distribution of the genetic markers in environmental strains	
	of Vibrio parahaemolyticus	13
Table 5	Data from published literature on <i>tdh</i> and <i>trh</i> genetic marker distribution in clinical strains from different countries	14
Table 6	Slope and independent term of linear correlations for sea water temperature and $\log_{10} V$ . parahaemolyticus in oysters	35

### Acknowledgements

The Food and Agriculture Organization of the United Nations (FAO) and the World Health Organization (WHO) would like to express their appreciation to all those who contributed to the preparation of this document through the provision of their time, expertise and other relevant information before, during and after the meeting, as well as in preliminary meetings on this issue. All contributors are listed in the following pages.

Appreciation is also extended to all those who responded to the calls for data that were issued by FAO and WHO and provided information that was not readily available in the peer reviewed literature or the public domain.

### Contributors

#### **EXPERTS**

John Bowers, Food and Drug Administration, United States of America.

Viviana Cachica, Chilean National Health Institute, Chile

Angelo DePaola Jr., Food and Drug Administration, United States of America.

Romilio T. Espejo, Universidad de Chile El Líbano, Chile

Aamir Fazil, Public Health Agency of Canada, Canada

Dominique Hervio-Heath, IFREMER-Centre de Brest, France

Xinan Jiao, Yangzhou University, China

Indrani Karunasagar, College of Fisheries, Mangalore, India

**Francesca Leoni,** Istituto Zooprofilattico Sperimentale dell'Umbria e delle Marche, Italy

Chengchu Liu, Shanghai Ocean University, China

**Hector M. Lupin,** National Institute of Industrial Technology (INTI) - Mar del Plata, Argentina

Mitsuaki Nishibuchi, Center for Southeast Asian Studies, Kyoto University, Japan

James Oliver, University of North Carolina at Charlotte, United States of America

Son Radu, University Putra Malaysia, Malaysia

Irma Rivera, Universidade de São Paulo, Brazil

Tom Ross, University of Tasmania Hobart, Australia

Orasa Suthienkul, Mahidol University, Thailand

# 预览已结束, 完整报告链接和

https://www.yunbaogao.cn/report/index/report?re