

Human resource strategies to improve newborn care in health facilities in low- and middle-income countries



Human resource strategies to improve newborn care in health facilities in low- and middle-income countries



Human resource strategies to improve newborn care in health facilities in low- and middle-income countries

ISBN 978-92-4-001522-7 (electronic version)

ISBN 978-92-4-001523-4 (print edition)

This publication was originally published under the title "*Roadmap on human resource strategies to improve newborn care in health facilities in low- and middle-income countries*".

© World Health Organization 2020

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. Human resource strategies to improve newborn care in health facilities in low- and middle-income countries. Geneva: World Health Organization; 2020. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <http://www.who.int/about/licensing>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Design and layout by Inis Communication

Contents

Acknowledgements.....	iv
Abbreviations.....	vi
Executive summary.....	vii
Introduction.....	1
Human resource for health strategies to improve newborn care in health facilities in low- and middle-income countries.....	9
Strategy 1: Improve and standardize the content, curricula and development of competence in neonatal care in pre-service programmes for health workers.....	10
Strategy 2: Build the capacity of existing newborn care providers through orientation programmes, continuing education, skills training, quality improvement initiatives and support to maintain and increase competence.....	11
Strategy 3: Upgrade existing cadres with additional specialized training in neonatal care, with additional qualification or certification at undergraduate level.....	13
Strategy 4: Create and train a new cadre of specialized neonatal nurses.....	14
Strategy 5: Standardize the levels of neonatal care provision, with safe referral of mothers and infants.....	16
Strategy 6: Establish strategies for health worker recruitment, well-being, motivation and retention.....	17
Strategy 7: Ensure effective staffing, staff ratios and skill mixes in local neonatal units.....	19
Strategy 8: Strengthen national human resources planning, policy and regulations for development and management of neonatal services at all levels.....	21
Strategy 9: Allocate adequate funds for capacity-building and support for neonatal care in the national budget for human resources for health.....	23
Strategy 10: Promote global strategies, collaborations, accountability, leadership and governance for human resources for neonatal care, integrating innovative multi-country research and learning networks.....	24
Priorities and timeline for action.....	27
References.....	29
Annex 1. Examples of education programmes and career options for nurses and midwives working with newborns.....	33
Annex 2. Learning and support options for workers in neonatal health in low- and middle-income countries, with examples of implementation.....	37

Acknowledgements

The department of Maternal, Newborn, Child and Adolescent Health and Ageing (MCA) gratefully acknowledges the contributions of many individuals and organizations to preparation of this document.

The document was developed by Nancy Bolan, WHO consultant, and Karen Walker, President, Council of International Neonatal Nurses under the guidance of Ornella Lincetto, Medical Officer, Newborn Health, MCA, in collaboration with the department of Health Workforce, WHO, Geneva, Switzerland.

The final document includes feedback from experts who provided input at a technical meeting held in Geneva in April 2019 and two online consultations, in November 2019 and January 2020. Valuable input was received from experts in the field and from WHO colleagues, in alphabetical order: Samira Aboubaker, WHO consultant; Olga Agbodjan, regional advisor, WHO Regional Office for Africa, Brazzaville, Democratic Republic of the Congo; Elena Ateva, The White Ribbon Alliance, Washington DC, USA; Anshu Banerjee, Director, MCA department; Amina Barakat, consultant, WHO Regional Office for the Eastern Mediterranean, Rabat, Morocco; Josephine Gatwiri Bariu, Kenyan Neonatal Nurses, Nairobi, Kenya; Nelan Bhardway, United Nations Population Fund, United Nations, New York City (NY), USA; Tanya Bishop, Council of International Neonatal Nurses, Halifax, Canada; Marina Boykova, Council of International Neonatal Nurses, Yardley (PA), USA; Joshua Bress, Global Strategies, Albany (CA), USA; Marsh Campbell-Yeo, IWK Health Centre, Halifax, Nova Scotia, and McGill University, Montréal, Quebec, Canada; Andréia Cascaes, Escola Paulista de Enfermagem, Universidade Federal de São Paulo, Brazil; Nathalie Charpak, Fundação Canguro, Bogotá, Colombia; Andrew Clarke, Save the Children, London, United Kingdom; Karen Cowgill, University of Washington, Department of Global Health, Seattle (WA), USA; Bernadette Daelmans, MCA department; Ruth Davidge, Neonatal Nurses Association of Southern Africa, Kwazulu-Natal, South Africa; Louise-Tina Day, London School of Hygiene and Tropical Medicine, London, United Kingdom; Queen Dube, Blantyre College of Medicine, Blantyre, Malawi; Wakako Eklund, Council of International Neonatal Nurses, Nashville (TN), USA; Mike English, Newborn Essential Solutions and Technologies (NEST 360°), Nairobi, Kenya; Chinyere Ezeaka, College of Medicine, University of Lagos, Nigeria; Laura Ferguson, Kek School of Medicine of USC, Los Angeles, USA; Siobhan Caitlin Fitzpatrick, department of Health Workforce, WHO; David Gathara, London School of Hygiene and Tropical Medicine, London, United Kingdom; Gagan Gupta and Tedbabe Hailegebriel, United Nations Children's Fund, New York City (NY), USA; Judy Hitchcock, Council of International Neonatal Nurses, Yardley (PA), USA; Agnes van den Hoogen, Council of International Neonatal Nurses, Wilhelmina Children's Hospital, Utrecht, Netherlands; Elizabeth Iro, Chief Nursing Officer, WHO; Joyce Jebet, Dedan Kimathi University of Technology, Nyeri, Kenya; Tracey Jones, Council of International Neonatal Nurses, University of Manchester, Manchester, United Kingdom; Leilani Kaho'āno, Council of International Neonatal Nurses, Honolulu, Hawaii; Lily Kak, United States Agency for International Development, Washington DC, USA; Beena Kamath-Rayne, American Academy of Pediatrics, Itasca (IL), USA; Bartholomew Kamlewe, Katondwe Hospital, Zambia; William Keenan, International Pediatric Association Foundation, Washington DC, USA; Carole Kenner, Council of International Neonatal Nurses, Yardley (PA), USA; Neena Khadka, Maternal and Child Survival Program, Save the Children, Washington DC, USA; Mary Kinney, Newborn Health, Save the Children, Cape Town, South Africa; Catherine Kirk, Partners In Health Rwanda, Kigali, Rwanda; Carolyn Kruger, Project HOPE, Hagerstown (PA), USA; Joy Lawn, London School of Hygiene and Tropical Medicine, London, United Kingdom; Jim Litch, EveryPreemie, Lynnwood (WA), USA; Stine Lund, Department of Neonatology, Hvidovre Hospital and Global Health Unit, Rigshospitalet, Copenhagen,

Denmark; Carolyn MacLennan, WHO consultant, Alice Springs, Australia; Silke Mader, European Foundation on the Care of Newborn Infants, Munich, Germany; Hema Magge, Bill & Melinda Gates Foundation, Seattle (WA), USA; Blerta Maliqui, MCA department; Carin Maree, Council of International Neonatal Nurses, Pretoria, South Africa; Arti Maria, All-India Institute of Medical Sciences, New Delhi, India; Fran McConville, MCA department, WHO; Rahesh Mehta, regional adviser, WHO Regional Office for South-East Asia, New Delhi, India; Socorro Mendoza, Kangaroo Mother Care Foundation, Manila, Philippines; Liz Molyneux, Newborn Essential Solutions and Technologies (NEST 360°), London, United Kingdom; Allisyn Moran, MCA department; Sarah Moxon, London School of Hygiene and Tropical Medicine, London, United Kingdom; Georgina Murphy, Bill & Melinda Gates Foundation, Seattle (WA), USA; Rouani Naima, Instituts supérieurs des Professions infirmières et Technique de Santé, Ministry of Health, Rabat, Morocco; Andre Ndayambaje, Council of International Neonatal Nurses, University of Global Health Equity, Kigali, Rwanda; Karen New, WHO consultant, Australian College of Neonatal Nurses, Brisbane, Australia; Susan Niermeyer, University of Colorado School of Medicine, Washington DC, USA; Assaye Nigussie, Bill & Melinda Gates Foundation, Seattle, USA; Jesca Nsungwa-Sabiiti, Ministry of Health, Kampala, Uganda; Debbie O'Donoghue, Council of International Neonatal Nurses, Canterbury, New Zealand; Janna Patterson, American Academy of Paediatrics, Itasca (IL), USA; Julia Petty, Council of International Neonatal Nurses, University of Hertfordshire, Hatfield, United Kingdom; Annie Portela, MCA department; Sue Prullage, Council of International Neonatal Nurses, Danville (VA), USA; Anu Sachdeva, All-India Institute of Medical Sciences, New Delhi, India; Emma Sacks, Johns Hopkins University, Baltimore (MD), USA; Isabella Sagoe-Moses, Ministry of Health, Accra, Ghana; Manuel Sanchez Luna, Head Neonatology Division, University General Hospital Gregorio Maranon, Madrid, Spain; Theresa Shaver, United States Agency for International Development, Washington DC, USA; Nalini Singhal, American Academy of Pediatrics, Calgary, Canada; Marcus Stahlhofer, MCA department; Merran Thomson, NEST project, Chiesi Foundation, Uxbridge, United Kingdom; Ozge Tunkalp, Reproductive Health and Research department, WHO; Anna af Ugglas, Laerdal Global Health, Stavanger, Norway; Fauste Uwingabire, Kabgayi School of Nursing and Midwifery, Kigali, Rwanda; Steve Wall, Save the Children US, Fairfield (CT), USA; Charlotte Warren, Population Council, London, United Kingdom; Martin Weber, regional advisor, WHO Regional Office for Europe, Copenhagen, Denmark; Wilson Were, MCA department; Bjorn Westrup, Department of Neonatology, Karolinska University Hospital, Stockholm, Sweden; Bogale Worku, Ethiopian Pediatrics Society, Addis Ababa, Ethiopia; Julie Yerger, Kibogora Hospital, Rwanda.

We are grateful for the collaboration with Giorgio Cometto, WHO department of Health Workforce, and his team for feedback on various drafts and answers to specific questions.

We acknowledge and thank the Chiesi Foundation and the United States Agency for International Development, which provided financial support for the preparation and publication of this work.

Abbreviations

AAP	American Academy of Pediatrics
COINN	Council of International Neonatal Nurses
HRH	human resources for health
LMIC	low- and middle-income countries
iHRIS	integrated Human Resources Information System
NHWA	National Health Workforce Accounts
NICU	neonatal intensive care unit
SDG	Sustainable Development Goals
UNICEF	United Nations Children's Fund
UNFPA	United Nations Population Fund

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_24348

