


IMPROVING ANTENATAL **IRON-CONTAINING SUPPLEMENTATION INDICATORS**

REPORT OF KEY INFORMANT INTERVIEWS, ONLINE SURVEY, AND DHS DATA ANALYSES



IMPROVING ANTENATAL **IRON-CONTAINING SUPPLEMENTATION INDICATORS**

REPORT OF KEY INFORMANT INTERVIEWS, ONLINE SURVEY, AND DHS DATA ANALYSES



Improving antenatal iron-containing supplementation indicators: a report on key informant interviews, an online survey and DHS data analyses

ISBN 978-92-4-000006-3 (WHO)

© World Health Organization and the United Nations Children's Fund (UNICEF), 2019

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (<http://www.wipo.int/amc/en/mediation/rules>).

Suggested citation. Improving antenatal iron-containing supplementation indicators: a report on key informant interviews, an online survey and DHS data analyses. Geneva: World Health Organization and the United Nations Children's Fund (UNICEF), 2019. Licence: [CC BY-NC-SA 3.0 IGO](https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <http://www.who.int/about/licensing>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Printed in Switzerland
Design and cover: Alberto March (Barcelona, Spain)

CONTENTS

List of tables	iv
List of figures	v
ACKNOWLEDGEMENTS	vi
Executive Summary	1
Introduction	2
Aim 1: Methods	3
Key informant interviews	3
Online surveys	4
Aim 1: Results	5
Key informant interviews	5
National guideline for iron supplement provision to adolescent girls, pregnant and/or lactating women	5
Availability of iron supplements at health facilities	5
Collection of data on coverage/consumption of iron supplements	5
Use of data on coverage/consumption of iron supplements	7
Online survey	8
Respondent demographics	8
National guideline for iron supplement provision to adolescent girls, pregnant and/or lactating women	9
Availability of iron supplements at health facilities	10
Coverage/consumption of iron supplements	10
Use of data on coverage/consumption of iron supplements	12
Aim 2: Methods	13
Variable selection	13
DHS data analysis	14
Aim 2: Results	16
DHS data analysis	16
Descriptive analyses	16
Data heaping analyses	17
Linear regression analyses	19
Analyses of data quality	21
Discussion	22
Appendix A	24
Appendix B	27
Appendix C	30
Appendix D	40
References	41



LIST OF TABLES

Table 1. Anaemia prevalence in countries in which KII were completed	3
Table 2. Beneficiaries included in national guidelines for iron and/or micronutrient supplement provision in countries in which KII were completed	5
Table 3. Antenatal iron supplementation indicator used in countries in which KII were completed	6
Table 4. Key results on collection and use of data on coverage/consumption of iron supplements	7
Table 5. Fields of work occupied by respondents	8
Table 6. Types of organization employing respondents	9
Table 7. Status of the national guideline for iron supplement provision in countries mentioned in the online survey	9
Table 8. Availability of iron supplements at health facilities in countries mentioned in the online survey	10
Table 9. Satisfaction with how iron supplement coverage/consumption is assessed in national surveys	11
Table 10. Selected respondents' suggestions on how questions assessing iron supplement coverage/consumption should be revised in national surveys	11
Table 11. Use of data collected on iron supplement coverage/consumption, based on respondents' comments	12
Table 12. Countries included in secondary data analysis of iron consumption data quality	14
Table 13. Iron coverage/consumption questions included in the Pregnancy and Postnatal Care section of the DHS Model Questionnaire – Phase 7	14
Table 14. Data quality level guidelines used at Statistics Canada	15
Table 15. Iron supplement consumption during pregnancy in countries selected for DHS data quality analyses	16
Table 16. Descriptive analysis of variables included in DHS data quality analysis, by country	16
Table 17. Evidence of data heaping in DHS datasets	17
Table 18. Reported days of iron tablet/syrup consumption by postpartum women in three DHS datasets	18
Table 19. Reported days of consumption by recall period among those postpartum women who consumed iron tablets/syrup for at least one day in Afghanistan, Myanmar and Tanzania	18

Table 20. Results of linear regression analyses between iron consumption and recall period, number of ANC visits and maternal educational attainment, by country	20
Table 21. Precision of iron consumption data collected in DHS by recall period and country	21
Table C 1. Key informant interview (KII) guide for WHO TEAM exploratory analysis of iron supplementation data collection and usage	30
Table C 2. List of online survey respondents' countries	32
Table C 3. List of countries, year and name of most recent survey assessing iron supplement coverage/consumption	34
Table C 4. Respondents' suggestions on how questions assessing iron supplement coverage/consumption should be revised in national surveys	36
Table C 5. Details of how data collected on iron supplement coverage/consumption is used	38
Table D 1. Questions on the age of the most recent child, number of ANC visits and maternal education included in the Pregnancy and Postnatal Care section of the DHS Model Questionnaire – Phase 7	40

LIST OF FIGURES

Fig. 1. Flowchart of number of respondents and countries answering each category of survey questions	8
Fig. 2. Directed acyclic graph (DAG) representing the relationship between antenatal IFA consumption recall (outcome) and maternal sociodemographic factors and recall period	13
Fig. B 1. Histograms of antenatal iron consumption in DHS datasets	27

ACKNOWLEDGEMENTS

This technical report is an outcome of research by the WHO-UNICEF Technical Expert Advisory group on nutrition Monitoring (TEAM), which was supported by the Bill & Melinda Gates Foundation.

All TEAM members (in alphabetical order): Mary Arimond, Jennifer Coates, Trevor Croft, Omar Dary, Rafael Flores-Ayala, Edward Frongillo Jr., Rebecca Heidkamp, Purnima Menon, Lynnette Neufeld, Faith Thuita, Sara Wuehler and Wenhua Zhao, for providing feedback on draft findings.

Kuntal Kumar Saha (WHO headquarters), for conceptualization and leading this research; Sara Wuehler and Rebecca Heidkamp (TEAM), for conceptualization and technical contributions to the development, implementation, interpretation and reporting; Aatekah Owais (Nutrition International, Canada), for conducting this research, data analyses and interpretation, and report writing; and Vrinda Mehra (UNICEF) and Lisa Rogers (WHO headquarters), for their feedback on the draft version of the report.

All key informants and online survey participants, for their time, valuable inputs and thoughts.

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_24806

