

2019 ANTIBACTERIAL AGENTS IN CLINICAL DEVELOPMENT

an analysis of the antibacterial clinical development pipeline



2019 Antibacterial agents in clinical development: an analysis of the antibacterial clinical development pipeline ISBN 978-92-4-000019-3

© World Health Organization 2019

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. 2019 Antibacterial agents in clinical development: an analysis of the antibacterial clinical development pipeline. Geneva: World Health Organization; 2019. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Design and layout by Phoenix Design Aid

Printed in France

Contents

Acknowledgements	,
Abbreviations and acronyms	V
Executive summary	vi
INTRODUCTION	1
METHODS	3
2.1 Scope and inclusion/exclusion criteria	3
2.2 Search strategy	3
2.3 Assessment of activity against priority pathogens and innovation	4
2.3.1 Expected activity against priority pathogens	4
2.3.2 Innovation	4
AGENTS THAT OBTAINED MARKET AUTHORIZATION	
AGENTS IN CLINICAL DEVELOPMENT	8
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens	8
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams	8
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines	8 11 15
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides	8 11 15 15
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors	8 11 15 15
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor	8 11 15 15 15
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor	8 11 15 15 15 16
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor 4.1.7 Oxazolidinones	8 11 15 15 15 16 17
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor 4.1.7 Oxazolidinones 4.1.8 Macrolides and ketolides	8 11 15 15 15 16 17 17
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor 4.1.7 Oxazolidinones 4.1.8 Macrolides and ketolides 4.1.9 Antibiotic hybrids	8 11 15 15 15 16 17 17 17
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor 4.1.7 Oxazolidinones 4.1.8 Macrolides and ketolides 4.1.9 Antibiotic hybrids 4.1.10 Polymyxins	8 11 15 15 15 16 17 17 17 17
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor 4.1.7 Oxazolidinones 4.1.8 Macrolides and ketolides 4.1.9 Antibiotic hybrids 4.1.10 Polymyxins 4.2 Agents in development for treating TB infections	8 11 15 15 16 17 17 17 18
AGENTS IN CLINICAL DEVELOPMENT 4.1 Antibiotics being developed against WHO priority pathogens 4.1.1 β-Lactams 4.1.2 Tetracyclines 4.1.3 Aminoglycosides 4.1.4 Topoisomerase inhibitors 4.1.5 Fabl inhibitor 4.1.6 FtsZ inhibitor 4.1.7 Oxazolidinones 4.1.8 Macrolides and ketolides 4.1.9 Antibiotic hybrids 4.1.10 Polymyxins	8 11 15 15 15 16 17 17 17 17

	4.4 Biological agents	22
	4.4.1 Activity against S. aureus	23
	4.4.2 Activity against P. aeruginosa	23
	4.4.3 Activity against C. difficile	24
	4.5 Agents that are not under active development or for which there is no recent information	24
5	DISCUSSION AND OUTLOOK	25
	5.1 New agents insufficiently address a global need	25
	5.2 The current clinical pipeline remains insufficient against priority pathogens	25
	5.3 More innovative approaches are required, but there are scientific and economic challenges	26
	5.4 Non-traditional approaches are attracting R&D interest	26
	5.5 Market dynamics remain unfavourable	27
	5.6 The pipeline outlook remains bleak	27
6	METHODOLOGICAL CONSIDERATIONS	28
	6.1 Variable data quality	28
	6.2 Limitations	28
	6.3 Planned changes for the 2020 update	29
7	REFERENCES	30
Annex I	Declaration of interests of advisory group members	38
Tab. 1	Antibiotics that gained market authorization between July 2017 and September 2019	7
Tab. 2	Antibiotics that are being developed against WHO priority pathogens	Ç
Tab. 3	Expected activity of $\beta\text{-lactams}$ and $\beta\text{-lactam/BLI}$ combinations against common $\beta\text{-lactamases}$	1
Tab. 4	Antibiotics for the treatment of TB and non-tuberculous mycobacteria in clinical development	19
Tab. 5	Antibiotics (small molecules) for the treatment of <i>C. difficile</i> infections in clinical development	21
Tab. 6	Biological antibacterial agents in clinical development	22
Tab. 7	Agents that are not under active development or for which there is no recent information	24
Fig. 1	Antibacterial agents in clinical development (Phase 1–3)	viii
Fig. 2	Summary of antibiotics in the clinical pipeline targeting the WHO priority pathogens	25

Acknowledgements

This publication was prepared by Sarah Paulin and Peter Beyer (WHO, Antimicrobial Resistance Division) with support from Ursula Theuretzbacher (Centre for Anti-infective Agents, Austria). Administrative support was provided by Sandra Kotur Corliss (WHO, Antimicrobial Resistance Division).

We would like to thank the members of the advisory group, which met in Geneva, Switzerland, on 30 September to 1 October 2019 to review the data, and to discuss and assess the antibacterial agents in the scope of this report. The advisory group consisted of:

- Mark Butler, principal research fellow, Centre for Clinical Research, University of Queensland, Australia (chair)
- Lloyd Czaplewski, director, Chemical Biology Ventures, United Kingdom of Great Britain and Northern Ireland
- Stephan Harbarth, full professor, Division of Infectious Diseases and Infection Control Programme,
 Geneva University Hospitals, WHO Collaborating Centre, Switzerland
- Jennie Hood, Global AMR R&D Hub, Germany (observer)
- François Franceschi, project leader, Asset Evaluation and Development, Global Antibiotic Research and Development Partnership, Switzerland (observer)
- Roman Kozlov, rector, Smolensk State Medical University, Russian Federation
- Christian Lienhardt, director of research, Institute for Research on Sustainable Development, France
- Norio Ohmagari, director, Disease Control and Prevention Center, National Center for Global Health and Medicine, Japan
- Mical Paul, director, Infectious Diseases Institute, Rambam Health Care Campus, Israel
- John H. Rex, chief medical officer, F2G Ltd, United States of America
- · Lynn Silver, owner, LL Silver Consulting, United States of America
- Guy Thwaites, director, Oxford University Clinical Research Unit, Viet Nam

We would like to thank Richard Alm and Ursula Theuretzbacher (WHO consultants, Antimicrobial Resistance Division) for their support for the data gathering and initial assessments of the antibacterial agents; Tiziana Masini (WHO, Global TB Programme) and Matteo Zignol (WHO, Global TB Programme) for their contributions to the tuberculosis research and development pipeline; and Maarten van der Heijden (WHO consultant, Antimicrobial Resistance Division) for reviewing the report.

We thank the following organizations for supporting the data collection: Access to Medicines Foundation, BEAM Alliance, Biotechnology Innovation Organization (BIO), Combating Antibiotic Resistant Bacteria Biopharmaceutical Accelerator (CARB-X), European Medicines Agency (EMA), Global Antibiotic Research and Development Partnership (GARDP), International Federation of Pharmaceutical Manufacturers and Associations (IFPMA), Joint Programming Initiative on Antimicrobial Resistance (JPIAMR), National Institutes of Health (NIH) / National Institute of Allergy and Infectious Diseases (NIAID), Pew Charitable Trusts, Replenishing and Enabling the Pipeline for Anti-Infective Resistance (REPAIR) Impact Fund, TB Alliance, TB Union and Treatment Action Group (TAG).

We would also like to thank Jiang Jiandong (Chinese Academy of Medical Science and Peking Union Medical College) for providing data from China, Roman Kozlov for providing data from the Russian Federation and Norio Ohmagari for providing data from Japan.

The WHO Secretariat takes full responsibility for any omissions or errors in the data or other shortcomings in this document. We would welcome any feedback and additional information for future iterations of this pipeline analysis. Please send any comments to: antibacterialpipeline@who.int.

This document was edited by Giselle Weiss.

Financial support

Funding for this report was kindly provided by the Government of Austria.

Abbreviations and acronyms

ABSSSI	acute bacterial skin and skin structure	MIC	minimum inhibitory concentration
	infection	MmpL3	mycobacterial membrane protein large
AWaRe	Access, Watch, and Reserve	•	3
	classification	MoA	mode of action
BARDA	Biomedical Advanced Research and	MRSA	methicillin-resistant Staphylococcus
	Development Authority		aureus
BIO	Biotechnology Innovation Organization	NBTI	novel bacterial topoisomerase II
BLI	β-lactamase inhibitor		inhibitor
CAP	community-acquired pneumonia	NDA	New Drug Application
CARB-X	Combating Antibiotic Resistant Bacteria	NDM	New Delhi metallo-β-lactamase
	Biopharmaceutical Accelerator	NIH/NIAID	National Institutes of Health, National
cIAI	complicated intra-abdominal infection		Institute of Allergy and Infectious
CRAB	carbapenem-resistant Acinetobacter		Diseases
	baumannii	OPP	other priority pathogens on the WHO
CRE	carbapenem-resistant		priority pathogens list ("high" and
	Enterobacteriaceae		"medium" priority)
CRPA	carbapenem-resistant Pseudomonas	OXA	oxacillinase
	aeruginosa	PBP	penicillin-binding protein
cUTI	complicated urinary tract infection	PDF	peptide deformylase
DBO	diazabicyclooctane	PK/PD	pharmacokinetics/pharmacodynamics
DHFR	dihydrofolate reductase	R&D	research and development
DNA	deoxyribonucleic acid	REPAIR	Replenishing and Enabling the Pipeline
DNDi	Drugs for Neglected Diseases initiative		for Anti-Infective Resistance
DOI	declaration of interest	SME	small- or medium-sized enterprise and
DprE1	decaprenylphosphoryl-β-D-ribose		Serratia marcescens enzymes
	2-epimerase	TAG	Treatment Action Group
EMA	European Medicines Agency	TB	tuberculosis
EML	essential medicines list	TB Alliance	Global Alliance for TB Drug
ESBL	extended-spectrum β-lactamase		Development
FDA	Food and Drug Administration	tet	tetracycline resistance encoding gene
GARDP	Global Antibiotic Research and	UTI	urinary tract infection
	Development Partnership	VAP	ventilator-associated pneumonia
HAP	hospital-acquired pneumonia	VIM	Verona integron-encoded
ICTRP	International Clinical Trials Registry		metallo-β-lactamase
	DI 10		· · · · · - ·

预览已结束,完整报告链接和二维码如下:





