

MAKING SOUTH-EAST ASIA **SAFER**
FROM ALCOHOL RELATED HARM:
CURRENT STATUS AND WAY FORWARD



MAKING SOUTH-EAST ASIA **SAFER**
FROM ALCOHOL-RELATED HARM:
CURRENT STATUS AND WAY FORWARD



Making South-East Asia SAFER from alcohol-related harm: Current status and way forward

ISBN: 978 92 9022 727 4

© World Health Organization 2019

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization..

Suggested citation. Making South-East Asia SAFER from alcohol-related harm: Current status and way forward. New Delhi: World Health Organization, Regional Office for South-East Asia; 2019. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <http://www.who.int/about/licensing>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Printed in India

Cover Painting: Miss Wikawee Rattanamanee, Bangkok, Thailand

Contents

List of figures, tables and boxes	iv
Abbreviations and acronyms	vi
Foreword by Regional Director	vii
Acknowledgments	ix
Executive summary	x
Harmful use of alcohol: A public health and developmental urgency	1
SAFER: alcohol control initiative	4
Implementation of SAFER in WHO SEA Region: a baseline assessment	5
S : Strengthen restrictions on alcohol availability	5
A : Advance and enforce drink-driving countermeasures	14
F : Facilitate access to screening, brief intervention and treatment	18
E : Enforce bans or comprehensive restrictions on advertising, sponsorship and promotions	21
R : Raise prices on alcohol through excise taxes and pricing policies	27
Monitoring and evaluation	36
The call for action	37
References	39

List of figures, tables and boxes

Figures

- Fig. 1: Percentage of all deaths and DALYs in WHO South-East Asia Region attributed to alcohol among all ages, and among 15–49-years-old by sex, 2017
- Fig. 2: Current and projected trends in total alcohol per capita consumption (APC) (15+ years) in Litters of pure alcohol in WHO South-East Asia Region
- Fig. 3: WHO SAFER action package
- Fig. 4: The overall physical availability restrictiveness score for alcoholic beverages in WHO SEA Region, 2016
- Fig. 5: The overall score for stringency of drink-driving countermeasures on a scale of 1–5 in WHO South-East Asia Region, 2016
- Fig. 6: Marketing restrictiveness index (scale of 1 to 5) for alcohol in WHO South-East Asia Region, 2016
- Fig. 7: Overall pricing stringency score for policies enacted to raise the price of alcoholic beverages in WHO south-East Asia Region (2017)
- Fig. 8: SAFER policy content score on a scale of 1–100 for selected Member States of SEA Region

Tables

- Table 1: Licensing requirements and government monopolies to regulate production, export–import, retail sales in WHO South-East Asia Region, 2016
- Table 2: Off- and on-premise sale restrictions on sale of alcohol
- Table 3: Restrictions on alcohol use in public places in WHO South-East Asia Region, 2016
- Table 4: Legal blood alcohol concentration limits and driver screening methods
- Table 5: Penalties for drink driving for first/repeated offence in WHO South-East Asia Region, 2016
- Table 6: Coverage of health services response for detection and treatment of harmful and hazardous alcohol use in WHO SEA Region, 2014–2016
- Table 7: Policy situation on alcohol marketing, advertising and sponsorship in WHO South-East Asia Region
- Table 8: Status of taxation on alcoholic beverages and other pricing policies in WHO South-East Asia Region, 2016

Boxes

- Box 1:** Public health burden related to Alcohol in SEA Region
- Box 2:** Alcohol consumption levels and pattern in SEA Region
- Box 3:** Policy options and interventions for regulating availability of alcohol

- Box 4:** Government monopoly on both wholesale and retail distribution
- Box 5:** Days of restricted/no alcohol sale in SEA Region
- Box 6:** Restriction on h of sale
- Box 7:** Physical availability restrictiveness score
- Box 8:** Drink driving countermeasures score
- Box 9:** Health services score
- Box 10:** Policy options and interventions for marketing restrictions
- Box 11:** Marketing restrictiveness score
- Box 12:** Pricing stringency score to curb alcohol consumption
- Box 13:** Policy response to reduce harmful use of alcohol in SEA Region: key points

Abbreviations and acronyms

AAF	alcohol-attributable fraction
AIDS	acquired immune deficiency syndrome
APC	alcohol per capita consumption
BAC	blood alcohol concentration
DALYs	disability-adjusted life year
GSHS	global school-based student health survey
HED	heavy episodic drinking
HIV	human immunodeficiency virus
I\$	International dollar
MDA	minimum drinking age
MPA	minimum purchasing age
NCD	noncommunicable disease
RBT	random breath testing
SDG	Sustainable Development Goal
SEA	South-East Asia
STEPS	STEPwise approach to surveillance
TB	tuberculosis
UT	union territory
WHO	World Health Organization

预览已结束，完整报告链接和

<https://www.yunbaogao.cn/report/index/report?>