



# WHO recommendation on duration of bladder catheterization after surgical repair of simple obstetric urinary fistula





# WHO recommendation on duration of bladder catheterization after surgical repair of simple obstetric urinary fistula



## **WHO recommendation on duration of bladder catheterization after surgical repair of simple obstetric urinary fistula**

**ISBN 978-92-4-155019-2**

© World Health Organization 2018

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

**Suggested citation.** WHO recommendation on duration of bladder catheterization after surgical repair of simple obstetric urinary fistula. Geneva: World Health Organization; 2018. Licence: [CC BY-NC-SA 3.0 IGO](https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

**Cataloguing-in-Publication (CIP) data.** CIP data are available at <http://apps.who.int/iris>.

**Sales, rights and licensing.** To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <http://www.who.int/about/licensing>.

**Third-party materials.** If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

**General disclaimers.** The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Printed by the WHO Document Production Services, Geneva, Switzerland

# Contents

Acknowledgements	1
Acronyms and abbreviations	2
<b>Executive summary</b>	<b>3</b>
<b>1. Introduction</b>	<b>5</b>
1.1 Background	5
1.2 Rationale and objectives	5
1.3 Target audience	6
1.4 Scope of the guideline	6
<b>2. Methods</b>	<b>6</b>
2.1 Contributors to the guideline	6
2.2 Identification of the priority question and critical outcomes	8
2.3 Evidence identification and retrieval	8
2.4 Quality assessment and grading of the evidence	8
2.5 Formulation of the recommendation	9
2.6 Declaration of interests by external contributors	10
2.7 Decision-making during the WHO Technical Consultation	10
2.8 Document preparation	10
2.9 Peer review	11
<b>3. Results: recommendation and evidence</b>	<b>11</b>
3.1 Recommendation	11
3.2 Summary of evidence	12
<b>4. Research implications</b>	<b>15</b>
<b>5. Dissemination and implementation of the guideline</b>	<b>16</b>
5.1 Guideline dissemination and evaluation	16
5.2 Guideline implementation	16
<b>6. Applicability issues</b>	<b>17</b>
6.1 Anticipated impact on the organization of care and resources	17
6.2 Monitoring and evaluating the impact of the guideline	17
<b>7. Updating the guideline</b>	<b>17</b>
<b>8. References</b>	<b>19</b>
<b>Annex 1. Guideline contributors: external experts and WHO staff</b>	<b>20</b>
<b>Annex 2. Critical and important outcomes for decision-making</b>	<b>22</b>
<b>Annex 3. Search strategy</b>	<b>23</b>
<b>Annex 4. Summary and management of declared interests from Guideline Development Group (GDG) members</b>	<b>24</b>
<b>Annex 5. Evidence-to-decision table</b>	<b>25</b>



## Acknowledgements

The Department of Reproductive Health and Research (RHR) of the World Health Organization (WHO) gratefully acknowledges the contributions that many individuals and organizations made to the development of this guideline. Work on this guideline was initiated and coordinated by Mariana Widmer and A. Metin Gürmezoglu of the RHR Department. Olufemi Oladapo and Özge Tunçalp, also of the RHR Department, provided technical support.

WHO extends sincere thanks to Steven Arrowsmith, Mark Barone, Sohier Elneil, Serigne Gueye, Farzana Wali Jebran, Aseefa Mekonnen, Mulu Muleta, Dolores Nembunzu, Oladosu Ojengbede and Lauri Romanzi, who served as members of the Guideline Development Group (GDG), and to Torvid Kiserud, for chairing the WHO Technical Consultation on Duration of Catheterization after Surgical Repair of Simple Obstetric Fistula, at WHO headquarters in Geneva, Switzerland, in May 2017.

The guideline methodologists, Maria Regina Torloni and Ewelina Rogosinska, reviewed the scientific evidence, prepared the Grading of Recommendations Assessment, Development and Evaluation (GRADE) tables and drafted the narrative summaries of evidence used in this guideline. Mariana Widmer revised the narrative summaries and double-checked the corresponding GRADE tables. A. Metin Gürmezoglu, Olufemi Oladapo, Özge Tunçalp (of the RHR Department) and Maurice Bucagu (of the WHO Department of Maternal, Newborn, Child and Adolescent Health) commented on the draft document before it was reviewed by participants at the Technical Consultation. Mrutyunjaya B. Bellad, Dame Tina Lavender, Alemnesh H. Mirkuzie and Alfred Osoti were members of the External Review Group who peer-reviewed the final guideline document.

We acknowledge the various organizations that were represented as observers at the Technical Consultation, including Erin Anastasi (United Nations Population Fund [UNFPA]), Erin Mielke (United States Agency for International Development [USAID]) and Gillian Slinger (International Federation of Gynecology and Obstetrics [FIGO]).

USAID provided financial support for this work. The views of the funding body have not influenced the content of this guideline.

Editing: Green Ink, United Kingdom ([www.greenink.co.uk](http://www.greenink.co.uk))

## Acronyms and abbreviations

CI	confidence interval
DOI	declaration of interest
FWC	Family, Women's and Children's Health (WHO cluster)
GDG	Guideline Development Group
GRC	Guideline Review Committee
GRADE	Grading of Recommendations Assessment, Development and Evaluation
GREAT	Guideline development, Research priorities, Evidence synthesis, Applicability of evidence, Transfer of knowledge - the GREAT Network (WHO project)
FIGO	International Federation of Gynecology and Obstetrics
LMIC	Low- and middle-income country
MCA	Maternal, Newborn, Child and Adolescent Health (WHO Department)
MPA	Maternal and Perinatal Health & Preventing Unsafe Abortion (a team in WHO's RHR Department)
PICO	population (P), intervention (I), comparator (C), outcome (O)
RHR	Reproductive Health and Research (WHO Department)
RR	relative risk
UNFPA	United Nations Population Fund
USAID	United States Agency for International Development
WHO	World Health Organization

预览已结束，完整报告链接和二维码如下：

[https://www.yunbaogao.cn/report/index/report?reportId=5\\_25562](https://www.yunbaogao.cn/report/index/report?reportId=5_25562)

