



PREVENTING DISEASE THROUGH HEALTHY ENVIRONMENTS

A global assessment of the burden of disease from environmental risks

A Prüss-Ustün, J Wolf, C Corvalán, R Bos and M Neira



PREVENTING DISEASE THROUGH HEALTHY ENVIRONMENTS

**A global assessment of the burden of disease from
environmental risks**

A Prüss-Ustün, J Wolf, C Corvalán, R Bos and M Neira

WHO Library Cataloguing-in-Publication Data

Preventing disease through healthy environments: a global assessment of the burden of disease from environmental risks / Annette Prüss-Üstün ... [et al].

1.Environmental Monitoring. 2.Cost of Illness. 3.Risk Factors. I.Prüss-Üstün, Annette. II.Wolf, J. III.Corvalán, Carlos F. IV.Bos, R. V.Neira, Maria Purificación. VI.World Health Organization.

ISBN 978 92 4 156519 6

(NLM classification: WA 30.5)

© World Health Organization 2016

All rights reserved. Publications of the World Health Organization are available on the WHO website (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; email: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for non-commercial distribution – should be addressed to WHO Press through the WHO website (www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Editorial consultant: Vivien Stone

Design and layout by L'IV Com Sàrl, Villars-sous-Yens, Switzerland.

Printed in France.

CONTENTS

Acronyms and abbreviations	vi
Preface	vii
Executive summary	x
1. Introduction	1
2. Methods: Estimating the environmental burden of disease	2
The environment: A contextual determinant of health	3
The link with social determinants of health	4
What is meant by the population attributable fraction of a risk factor?	6
Estimating the population attributable fraction	7
Comparative risk assessment	7
Calculations based on limited epidemiological data	8
Disease transmission pathway	8
Expert survey	8
Combining risk factors for individual diseases	9
Estimating the burden of disease attributable to the environment	9
Estimating uncertainties	9
3. Results: A systematic analysis of fractions attributable to the environment, by disease Infectious and parasitic diseases	10
▶ Infectious and parasitic diseases	14
Respiratory infections	14
Diarrhoeal diseases	16
Intestinal nematode infections	18
Malaria	19
Trachoma	22
Schistosomiasis	23
Chagas disease	25
Lymphatic filariasis	27
Onchocerciasis	29
Leishmaniasis	30
Dengue	32
Japanese encephalitis	34
HIV/AIDS	36
Sexually transmitted diseases	38
Hepatitis B and C	38
Tuberculosis	40
Other infectious and parasitic diseases	41
▶ Neonatal and nutritional conditions	42
Neonatal conditions	42
Protein-energy malnutrition	44
▶ Noncommunicable diseases	46
Cancers	46
Mental, behavioural and neurological disorders	51
Cataracts	54

Hearing loss	54
Ischaemic heart disease	56
Stroke	58
Chronic obstructive pulmonary disease	61
Asthma	64
Musculoskeletal diseases	67
Congenital anomalies	67
Other noncommunicable diseases	68
Risks factors for noncommunicable diseases from other areas but related to the environment	69
Overweight and obesity	69
Physical inactivity	70
▶ Unintentional injuries	73
Road traffic accidents	73
Unintentional poisonings	75
Falls	76
Fires, heat and hot substances	77
Drownings	78
Other unintentional injuries	80
▶ Intentional injuries	82
Self-harm	82
Interpersonal violence	83
The link between the environment and demographics	85
Global results of the analysis by disease and population subgroups	86
Disease specific results	86
Age differences	87
Gender differences	88
Regional and country differences	89
Trends	92
4. Discussion: Leveraging environment-health links	94
Environment, health and the Sustainable Development Goals	95
Strengths and weaknesses of the analysis	100
5. Conclusion: Towards healthy environments	102
Key findings	103
Reducing the burden of unhealthy environments	104
Annexes	106
Annex 1: WHO Member States and country groupings by income region	106
Annex 2: Results tables	107
Annex 3: Technical annex on methods	120
Annex 3.1. Calculation of population attributable fractions	120
Annex 3.2. Combination of risk factors for one disease: Additional information	121
Annex 3.3: Additional information on estimation of PAFs for selected diseases	121
References	124
Acknowledgements	144
Photo credits	147

List of figures

Figure ES1. Fraction of deaths and DALYs attributable to the environment globally, 2012	xv
Figure ES2. Diseases with the highest preventable disease burden from environmental risks, in disability-adjusted life years (DALYs) – a combined measure of years of life lost due to mortality and years of life lived with disability, 2012	xvi
Figure ES3. Environmental fraction of global burden of disease (in DALYs) by age and disease group, 2012	xvii
Figure ES4. Total burden of disease and environmental portion, by sex, 2012	xviii
Figure ES5. Fraction of disease burden attributable to the environment by country, 2012	xviii
Figure ES6. Trend in the fraction of deaths attributable to the environment by disease group, 2002–2012	xix
Figure ES7. Deaths per capita attributable to the environment, by region and disease group, 2012	xx
Figure ES8. Diseases with the strongest environmental contributions globally, 2012	xx
Figure ES9. Age-standardized infectious, parasitic, neonatal and nutritional disease deaths attributable to the environment, 2012	xxi
Figure ES10. Age-standardized noncommunicable disease deaths attributable to the environment, 2012	xxi
Figure ES11. Age-standardized injury deaths attributable to the environment, 2012	xxi
Figure ES12. Methods used for the estimation of burden of disease attributable to the environment	xxii
Figure 1. Under-five mortality rate and access to water by income, São Paulo, Brazil	4
Figure 2. Progress in sanitation coverage by typology (percentage, 1995–2010)	5
Figure 3. Open defecation practices according to level of education, 2012	6
Figure 4. Proportion of population aged 65 years and older, 1990 to 2030, by country groupings	85
Figure 5. World population, 1990 to 2030, by country groupings	85
Figure 6. Urban and rural fraction of the population, 2012	85
Figure 7. Diseases with the largest environmental contribution	86
Figure 8. Diseases with the largest environmental contribution, children under five years	87
Figure 9. Environmental fraction of global burden of disease (in DALYs), by age and disease group, 2012	87
Figure 10. Main diseases contributing to the environmental burden of disease, all ages, world, 2012	88
Figure 11. Main diseases contributing to the environmental burden of disease, for children under five years	88
Figure 12. Deaths attributable to the environment, by region and disease group, 2012	89
Figure 13. Age-standardized environmental deaths, 2012	90
Figure 14. Age-standardized infectious, parasitic, neonatal and nutritional disease deaths attributable to the environment, 2012	90
Figure 15. Age-standardized noncommunicable disease deaths attributable to the environment, 2012	90
Figure 16. Age-standardized injury deaths attributable to the environment, 2012	91
Figure 17. Trend in the fraction of deaths attributable to the environment by disease group, 2002–2012	92
Figure 18. Trend in total deaths by disease group, 2002–2012	93
Figure 19. Sustainable Development Goals and environment-health links	96

List of tables

Table ES1. Summary of included and excluded environmental factors in this study	x
Table ES2. Diseases and injuries and key environmental interventions	xii
Table ES3. Linking main sectors to primary prevention opportunities	xiii
Table ES4. Selected population attributable fraction (of DALYs) by risk factor and disease (non-additive)	xiv
Table 1. Methods used for estimating the population attributable fraction of the disease burden for main disease groups	1
Table 2. Total and attributable deaths and disease burden to the environment, 2012	86
Table 3. Total burden and percentage attributable to the environment, by sex, 2012	88
Table 4. Methods used to estimate the burden of disease attributable to the environment	91
Table A2.1. Population attributable fractions for the environment (of DALYs), by disease and region	107
Table A2.2. Indicative linkages between environmental risk factor and disease or injury	111
Table A2.3. Deaths attributable to the environment, by region, 2012	112
Table A2.4. Burden of disease (in DALYs) attributable to the environment, by region, 2012	116
Table A3.2.1 Global risk factors attribution, by disease and by risk factor (in DALYs)	121

ACRONYMS AND ABBREVIATIONS

CI	confidence interval
COPD	chronic obstructive pulmonary disease
CRA	comparative risk assessment
DALY	disability-adjusted life year
HBV	hepatitis B
HCV	hepatitis C
HBsAg	hepatitis B surface antigen
HIA	health impact assessment
HIC	high-income countries
HIV/AIDS	human immunodeficiency virus/acquired immunodeficiency syndrome
IHD	ischaemic heart disease
IPM	integrated pest management
IVM	integrated vector management
JE	Japanese encephalitis
LMIC	low- and middle-income countries
PAF	population attributable fraction
PCB	polychlorinated biphenyls
SDGs	Sustainable Development Goals
STD	sexually transmitted disease
TB	tuberculosis
UV	ultraviolet
WASH	water, sanitation and hygiene
WHO	World Health Organization

REGIONS OF THE WORLD HEALTH ORGANIZATION

AFR African Region

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_25618

