

Management
of **RADIOACTIVITY**
in **DRINKING-WATER**



World Health
Organization

Management
of **RADIOACTIVITY**
in **DRINKING-WATER**

Management of radioactivity in drinking-water

ISBN 978-92-4-151374-6

© World Health Organization 2018

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. Management of radioactivity in drinking-water. Geneva: World Health Organization; 2018. Licence: [CC BY-NC-SA 3.0 IGO](https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <http://www.who.int/about/licensing>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Printed in Switzerland.

Design and layout by Paprika, Annecy, France.

TABLE OF CONTENTS

| | |
|-----------------------------------|------------|
| LIST OF TABLES AND FIGURES | IX |
| FOREWORD | X |
| ACKNOWLEDGMENTS | XII |
| ABBREVIATIONS | XIV |
| GLOSSARY | XV |

| | |
|--|----------|
| 1. NON-EMERGENCY SITUATIONS | 1 |
| 1.1 Background | 2 |
| 1.1.1 Are radionuclides in drinking-water likely to be a public health risk in non-emergency situations ? | 2 |
| 1.1.2 What are the possible sources of radionuclides in drinking-water in non-emergency situations ? | 3 |
| 1.1.3 How do naturally occurring radionuclides enter into drinking-water ? | 4 |
| 1.1.4 When should radionuclides in drinking-water be considered in non-emergency situations ? | 5 |
| 1.2 Purpose and scope of the Guidelines for drinking-water quality | 6 |
| 1.2.1 What is the purpose of the Guidelines for drinking-water quality ? | 6 |
| 1.2.2 What guidance does WHO provide on radionuclides in drinking-water ? | 8 |
| 1.2.3 What situations can the GDWQ be used for ? | 8 |
| 1.2.4 Are the radiological criteria in the GDWQ mandatory ? | 9 |
| 1.2.5 Why do the criteria provided in the GDWQ not apply during a radiological or nuclear emergency ? | 9 |
| 1.2.6 Are there any international criteria for radionuclides in bottled and packaged drinking-water ? | 9 |
| 1.2.7 Should naturally occurring radionuclides and human-made radionuclides present in drinking-water be managed differently ? | 10 |
| 1.3 Approach adopted by WHO for assessing the public health risk from radionuclides in drinking-water | 11 |
| 1.3.1 What are the criteria used in the GDWQ for assessing health risks from radionuclides in drinking-water ? | 11 |
| 1.3.2 What is the individual dose criterion of 0.1 mSv y ⁻¹ ? | 12 |
| 1.3.3 What purpose do the screening levels serve and how should they be used ? | 12 |
| 1.3.4 What purpose do the guidance levels for radionuclides serve and how should they be used ? | 13 |
| 1.3.5 Do the guidance levels need to be adjusted for children ? | 14 |
| 1.3.6 What is the reference level (1 mSv y ⁻¹) and how does it relate to the individual dose criterion (0.1 mSv y ⁻¹) for drinking-water ? | 15 |

| | |
|--|-----------|
| 1.4 Measuring radionuclides in drinking-water | 16 |
| 1.4.1 At what points in the water supply chain should measurements of radionuclides in drinking-water be made ?..... | 16 |
| 1.4.2 With what frequency should measurements of radionuclides in drinking-water be made ? | 17 |
| 1.4.3 Are there any radionuclides that are not detected by standard gross alpha and gross beta screening methods ?..... | 19 |
| 1.5 How to apply the GDWQ methodology for radionuclides in drinking-water | 21 |
| 1.5.1 If a screening level is exceeded for one or a few drinking-water samples, does this mean that the radiation dose will be greater than the individual dose criterion of 0.1 mSv y ⁻¹ ? | 21 |
| 1.5.2 Is any action required if the screening levels are not exceeded ? | 22 |
| 1.5.3 What further action is required if either of the screening levels is exceeded for a drinking-water sample ? .. | 23 |
| 1.5.4 What is the reason for subtracting the contribution of potassium-40 from gross beta activity when the gross beta activity concentration exceeds the screening level? How can it be performed ?..... | 25 |
| 1.5.5 How to identify what radionuclides in the drinking-water are contributing to screening levels being exceeded ?..... | 25 |
| 1.5.6 How to assess if the individual dose criterion of 0.1 mSv y ⁻¹ has been exceeded using measurements of individual radionuclides in drinking-water ? | 26 |
| 1.5.7 If the activity concentrations in drinking-water for the radionuclides measured do not exceed the guidance levels, does this mean that no further action is required ? | 28 |
| 1.5.8 If the 0.1 mSv y ⁻¹ individual dose criterion is exceeded, does this mean that the drinking-water is unsuitable for consumption ? | 28 |
| 1.5.9 What is the next step if a guidance level is exceeded or the sum across radionuclides exceeds unity, i.e. the individual dose criterion of 0.1 mSv y ⁻¹ is exceeded ?..... | 29 |
| 1.5.10 What are the considerations for establishing national standards based on the GDWQ and the International Basic Safety Standards ? | 32 |
| 1.5.11 What are the possible options for reducing activity concentrations of radionuclides in drinking-water ?..... | 35 |
| 1.6 Radon in drinking-water | 37 |
| 1.6.1 How does radon get into drinking-water ?..... | 37 |
| 1.6.2 Do national standards for radon in drinking-water need to be established ? | 37 |
| 1.6.3 At what points in the water supply chain should measurements of radon in drinking-water be made ? | 38 |
| 1.6.4 What methods can be used for sampling and measuring radon in drinking-water supplies ?..... | 39 |
| 1.6.5 How can radon in drinking-water be managed when radon concentrations in the source water are high ?... | 39 |

| | |
|--|-----------|
| 2. EMERGENCY SITUATIONS | 41 |
| 2.1 Background on emergency situations and criteria for managing drinking-water quality | 42 |
| 2.1.1 What is a radiation emergency situation ?..... | 42 |
| 2.1.2 Are radionuclides in drinking-water likely to remain a long-term public health risk after a nuclear or radiological emergency ?..... | 42 |
| 2.1.3 When does an emergency situation end and what does this mean with respect to drinking-water quality ? | 43 |
| 2.1.4 Are there any international standards and criteria that apply for drinking-water quality in emergency situations ?..... | 44 |
| 2.2 Health risks from drinking-water in the event of a nuclear or radiological emergency | 45 |
| 2.2.1 What radionuclides are likely to be of concern in drinking-water during a nuclear or radiological emergency ?..... | 45 |
| 2.2.2 Do children require stricter protection than adults when establishing criteria for the consumption of drinking-water after a nuclear or radiological emergency ?..... | 47 |
| 2.2.3 How are health risks from radionuclides in drinking-water likely to compare to those from other exposure pathways in nuclear or radiological emergencies ?..... | 47 |
| 2.3 Measuring radionuclides in drinking-water in an emergency situation..... | 49 |
| 2.3.1 What screening methods can be used in nuclear or radiological emergencies to measure radionuclides in drinking-water ?..... | 49 |
| 2.3.2 During a nuclear or radiological emergency, what types of water source are likely to be affected ?..... | 50 |
| 2.3.3 During a nuclear or radiological emergency, which water sources are a priority for monitoring ?..... | 51 |
| 2.4 Managing exceedances of criteria for drinking-water in emergency situations..... | 52 |
| 2.4.1 How are operational intervention levels for drinking-water used in the event of a nuclear or radiological emergency ?..... | 52 |
| 2.4.2 What actions can be considered if the criteria for drinking-water in emergency situations are exceeded? Are there any special actions for small water supplies, including community supplies ?..... | 54 |
| 3. SUPPORTING INFORMATION | 57 |
| 3.1 Does boiling water reduce the exposure from radionuclides in drinking-water ?..... | 58 |
| 3.2 How effective are water treatment options in removing radionuclides from drinking-water ?..... | 59 |
| 3.3 If radionuclides are removed from drinking-water by treatment, where do they end up in the treatment process? Could there be wastes from water treatment processes that need to be handled as radioactive waste ?..... | 62 |
| 3.4 What are the health risks to people working in water treatment activities that have processed water containing radionuclides ?..... | 65 |
| 3.5 What methods can be used for measuring radionuclides in drinking-water supplies ?..... | 67 |

| | |
|---|------------|
| 4. CASE STUDIES | 73 |
| 4.1 Brazil..... | 74 |
| 4.2 Canada..... | 78 |
| 4.3 Jordan..... | 81 |
| 4.4 Sweden..... | 86 |
| 4.5 Japan..... | 90 |
| REFERENCES | 95 |
| References..... | 96 |
| ANNEX 1 CALCULATION OF DOSES AND GUIDANCE LEVELS FOR SPECIFIC NON-EMERGENCY SITUATIONS | 101 |
| A.1 Doses to children from the consumption of drinking-water..... | 102 |
| A.2 Drinking-water consumption rates..... | 102 |
| A.3 Ingestion dose coefficients for children..... | 103 |
| A.4 Guidance levels for specific situations..... | 104 |
| References..... | 104 |

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_25711

