Establishing and strengthening immunization in the second year of life

Practices for vaccination beyond infancy







Establishing and strengthening immunization in the second year of life: practices for vaccination beyond infancy

ISBN 978-92-4-151367-8

© World Health Organization 2018

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. Establishing and strengthening immunization in the second year of life: practices for vaccination beyond infancy. Geneva: World Health Organization; 2018. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Designed by büro svenja

Printed in Switzerland




Establishing and strengthening immunization in the second year of life

Practices for vaccination beyond infancy





	Acronyms	
	Acknowledgements	VIII
	SECTION 1	
	Purpose and use of this document	
	1.1. Objectives	
	1.2 Intended users	
	SECTION 2 Introduction to life-course vaccination with an emphasis on	
	the second year of life	12
	SECTION 3 Background on vaccination in the second year of life and beyond	16
	 3.1 How widespread is vaccination in the second year of life? 3.2 Opportunities and benefits for vaccinating in the second year of life 3.3 Challenges to vaccination in the second year of life 	18
	SECTION 4 Policies and planning for vaccination in the second year of life and beyond	24
	4.1 Steps for planning the introduction or strengthening of a 2YL visit	
	4.2 Deciding on the timing of the 2YL visit or visits	29
	4.3 Catch-up vaccination at any time a child has contact with health services	30
	4.4 Coordinating vaccination with other services in the second year of life	32
	SECTION 5	
	Facility-level planning, service organization, and human resources	
	5.1 Update microplanning tools and processes	
	5.2 Review the implications for human resources for the 2YL visit	37
	5.3 Determine the feasibility of providing all services desired for the 2YL visit and the practical issues of patient flow	39



Frequently asked questions about vaccination in the second year of life ______98

2YL second year of life

AEFI adverse event following immunization

BCG bacille Calmette-Guérin (vaccine)

CDC Centers for Disease Control and Prevention (USA)

CHW community health worker

cMYP comprehensive multi-year plan

CSO civil society organization

DHIS2 district health information system, version 2

DHS demographic and health survey DQS data quality self-assessment

DTP diphtheria-tetanus-pertussis containing vaccine

DV-DMT district vaccination data management tool

EID early infant diagnosis of HIV/AIDS
EIR electronic immunization record

EPI Expanded Programme on Immunization

FAQ frequently asked question FIC fully immunized child

GVAP Global Vaccine Action Plan GAVJ Gavi, the Vaccine Alliance

GRISP Global Routine Immunization Strategies and Practices

HBR home-based record
HepB hepatitis B vaccine
HepB-BD hepatitis B birth dose

Hib Haemophilus influenzae type B

HMIS health management information system iCCM integrated community case management ICG Interagency Coordinating Committee

IMCI integrated management of childhood illness
IPAC Immunization Practices Advisory Committee

IPV inactivated polio vaccine
ITN insecticide-treated bed net

JE Japanese encephalitis

KAP knowledge-attitude-practice study

MCV measles-containing vaccine

MCV1 first dose of measles-containing vaccine MCV2 second dose of measles-containing vaccine

MDVP multi-dose vial policy MenA meningitis A vaccine

MICS multiple indicator cluster survey

MR measles-rubella vaccine

MMR measles-mumps-rubella vaccine

MOH Ministry of Health

MOV missed opportunities for vaccination
MUAC middle upper arm circumference
NGO nongovernmental organization

NITAG National Immunization Technical Advisory Group

OPV oral polio vaccine

PCV pneumococcal conjugate vaccine

PIE post-introduction evaluation

PIRI periodic intensification of routine immunization

SAGE Strategic Advisory Group of Experts on Immunization

SIA supplementary immunization activity

SOP standard operating procedure TCV typhoid conjugate vaccine

TOT training of trainers

TTCV tetanus toxoid-containing vaccine
UNICEF United Nations Children's Fund
VPD vaccine-preventable disease
WHO World Health Organization

This document was developed by the Expanded Programme on Immunization (EPI) of the World Health Organization (WHO) Department of Immunization, Vaccines and Biologicals with contributions from UNICEF and was prepared by Rebecca Fields of John Snow, Inc. The following individuals contributed substantially to its preparation and their input is gratefully acknowledged: Carolina Danovaro, Rudi Eggers, Messeret Eshetu, Tracey Goodman, Jan Grevendonk, Karen Hennessey, Penelope Kalesha Masumbu, Lisa Menning, Abrahams Mwanamwenge, Ikechukwu Ogbuanu, Stephanie Shendale, Emily Wootton (WHO); Ulla Griffiths, Imran Raza Mirza (UNICEF); Laura Conklin, Mawuli Nyaku, Melissa Wardle, Margie Watkins (CDC), and independent consultants Celestino Costa and Karen Wilkins.

The guidance of the WHO Strategic Advisory Group of Experts (SAGE) on Immunization and the Immunization Practices Advisory Committee (IPAC) shaped the key principles and directions that are reflected here.

The content of the document is based in part on a review of experience with vaccination in the second year of life in the Republic of Ghana, the Republic of Senegal and the Republic of Zambia. We offer sincere thanks to the Ministries of Health in those countries for having permitted the documentation and analysis of their experience in introducing immunization in the second year of life.

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 25950



