

Alcohol Policy in the WHO South-East Asia Region:

A Report

Alcohol Policy in the WHO South-East Asia Region: A Report



Alcohol Policy in the WHO South-East Asia Region: A Report

ISBN 978-92-9022-568-3

© World Health Organization 2017

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. Alcohol Policy in the WHO South-East Asia Region: A Report. New Delhi: World Health Organization, Regional Office for South-East Asia; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and gueries on rights and licensing, see http://www.who.int/about/licensing.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement. The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Contents

Abb	previations	V
Fore	eword	vii
Pref	face	ix
Ackı	nowledgements	x
Exec	cutive summary	xi
1.	Introduction	1
2.	Objectives	3
3.	Methodology	4
4.	Part 1: Alcohol-related situations in the WHO South-East Asia Region	5
	Alcohol consumption situation in the WHO South-East Asia Region	5
	Alcohol-related problems	7
5.	Part 2: Policy situation in 10 areas and recommendations	11
	Area 1: Leadership, awareness and commitment	11
	Area 2: Health services' response	15
	Area 3: Community actions	21
	Area 4: Drink-driving control and countermeasures	26
	Area 5: Availability of alcohol	30
	Area 6: Marketing of alcoholic beverages	39
	Area 7: Alcohol taxation and pricing policy	42
	Area 8: Reducing the negative consequences of drinking and alcohol intoxication	46
	Area 9: Reducing the public health impact of unrecorded alcohol	49
	Area 10: Monitoring and surveillance systems of harmful use of alcohol	5 <mark>1</mark>
6.	PART 3: Conclusion and recommendation	54
7.	References	56
Ann	nex	
Mor	nitoring and surveillance among South-East Asia Member States	61

Abbreviations

AA Alcoholic Anonymous

ADIC Alcohol and Drug Information Centre – Sri Lanka

APC Adult per capita consumption

AUD Alcohol Use Disorders

AUDIT Alcohol Use Disorders Identification Test

BAC Blood alcohol concentration

BI Brief intervention

BICMA Bhutan Information Communication and Media Authority

CSO Civil society organization

DALYs Disability-adjusted Life Years

FISD Foundation for Innovative Social Development – Sri Lanka

GDP Gross Domestic Product

Global Strategy WHO Global Strategy to Reduce Harmful Use of Alcohol

HED Heavy episodic drinking

IMAP Integrated Management of Alcohol Intervention Programme in the Health Care

System - Thailand

LPA Litre of pure alcohol

MDA Minimum drinking age

MPA Minimum purchasing age

NATA National Authority on Tobacco and Alcohol – Sri Lanka

NCDs Noncommunicable diseases

RBT Random breath testing

RTI Road traffic injuries

SEAR WHO South-East Asia Region

Stop Drink Network – Thailand

ThaiHealth Thai Health Promotion Foundation – Thailand

WHO World Health Organization

预览已结束, 完整报告

https://www.yunbaogao.cn/report/