

PLAGUE OUTBREAK

Madagascar

External Situation Report 12



Date of issue: 20 November 2017

1. Situation update

Grade

2

Cases

2 267

Deaths

195

CFR

9%

WHO continues to support the Ministry of Public Health and other national authorities in Madagascar to monitor and respond to the outbreak of plague. From 6 to 17 November 2017, 216 cases of plague (1 confirmed, 20 probable and 195 suspect) were reported to WHO. The date of onset of the last case of bubonic plague was 7 November 2017 and the last confirmed case of pneumonic plague was reported on 14 November 2017.

From 1 August to 17 November 2017, a cumulative total of 2 267 confirmed, probable and suspected cases of plague, including 195 deaths (case fatality rate 9%), have been reported from 55 of 114 (48%) districts in Madagascar. Analamanga Region in central Madagascar has been the most affected, with 68% of all recorded cases. Since the beginning of this outbreak, the vast majority of cases have been treated and have recovered. As of 17 November 2017, only 6 people were hospitalized for plague. There has been no international spread outside the country.

The majority of the reported cases (1 732, 76%) have been clinically classified as pneumonic plague, 327 have been classified as bubonic plague (14%), one was septicaemic, and 207 have not yet been classified (further classification of cases is in process). Eighty-one healthcare workers have had illness compatible with plague, none of whom have died.

Of the 1 732 clinical pneumonic cases, 389 (22%) have been confirmed, 612 (35%) are probable and 731 (42%) remain suspected (additional laboratory results are in process). Thirty isolates of *Yersinia pestis* have been cultured and are sensitive to all antibiotics recommended by the National Plague Control Program.


Of the 7 270 contacts identified during this outbreak, about 99% (7166) have completed their 7-day follow up and a course of prophylactic antibiotics, and eleven contacts have developed symptoms compatible with plague and became suspected cases. On 17 November 2017, all 33 contacts currently under follow-up were reached and provided with prophylactic antibiotics.

Plague is endemic on the Plateaux of Madagascar, including Ankazobe District, where the current outbreak originated. A seasonal upsurge, predominantly of the bubonic form, usually occurs yearly between September and April. This year, the plague season began earlier than usual. The current outbreak is predominantly pneumonic and is affecting both endemic and non-endemic areas, including major urban centres such as Antananarivo (the capital city) and Toamasina (a port city).

There are three forms of plague, depending on the route of infection: bubonic, septicaemic and pneumonic (for more information, see the link


<http://www.who.int/mediacentre/factsheets/fs267/en/>).

Figure 1. Geographical distribution of cases of plague in Madagascar as of 17 November 2017



NB: The figures in the External Situation Report are subject to change due to continuous data consolidation, cleaning and reclassification, and ongoing laboratory investigations. The data reported are based on available information reported by the Ministry of Public Health.

Figure 2. Distribution of pneumonic plague cases reported in Madagascar, 1 August – 17 November 2017



The number of new plague cases in Madagascar has steadily declined since mid-October. From 9 to 17 November 2017, 46 of 49 (94%) of reported pneumonic cases have been suspected (not confirmed or probable). Twenty-four bubonic cases and 42 unspecified cases of plague have been reported to WHO since that date. The most recently confirmed case was reported on 14 November and, to date, no cases of plague have been reported outside of Madagascar. While the number of new cases and hospitalizations are declining, evidence suggests that the epidemic phase of the outbreak is ending. However, WHO anticipates plague cases to be reported until the endemic plague season ends in April 2018.

Based on available information and response measures implemented to date, the potential risk of further spread of plague at national level remains high. The risk of international spread is mitigated by the short incubation period of pneumonic plague, implementation of exit screening measures and advice to travellers to Madagascar, and scaling up of preparedness and operational readiness activities in neighbouring Indian Ocean islands and other southern and east African countries. The overall global risk is considered to be low.

WHO is re-evaluating the risk assessment based on the evolution of the outbreak and information from response activities.

Strategic approach to the prevention, detection and control of plague

WHO recommends the implementation of proven strategies for the prevention and control of plague. These strategies include (i) coordination of the response, (ii) enhanced surveillance, (iii) laboratory confirmation, (iv) contact identification, prophylactic antibiotic administration, and follow-up, (v) case management, (vi) infection prevention and control, (vii) safe and dignified burials, (viii) social mobilization and community engagement, (ix) logistics, (x) risk communication, (xi) vector control, (xii) partner engagement, (xiii) research and (xiv) strengthening preparedness in priority countries, and (xv) resource mobilization for response.

2. Actions to date

Coordination of the response

- ▶ A high level inter-Ministerial coordination forum, chaired by the Prime Minister, has been established in country to provide strategic and policy directions to the plague outbreak response. Similarly, the Country Humanitarian Team of the United Nations System established a strategic coordination platform for partners, chaired by the Resident Coordinator.
- ▶ The health response is coordinated by the Ministry of Public Health, co-led by WHO and supported by agencies and partners directly involved in the health response. The health sector response is organized into four major committees: (i) surveillance, (ii) community engagement and education, (iii) case management, and (v) communication; with the logistics committee crosscutting all committees.
- ▶ Coordination of partners in the Health cluster has been strengthened to ensure effectiveness, avoid duplication in the field and ensure efficient coverage of the affected areas. The Health cluster is having weekly meetings, with some partners participating in the national coordination platforms. The 4W matrix is updated regularly.
- ▶ Cross sectoral non-Health actors (media, transport, defence, education, etc.) are being coordinated by the National Risk and Disaster Management Office (BNGRC).
- ▶ Since the declaration of the outbreak, WHO (Country Office, Regional Office for Africa (AFRO), and Headquarters (HQ)) are providing direct technical and operational support to the country, and collaborating closely with partners, including partners in the Global Outbreak Alert and Response Network (GOARN) to ensure rapid and effective international assistance to this outbreak response.
- ▶ WHO has classified the event as a Grade 2 emergency, based on its internal Emergency Response Framework. Accordingly, WHO has established its Incident Management System (IMS), and has repurposed internal resources and mobilized external resources.
- ▶ A stakeholder's meeting was held on 10 November 2017 to develop short, medium, and long term strategic plans.

Surveillance, contact identification and follow-up

- An investigation of a death that occurred in a community in the Andramasina district of the Analamanga region is ongoing.
- Informational meetings with private clinics in the 3rd and 5th districts of the city of Antananarivo regarding case definitions and the management of suspected cases in a private health facility.
- Strengthening of case investigation and follow up teams in the 2nd and 3rd districts of the city of Antananarivo, where the majority of cases originated in epidemiological week 45 (5 to 11 November 2017).
- There is an ongoing exercise to classify unspecified cases in the database, aimed to provide a clear epidemiological picture of the outbreak.
- Nineteen members of district and regional management teams have been trained in case investigation and the training of healthcare providers in contact tracing is ongoing in the Itasy region.
- An emergency and death alert system, known as Emergency PESTE 910, has been set up, with the support of UNICEF, PSI and WHO.
- The Ministry of Public Health, in close collaboration with the Institut Pasteur de Madagascar (IPM) and WHO, continues with collection, compilation, updating, and cleaning of the plague database, and preparation of situation and epidemiological reports.
- An automated data collection tool (VOOZANOO), which transmits district data to the central level, is being implemented in all relevant regions.
- A total of 1 800 community health workers in Antananarivo and 2 632 from other affected regions are carrying out contact tracing activities. These activities have been supervised by 340 medical doctors and students.

Laboratory

- Diagnostic capacity for plague is provided at the Institut Pasteur de Madagascar. All the samples collected are analysed at IPM and the results are shared regularly.
- A new sample transportation system has been established to facilitate timely delivery of samples to IPM and provide rapid feedback of results to the health facilities.

Clinical management of patients

- The case management committee validated a new patient screening guideline, which was disseminated to all triage and plague treatment centres.
- The International Federation of Red Cross (IFRC), in association with the Malagasy Red Cross, opened its plague treatment centre at Andohatapenake Hospital, with an initial capacity of 10 beds.
- Nine plague treatment centres have been established, of which six are in Antananarivo. The treatment centres are supported by IFRC, MSF, MDM, UNICEF, and WHO.
- USAID has provided six mobile clinics to transport patients to hospitals within Antananarivo.

Infection prevention and control

- Information products (posters on hand hygiene and use of antibacterial solution) were provided to the Ministry of Public Health as a part of its Nutrition Days event.
- All schools were disinfected and a watch committee set up in each school prior to the reopening of public primary and secondary schools on 6 November 2017.
- A total of 346 healthcare providers have been trained on infection prevention and control measures at various health facilities, including the three plague treatment centres in Ambalavao, Antsirabe and Fianarantsoa. Thirty of the participants were from Haute Matsitra Region.
- The partners supporting water, sanitation and hygiene (WASH) and infection prevention and control (IPC) activities during the plague outbreak include UNICEF, WHO, ACF, MSF, USAID RANOWASH, CDC, OCHA, and others.

- UNICEF supported distribution of WASH and IPC supplies, materials and equipment to three new treatment centres in Ambalavao, Antsirabe and Fianarantsoa. Some of the materials include handwash facilities, garbage cans, laundry soap, chlorine powder, hydroalcoholic solutions, sprays, and personal protective equipment.
- Fifty-seven healthcare providers were trained in IPC at the university hospital (Centre Hospitalier Universitaire) in Befelatanana on 14 and 15 November 2017.
- Providers at private healthcare facilities have been identified for participation in IPC training.
- A workshop was held to harmonize a Trainer's Guide for the training of trainers in IPC.
- Action Against Hunger installed a bladder tank.
- A total of 198 staff made up of hygienists, guards, launderers, coordinators, and logisticians have been hired in the six treatment centres in Antananarivo and 70 additional staff have been hired for treatment centres in Tamatave and Fenerive East.

Social mobilization, community engagement and risk communications

- A total of 8 000 community leaders have been trained to conduct community-based surveillance, counter rumours and fears, and respond to information needs related to the plague in communities. A strategy for response to rumours based on their seriousness and spread has also been updated.
- Mapping of plague-related communication interventions and community mobilization since the beginning of the outbreak is ongoing.
- In preparation for the national polio vaccination campaign set to begin on 22 November 2017, preventive messages for plague have been integrated with polio vaccination messages.
- Training of journalists and radio broadcasters regarding the plague, polio, and Mother and Child Health Week is ongoing.
- The capabilities of potential multi-sectorial communication commissions in the Antsirabe, Fianarantsoa, Ambalavao, and Toamasina regions have been strengthened. A total of 2 500 community mobilizers have been trained to strengthen the community engagement activities in these four regions.
- Key public health messages are being developed for use at ports and airports and five televisions have been installed at the international airport in Antananarivo to disseminate plague-related messages.
- Additional information products (video clips, posters) to disseminate information about plague prevention are being developed for use at the Points of Entry in Madagascar.
- Social mobilization and community engagement training modules in French and Malagasy have been developed. Training of trainers using the new modules started on 30 October 2017 in Tamatave and Antananarivo. Eventually, a total of 768 volunteers and 192 Fonkontany leaders in Antananarivo and 548 volunteers and 137 supervisors in Tamatave will be trained.
- Community mobilization activities are ongoing in Antananarivo Renivohitra, Antsirabe I, and Toamasina I districts.
- A musical clip about the plague produced by a group of local Malagasy artists has been disseminated.
- Training of hospital receptionists, intended to improve communication with and provide a cordial welcome to patients, medical staff and families of patients, has been planned.
- The dignified and safe burial protocol has been finalized and submitted to the national authorities for validation. By ensuring the burials are dignified and socially acceptable, implementation of this protocol will help encourage communities to report all suspected cases and deaths and will help ensure plague victims are buried safely. A report of pre-tests of the protocol conducted in Antananarivo Ville and Tamatave shows that 90% of the population consulted were in favour of the measures proposed in the protocol.
- A series of recommendations have been developed to guide medical staff in how to handle patients and their families in care centres and hospitals in a sensitive manner.
- The WHO risk communication team are managing a message bank to ensure that the technical content of all messages is appropriate and validated by specialists from each pillar. The message bank allows harmonization of all messages used by the various communication media. The messages are reviewed by the national teams in Antananarivo and Tamatave to facilitate customization to the regional context.

- UNICEF supported production of field-tested public awareness/education materials (posters, brochures, radio/television spots). A total of 69 000 posters and brochures have been produced and distributed, including to partners in the Ministries of Transport and Tourism, church groups and other key influencers.
- IFRC Malagasy Red Cross has provided training in plague education, vector control, community sensitization, and other topics via a training of trainers course in Antananarivo from 20 October to 11 November benefitting 10 coordinators and 35 supervisors. Additional training activities have occurred in 10 districts where plague cases have been reported.

Logistics

- The Logistics Committee is conducting regular meetings to improve supply chain management.
- Plague intervention kits have been prepositioned in 22 regions to facilitate rapid response.
- The logistical support needed to support vector control in Mahajanga has been evaluated.
- UNICEF donated 23 tents, 50 beds, 150 adult body bags, 64 children's mortuary bags, 300 boxes of 100 pairs of gloves, 12 000 surgical masks, 400 masks, and three inter-agency emergency health kits.
- A total of 1.2 million doses of antibiotics donated by WHO have been delivered to the national authorities in the country.
- USAID has donated 18 000 respirator masks, 100 000 simple masks and 10 vehicles to support operations of the Department of Public Health.

Partnership

- Partners in the Global Outbreak Alert and Response Network (GOARN), in coordination with WHO, continue to monitor the evolution of the outbreak and deploy experts and technical assistance to support various aspects of the outbreak response and affected communities.
- In support of the Ministry of Public Health and the other national authorities, WHO and the GOARN partners deployed emergency response teams. By 6 November 2017, a total of 135 experts (85 from the WHO Country Office in Madagascar, 35 through the WHO Headquarters and 15 from the WHO Regional Office for Africa) were deployed to support the response in various fields. An additional 16 experts were deployed through the GOARN partners.
- China CDC bilaterally deployed a team of experts to Madagascar.

Resources mobilization

- The joint response plan between the Government of Madagascar and its partners has been adjusted to US\$ 9.5 million, in view of the multisectoral response to the urban plague outbreak.
- Financial contributions from partners include: WHO US\$ 1.5 million, UNICEF US\$ 500 000, the

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_26150



云报告
https://www.yunbaogao.cn

云报告
https://www.yunbaogao.cn

云报告
https://www.yunbaogao.cn