

Overweight and Obesity in the Western Pacific Region

An equity perspective



Overweight and Obesity in the Western Pacific Region

An Equity Perspective



© World Health Organization 2017

ISBN 978 92 9061 813 3

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules).

Suggested citation. Overweight and obesity in the Western Pacific Region. Manila, Philippines. World Health Organization Regional Office for the Western Pacific; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. 1. Overweight. 2. Obesity. 3. Health equity. I. World Health Organization. Regional Office for the Western Pacific.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing.

For WHO Western Pacific Regional Publications, request for permission to reproduce should be addressed to Publications Office, World Health Organization, Regional Office for the Western Pacific, P.O. Box 2932, 1000, Manila, Philippines, Fax. No. (632) 521-1036, email: wpropuballstaff@who.int

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

For inquiries and request for WHO Western Pacific Regional Publications, please contact the Publications Office, World Health Organization, Regional Office for the Western Pacific, P.O. Box 2932, 1000, Manila, Philippines, Fax. No. (632) 521-1036, email: wpropuballstaff@who.int

CONTENTS

Foreword -		·i	
Acknowled	gements	····· ii	
Abbreviation			
Definitions		iv	
Key Messag	ges	····· v	
1. Introduct	tion	1	
2. Equity ar	nd health: an overview	6	
2.1.	A framework for assessing and addressing health inequities	7	
2.2.	Inequities in overweight and obesity	11	
3. Overweig	ght and obesity in the Western Pacific Region through an equity lens	13	
3.1.	Overweight and obesity by sex		
3.2.	Overweight and obesity by urban or rural residence	20	
3.3.	Overweight and obesity by socioeconomic status	23	
3.4.	Overweight and obesity by ethnicity	27	
3.5.	Overweight and obesity by geographical region within countries	30	
4. Addressi	ng the drivers for inequities on overweight and obesity	33	
4.1.	Policy options		
	ons and recommendations		
5.1.	Key policy recommendations	41	

FIGURES

Fig.	1.	The main determinants of health	 16
Fig. 1		Essential attributes and action domains leading to universal health	 17
		coverage	
Fig. 3	3.	Priority public health conditions analytical framework	 18
Fig. 4	4.	Prevalence of overweight or obesity (weight-for-height >+2SD) among	 25
-		children under the age of 5 years by sex of the child in different countries	
		in the Western Pacific Region, 2004–2012	
Fig. 5.	5.	Prevalence of overweight or obesity (BMI-by-age and sex >+1 standard	 26
		deviation [SD]) among school-attending boys and girls 13–15 years in the	
		Western Pacific Region based on self-report of height and weight (except	
		for Malaysia)	
Fig.	6.	Prevalence of overweight or obesity (BMI >25) in adult men and women in	 27
		different countries in the Western Pacific Region	
Fig. '	7.	Prevalence of overweight or obesity (weight-for-height >+2SD) among	 29
		children under the age of 5 years by residence in selected countries in the	
		Western Pacific Region	
Fig. 8	8.	Prevalence of overweight or obesity (weight-for-height >+2SD) in under-5	 30
		children according to urban or rural residence in Viet Nam, 2000–2010	
Fig. 9	9.	Prevalence of overweight or obesity (BMI-by-age and sex >+1SD) among	 30
		school-attending adolescents 13–15 years by residence in Cambodia and	
		Mongolia, based on self-report of height and weight	
Fig.	10.	Prevalence of overweight or obesity (weight-for-height >+2SD) in children	 32
		under the age of 5 years from lowest to highest household wealth quintiles	
		in selected countries in the Western Pacific Region	
Fig.	11.	Prevalence of overweight or obesity (weight-for-height >+2SD) in children	 33
		under the age of 5 years by mother's education status in selected countries	
		in the Western Pacific Region	
Fig.	12.	Prevalence of obesity among children 2-14 years of age according to	 35
		neighbourhood deprivation and sex in New Zealand, 2012–2013	
Fig.	13.	Prevalence of overweight or obesity (weight-for-height >+2SD) among	 36
		children under the age of 5 in different ethno-linguistic groups in the Lao	
		People's Democratic Republic, 2011–2012	
Fig.	14.	Prevalence of obesity (BMI >30) according to ethnicity in adults 18–69 years	 38
		old in Singapore, 1992–2010	
Fig.	15.	Prevalence of overweight or obesity (weight-for-height >+2SD) in children	 39
		under 5 years in different regions of Cambodia, 2011–2012	
Fig.	16.	Prevalence of overweight or obesity in children under 5 years in different	 40
		regions of Papua New Guinea, 2009–2010	
Fig.	17.	Regional differences in prevalence of overweight and stunting in children	 40
		under the age of 5 years in Viet Nam, 2010–2011	
Fig.	18.	Regional differences in prevalence of overweight and stunting in children	 41
_		under the age of 5 years in Mongolia, 2013	
Fig.	19.	A stepwise approach to reducing inequity in overweight and obesity	 43

TABLES

Table 1.	How inequities in obesity compound over the life course.	 21
Table 2.	Prevalence of obesity in children 2–14 years of age in	 37
	New Zealand by ethnicity, 2012–2013	
Table 3.	Prevalence of obesity (BMI >=30) among Malaysian adults	 38
	25–64 years old according to ethnicity, 2005–2006	
Table 4.	Interventions to tackle health inequities and their determinants	 42

BOXES

Box 1.	Health inequities and children's rights	 19
Box 2.	Marketing of foods and non-alcoholic beverages to children in the	 23
	Western Pacific Region	
Box 3.	Tailored social marketing campaign to promote physical activity	 44
	among women in Tonga	
Box 4.	Making fruits and vegetables more affordable	 47

预览已结束, 完整报告链接和二维码如下:



https://www.yunbaogao.cn/report/index/report?reportId=5_26444