

GUIDELINES



CONSOLIDATED GUIDELINES ON

HIV TESTING SERVICES

5Cs: CONSENT, CONFIDENTIALITY, COUNSELLING, CORRECT RESULTS AND CONNECTION

JULY 2015

HIV TESTING SERVICES



CONSOLIDATED GUIDELINES ON

HIV TESTING SERVICES

5Cs: CONSENT, CONFIDENTIALITY, COUNSELLING, CORRECT RESULTS AND CONNECTION

JULY 2015



A supplement to these guidelines, entitled "Guidelines on HIV self-testing and partner notification", was released in December 2016 and is available at:

http://www.who.int/hiv/pub/vct/hiv-self-testing-guidelines/en/

WHO Library Cataloguing-in-Publication Data

Consolidated guidelines on HIV testing services 2015.

1.AIDS Serodiagnosis - methods. 2.HIV Infections - diagnosis. 3.Counseling - organization and administration. 4.Directive Counseling - utilization. 5.Guideline. I.World Health Organization.

ISBN 978 92 4 150892 6 (NLM classification: WC 503.1)

© World Health Organization 2015

All rights reserved. Publications of the World Health Organization are available on the WHO website (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications —whether for sale or for non-commercial distribution— should be addressed to WHO Press through the WHO website (www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Layout L'IV Com Sàrl, Villars-sous-Yens, Switzerland.

Printed in France.

CONTENTS

| ACKNOWLEDGEMENTS | | | | | |
|------------------|-------|---|--|--|--|
| ΑE | BREV | IATIONS AND ACRONYMS | | | |
| Gl | .OSSA | RY xii | | | |
| E) | ECUT | IVE SUMMARY xvi | | | |
| 1 | INTR | ODUCTION | | | |
| | 1.1 | Progress and challenges | | | |
| | 1.2 | Rationale | | | |
| | 1.3 | Scope of guidelines | | | |
| | 1.4 | Using these guidelines | | | |
| | 1.5 | Goal and objectives | | | |
| | 1.6 | Target audience | | | |
| | 1.7 | Guideling principles | | | |
| 2 | MET | HODOLOGY11 | | | |
| | 2.1 | Overview | | | |
| | 2.2 | Establishing the Guideline Development Group | | | |
| | 2.3 | Defining the scope of the guidelines | | | |
| | 2.4 | Review of the evidence | | | |
| | 2.5 | Development of the recommendation on HIV testing, using RDTs, by trained lay providers | | | |
| | 2.6 | Developing the recommendation | | | |
| | 2.0 | Review of service delivery, implementation approaches and case examples 14 | | | |
| | 2.7 | Additional background work | | | |
| | 2.0 | Additional background work | | | |
| 3 | PRE | -TEST AND POST-TEST SERVICES | | | |
| | 3.1 | Introduction | | | |
| | 3.2 | Services prior to HIV testing | | | |
| | 3.3 | Services for those who test HIV-negative | | | |
| | 3.4 | Services for those whose HIV status is inconclusive or test results are not yet confirmed | | | |

140K46K0K0K0AU1X40K9K0K0K10AU1X46K0K0AU1X9K

| | 3.5 | Services for those whose test results are HIV-positive | 26 |
|---|--|--|--|
| | 3.6 | Linkage to care | 30 |
| 4 | SERV | /ICE DELIVERY APPROACHES | 37 |
| | 4.1 | Principles and approaches to service delivery | 38 |
| | 4.2 | Good practices for effective HTS programming | 40 |
| | 4.3 | HIV testing service approaches | 46 |
| 5 | PRIO | ORITY POPULATIONS | 59 |
| | 5.1 | Infants and children | 60 |
| | 5.2 | Adolescents | 63 |
| | 5.3 | Pregnant women | 65 |
| | 5.4 | Couples and partners | 66 |
| | 5.5 | Men | 68 |
| | 5.6 | Key populations | 69 |
| | 5.7 | Other vulnerable populations | 70 |
| | STR/ | ATEGIC PLANNING FOR HIV TESTING SERVICES | 73 |
| 6 | JIMA | | , , |
| b | 6.1 | Introduction | |
| 6 | | | 74 |
| Ь | 6.1 | Introduction | 74 80 |
| 7 | 6.16.26.3 | Introduction | 74 80 89 |
| | 6.16.26.3 | Introduction | 74 80 89 |
| | 6.1 6.2 6.3 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis HIV testing strategies for diagnosis (after 18 months of age) | 74 80 89 91 92 |
| | 6.1 6.2 6.3 DIAG 7.1 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis | 74 80 89 91 92 |
| | 6.1 6.2 6.3 DIAG 7.1 7.2 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis HIV testing strategies for diagnosis (after 18 months of age) | 74 80 89 91 92 01 |
| | 6.1 6.2 6.3 DIAG 7.1 7.2 7.3 7.4 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis HIV testing strategies for diagnosis (after 18 months of age) 10 HIV testing algorithms | 74 80 89 91 92 01 05 |
| 7 | 6.1 6.2 6.3 DIAG 7.1 7.2 7.3 7.4 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis HIV testing strategies for diagnosis (after 18 months of age) 10 HIV testing algorithms 11 Retesting to verify HIV status 12 LITY ASSURANCE OF HIV TESTING 13 Assuring the quality of HIV testing results 14 | 74 80 89 91 92 01 05 10 |
| 7 | 6.1 6.2 6.3 DIAG 7.1 7.2 7.3 7.4 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis HIV testing strategies for diagnosis (after 18 months of age) HIV testing algorithms Retesting to verify HIV status 1 LITY ASSURANCE OF HIV TESTING | 74 80 89 91 92 01 05 10 |
| 7 | 6.1 6.2 6.3 DIAG 7.1 7.2 7.3 7.4 QUAI 8.1 | Introduction Strategic decision-making for selecting approaches to HIV testing Developing a strategic, efficient and cost-effective HIV testing services plan NOSTICS FOR HIV DIAGNOSIS Overview of HIV diagnosis HIV testing strategies for diagnosis (after 18 months of age) 10 HIV testing algorithms 11 Retesting to verify HIV status 12 LITY ASSURANCE OF HIV TESTING 13 Assuring the quality of HIV testing results 14 | 74 80 89 91 92 01 05 10 |

| 9 | 9 HIV TESTING IN THE CONTEXT OF SURVEILLANCE | | | |
|------------------------------|--|---|-----|--|
| | 9.1 | Overview | 134 | |
| | 9.2 | Populations selected for biological surveillance | 135 | |
| | 9.3 | Returning HIV test results to participants in biological surveillance | 137 | |
| | 9.4 | Approaches for HIV testing in the context of surveillance | 137 | |
| | 9.5 | Using PMTCT programme data to replace ANC sentinel surveillance data | 139 | |
| | 9.6 | HIV case reporting | 141 | |
| 10 MONITORING AND EVALUATION | | | | |
| | 10.1 | Background and key issues | 144 | |
| | 10.2 | Selection and use of indicators | 145 | |
| RE | REFERENCES | | | |

ANNEXES

All annexes can be found on the Internet at http://www.who.int/hiv/pub/guidelines/

Annex 1. Should trained lay providers perform HIV testing and counselling services using HIV rapid diagnostic tests?: A systematic review

- Annex 2. An analysis of 48 national HIV testing and counselling policies
- Annex 3. Case examples: Global examples of HIV testing services
- Annex 4. Report on the attitudes, values and preferences on HIV self-testing among key populations
- Annex 5. Literature review on the cost of different HIV testing services approaches
- Annex 6. Mathematical model on the cost of testing pregnant women in high and very low prevalence settings
- Annex 7. Diagnostics for HIV diagnosis
- Annex 8. Ensuring the quality of HIV testing services
- Annex 9. Quality HIV testing in programmes for prevention of mother-to-child transmission
- Annex 10. A systematic review of community-based HIV testing services among the general population
- Annex 11. A systematic review of community-based HIV testing services among key populations
- Annex 12. Comprehensive list of HIV testing services approaches and considerations by epidemic setting
- Annex 13. Indicator reference sheets for monitoring and evaluating HIV testing services

0404040540606060404054066666

- Annex 14. Comprehensive literature review on misdiagnosis of HIV status
- Annex 15. Summary of the Guideline Development Group declarations of interest

ACKNOWLEDGEMENTS

Guideline Development Group

Jamila Taiseer Al-Abri (Department of Family and Community Health, Ministry of Health, Oman), Kathleen Charters (UK Civil Society Advisory Board, United Kingdom), Martin Choo (Global Network of People Living with HIV/AIDS, Malaysia), Elizabeth Corbett (London School of Hygiene & Tropical Medicine, Malawi), Neeraj Dhingra (Ministry of Health and Family Welfare, India), Miriam Franchini (Ministry of Health, Brazil), Mehdi Karkouri (Centre Hospitalier Universitaire, Ibn, Morocco), Segundo Leon (Universidad Nacional Mayor de San Marcos, Peru), Joseph Tak Fai Lau (Chinese University of Hong Kong, Hong Kong SAR, China), Gertrude Ncube (Ministry of Health, Zimbabwe), Lisa Nelson (Global Fund to Fight Tuberculosis, HIV/AIDS and Malaria, Switzerland), Anne Ng'ang'a (National AIDS Control Programme, Kenya), Carla Obermeyer (American University of Beirut, Lebanon), Midnight Poonkasetwattana (Asia Pacific Coalition on Male Sexual Health, Thailand), Jennifer Stuart-Dixon (University of the West Indies, Jamaica), Miriam Taegtmeyer (Liverpool School of Tropical Medicine, United Kingdom), Johnny Tohme (Arab Foundation for Freedoms and Equality, Lebanon), Coumba Toure-Kane (Laboratoire de Bacteriologie, CHU Le Dantec, Senegal) and Vincent Wong (United States Agency for International Development (USAID), USA).

Contributors to the GRADE systematic review

Caitlin Kennedy and **Virginia Fonner** (Johns Hopkins Bloomberg School of Public Health, USA); **Nandi Siegfried** (independent clinical epidemiologist, South Africa) was the methodologist.

Contributors to supporting evidence

Ruanne Barnabas° and Monisha Sharma° (University of Washington, USA), Lynae Darbes, Gail Kennedy, Ryan Keating and Hilary Spindler (University of California at San Francisco, USA), Carmen Figueroa (Instituto de Salud Carlos III, Madrid, Spain), David Flynn (Griffith University, Australia), Virginia Fonner, Caitlin Kennedy and Sharon Tsui (Johns Hopkins Bloomberg School of Public Health, USA), Daniel Hogan

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 27385

