Manual of diagnostic ultrasound

vol. 2

Manual of diagnostic ultrasound

During the last decades, use of ultrasonography became increasingly common in medical practice and hospitals around the world, and a large number of scientific publications reported the benefit and even the superiority of ultrasonography over commonly used X-ray techniques, resulting in significant changes in diagnostic imaging procedures.

With increasing use of ultrasonography in medical settings, the need for education and training became essential. WHO took up this challenge and in 1995 published its first training manual in ultrasonography. Soon, however, rapid developments and improvements in equipment and indications for the extension of medical ultrasonography into therapy indicated the need for a totally new ultrasonography manual.


The manual (consisting of two volumes) has been written by an international group of experts of the World Federation for Ultrasound in Medicine and Biology (WFUMB), well-known for their publications regarding the clinical use of ultrasound and with substantial experience in the teaching of ultrasonography in both developed and developing countries. The contributors (more than fifty for the two volumes) belong to five different continents, to guarantee that manual content represents all clinical, cultural and epidemiological contexts


This new publication, which covers modern diagnostic and therapeutic ultrasonography extensively, will certainly benefit and inspire medical professionals in improving 'health for all' in both developed and emerging countries.

ISBN 978 92 4 154854 0

CLARKE DATE

Manual of diagnostic ultrasound








volume 2









Manual of diagnostic ultrasound

olume 2 v

Second edition



WHO Library Cataloguing-in-Publication Data

Manual of diagnostic ultrasound. Vol. 2 – 2nd ed. / edited by Elisabetta Buscarini, Harald Lutz and Paoletta Mirk.

1. Diagnostic imaging. 2. Ultrasonography. 3. Pediatrics - instrumentation. 4. Handbooks. I. Buscarini, Elisabetta. II. Lutz, Harald. III. Mirk, P. IV. World Health Organization. V. World Federation for Ultrasound in Medicine and Biology.

ISBN 978 92 4 154854 0

(NLM classification: WN 208)

© World Health Organization 2013

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/ copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

The named editors alone are responsible for the views expressed in this publication.

Production editor: Melanie Lauckner Design & layout: Sophie Guetaneh Aguettant and Cristina Ortiz

Printed in Slovenia

Contents

iii

Acknowledgements	۷	
Chapter 1	1	Safety of diagnostic ultrasound
Chapter 2	7	Obstetrics Domenico Arduini, Leonardo Caforio, Anna Franca Cavaliere, Vincenzo D'Addario, Marco De Santis, Alessandra Di Giovanni, Lucia Masini, Maria Elena Pietrolucci, Paolo Rosati, Cristina Rossi
Chapter 3	131	Gynaecology Caterina Exacoustos, Paoletta Mirk, Stefania Speca, Antonia Carla Testa
Chapter 4	191	Breast Paolo Belli, Melania Costantini, Maurizio Romani
Chapter 5	227	Paediatric ultrasound Ibtissem Bellagha, Ferid Ben Chehida, Alain Couture, Hassen Gharbi, Azza Hammou, Wiem Douira Khomsi, Hela Louati, Corinne Veyrac
Chapter 6	407	Musculoskeletal ultrasound Giovanni G. Cerri, Maria Cristina Chammas, Renato A. Sernik
Recommended reading Index	467 475	

Acknowledgements

The Editors **Elisabetta Buscarini, Harald Lutz** and **Paoletta Mirk** wish to thank all members of the Board of the World Federation for Ultrasound in Medicine and Biology for their support and encouragement during preparation of this manual.

The Editors also express their gratitude to and appreciation of those listed below, who supported preparation of the manuscript by contributing as co-authors and by providing illustrations and competent advice.

Tor Vergata, Rome, ItalyStan Barnett:Discipline of Biomedical Science, Faculty of Medicine, University of Sydney, Sydney, AustraliaIbtissem Bellagha:Department of Paediatric Radiology, Tunis Children's Hospital, Tunis, TunisiaPaolo Belli:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyLeonardo Caforoi:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyLucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyMelania Costantini:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyMarco De Santis:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Obstetrics and Gynecology, Catholic University of Bari, Bari, ItalyJosef Deuerling:Department of Obstetrics and Gynecology, Catholic University of Bari, Bari, ItalyJosef Deuerli	Domenico Arduini:	Department of Obstetrics and Gynecology, University of Roma
 of Sydney, Sydney, Australia lbtissem Bellagha: Department of Paediatric Radiology, Tunis Children's Hospital, Tunis, Tunisia Paolo Belli: Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy Leonardo Caforio: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Lucia Casarella: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Anna Franca Cavaliere: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Anna Franca Cavaliere: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Giovanni Cerri: School of Medicine, University of Sao Paulo, Sao Paulo, Brazil Maria Cristina Chammas: School of Medicine, University of Sao Paulo, Sao Paulo, Brazil Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy Maria Costantini: Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy Alain Couture: Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, France Vincenzo D'Addario: Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, Italy Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth, 		Tor Vergata, Rome, Italy
Ibtissem Bellagha:Department of Paediatric Radiology, Tunis Children's Hospital, Tunis, TunisiaPaolo Belli:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyLeonardo Caforio:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyLucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyMaria Costantini:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Stan Barnett:	Discipline of Biomedical Science, Faculty of Medicine, University
Tunis, TunisiaPaolo Belli:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyLeonardo Caforio:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyLucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, 		of Sydney, Sydney, Australia
Paolo BelliDepartment of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyLeonardo Caforio:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyLucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyMalain Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics and Gynecology, Catholic University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Ibtissem Bellagha:	Department of Paediatric Radiology, Tunis Children's Hospital,
Sacred Heart, Rome, ItalyLeonardo Caforio:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyLucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyGiovanni Cerri:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilFerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Atholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,		Tunis, Tunisia
Leonardo Caforio:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyLucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Arnaud de Villeneuve the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Paolo Belli:	Department of Radiological Sciences, Catholic University of the
 the Sacred Heart, Rome, Italy Lucia Casarella: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Anna Franca Cavaliere: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Giovanni Cerri: School of Medicine, University of Sao Paulo, Sao Paulo, Brazil Maria Cristina Chammas: School of Medicine, University of Sao Paulo, Sao Paulo, Brazil Department of Radiology, Ibn Zohr Center, Tunis, Tunisia Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy Alain Couture: Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, France Vincenzo D'Addario: Department of Obstetrics and Gynecology and Neonatology, University of Bari, Bari, Italy Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth, 		Sacred Heart, Rome, Italy
Lucia Casarella:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyAnna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyGiovanni Cerri:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilPerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics and Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerline:Department of Internal Medicine, Klinikum Bayreuth,	Leonardo Caforio:	Department of Obstetrics and Gynecology, Catholic University of
Anna Franca Cavalierethe Sacred Heart, Rome, ItalyAnna Franca CavaliereDepartment of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyGiovanni CerriSchool of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina ChammasSchool of Medicine, University of Sao Paulo, Sao Paulo, BrazilFerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania CostantiniDepartment of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain CouttereDepartment of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'AddarioDepartment of Obstetrics, Gynecology and Neonatology, University of Bari, ItalyMarco De SantisDepartment of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef DeuerlineDepartment of Internal Medicine, Klinikum Bayreuth,		the Sacred Heart, Rome, Italy
Anna Franca Cavaliere:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyGiovanni Cerri:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilFerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Lucia Casarella:	Department of Obstetrics and Gynecology, Catholic University of
Giovanni Cerri:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilFerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,		the Sacred Heart, Rome, Italy
Giovanni Cerri:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilMaria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilFerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Anna Franca Cavaliere:	Department of Obstetrics and Gynecology, Catholic University of
Maria Cristina Chammas:School of Medicine, University of Sao Paulo, Sao Paulo, BrazilFerid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,		the Sacred Heart, Rome, Italy
Ferid Ben Chehida:Department of Radiology, Ibn Zohr Center, Tunis, TunisiaMelania Costantini:Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, ItalyAlain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Giovanni Cerri:	School of Medicine, University of Sao Paulo, Sao Paulo, Brazil
Melania Costantini: Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy Alain Couture: Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, France Vincenzo D'Addario: Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, Italy Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth,	Maria Cristina Chammas:	School of Medicine, University of Sao Paulo, Sao Paulo, Brazil
Alain Couture: Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, France Vincenzo D'Addario: Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, Italy Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth,	Ferid Ben Chehida:	Department of Radiology, Ibn Zohr Center, Tunis, Tunisia
Alain Couture:Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, FranceVincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,	Melania Costantini:	Department of Radiological Sciences, Catholic University of the
Vincenzo D'Addario:Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, ItalyMarco De Santis:Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, ItalyJosef Deuerling:Department of Internal Medicine, Klinikum Bayreuth,		Sacred Heart, Rome, Italy
 Vincenzo D'Addario: Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, Italy Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth, 	Alain Couture:	Department of Paediatric Radiology, Arnaud de Villeneuve
 University of Bari, Bari, Italy Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth, 		Hospital, Montpellier, France
 Marco De Santis: Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth, 	Vincenzo D'Addario:	Department of Obstetrics, Gynecology and Neonatology,
Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth,		University of Bari, Bari, Italy
Josef Deuerling: Department of Internal Medicine, Klinikum Bayreuth,	Marco De Santis:	Department of Obstetrics and Gynecology, Catholic University of
		the Sacred Heart, Rome, Italy
	Josef Deuerling:	Department of Internal Medicine, Klinikum Bayreuth,
Bayreuth, Germany		Bayreuth, Germany

Alessandra Di Giovanni:	Department of Obstetrics and Gynecology, University of Roma Tor Vergata, Rome, Italy
Alessia Di Legge:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy
Wiem Douira Khomsi:	Department of Paediatric Radiology, Tunis Children's Hospital, Tunis El Manar University, Tunis, Tunisia
Caterina Exacoustos:	Department of Obstetrics and Gynecology, University of Roma Tor Vergata, Rome, Italy
Hassen A Gharbi:	Department of Radiology, Ibn Zohr Center, Tunis, Tunisia
Azza Hammou:	National Center for Radio Protection, Tunis, Tunisia
Hela Louati:	Department of Paediatric Radiology, Tunis Children's Hospital, Tunis, Tunisia
Lucia Masini:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy
Maria Elena Pietrolucci:	Department of Obstetrics and Gynecology, University of Roma Tor Vergata, Rome, Italy
Maurizio Romani:	Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy
Paolo Rosati:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy
Cristina Rossi:	Department of Obstetrics, Gynecology and Neonatology, University of Bari, Bari, Italy
Renato A. Sernik:	Musculoskeletal Dept. Clinical Radiology, University of Sao Paulo, Sao Paulo, Brazil
Stefania Speca:	Department of Radiological Sciences, Catholic University of the Sacred Heart, Rome, Italy
Antonia Carla Testa:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy
Claudia Tomei:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy
Corinne Veyrac:	Department of Paediatric Radiology, Arnaud de Villeneuve Hospital, Montpellier, France
Daniela Visconti:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy
Maria Paola Zannella:	Department of Obstetrics and Gynecology, Catholic University of the Sacred Heart, Rome, Italy

vi

Chapter 1 Safety of diagnostic ultrasound

- Ultrasound and the World Health Organization 3
 - Safety of ultrasound 4
 - Conclusion 6



https://www.yunbaogao.cn/report/index/rep