

Environmental Health Criteria 243

AIRCRAFT DISINSECTION INSECTICIDES

IOMC

INTER-ORGANIZATION PROGRAMME FOR THE SOUND MANAGEMENT OF CHEMICALS

A cooperative agreement among FAO, ILO, UNDP, UNEP, UNIDO, UNITAR, WHO, World Bank and OECD

This report contains the collective views of an international group of experts and does not necessarily represent the decisions or the stated policy of the World Health Organization



The International Programme on Chemical Safety (IPCS) was established in 1980. The overall objectives of the IPCS are to establish the scientific basis for assessment of the risk to human health and the environment from exposure to chemicals, through international peer review processes, as a prerequisite for the promotion of chemical safety, and to provide technical assistance in strengthening national capacities for the sound management of chemicals.

This publication was developed in the IOMC context. The contents do not necessarily reflect the views or stated policies of individual IOMC Participating Organizations.

The Inter-Organization Programme for the Sound Management of Chemicals (IOMC) was established in 1995 following recommendations made by the 1992 UN Conference on Environment and Development to strengthen cooperation and increase international coordination in the field of chemical safety. The Participating Organizations are: FAO, ILO, UNDP, UNEP, UNIDO, UNITAR, WHO, World Bank and OECD. The purpose of the IOMC is to promote coordination of the policies and activities pursued by the Participating Organizations, jointly or separately, to achieve the sound management of chemicals in relation to human health and the environment.

WHO Library Cataloguing-in-Publication Data

Aircraft disinsection insecticides.

(Environmental health criteria; 243)

1. Insect control. 2. Disinfection - methods. 3. Aircraft. 4. Aerospace medicine. 5. Insecticides.

(NLM classification: WD 700)

I. World Health Organization.

ISBN 978 92 4 157243 9 ISSN 0250-863X

© World Health Organization 2013

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who. int). Requests for permission to reproduce or translate WHO publications—whether for sale or for non-commercial distribution—should be addressed to WHO Press through the WHO web site (www.who.int/about/licensing/copyright form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either express or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use

This report contains the collective views of an international group of experts and does not necessarily represent the decisions or the stated policy of the World Health Organization.

The preparation of this report was funded by the European Commission and the Policy Research Programme of the United Kingdom Department of Health. The views expressed in this report do not necessarily reflect the views of these two organizations.

CONTENTS

TERMINOLOGY, ABBREVIATIONS AND ACRONYMS PREFACE					
					FC
AC	CKNO	WLEDG	EMENTS	2	
1.	INTRODUCTION				
2.	PUR	RPOSE			
3.	BACKGROUND			9	
4.	3.1 3.2	3.1.1 3.1.2 3.1.3 3.1.4 Essent	Pre-embarkation cabin disinsection Blocks away disinsection	9 10 10 10 11 11	
••	MODEL			13	
	4.1		Types of health hazard data Evaluation of the toxicity information	13 13 15 18 19 20 21	
	4.2	Expos	ure assessment	27	

		4.2.1	Measured data from the scientific	
			literature	27
		4.2.2	Modelling approach	28
		4.2.3		
			assessment	29
		4.2.4	Algorithms used to estimate exposure	
			and absorbed dose from residual	
			spraying of aircraft disinsection	
			products	33
		4.2.5	Algorithms used to estimate exposure	
			and absorbed dose caused by space	
			spraying of aircraft disinsection	
			products	41
		4.2.6	Total exposure assessment	48
		4.2.7	Uncertainties and assumptions in	
			exposure determining factors and risk	
			calculations	48
	4.3	Risk c	haracterization	49
5.	CON	NCLUSI	ONS	51
6.	SUN	/MARY	OF THE HUMAN HEALTH RISK	
	ASS	ESSME	NT MODEL AND WORKED	
	EXA	MPLES	S	52
RE	FERE	ENCES		71
PA	RT B	—EVAI	LUATION OF CHEMICAL	
IN	SECT	TCIDE	PRODUCTS INTENDED FOR USE	
IN	AIRO	CRAFT	DISINSECTION	77
ΙΝ΄	TROE	UCTIO	N	78
'	11102	00110		, 0
			OF RESIDUAL SPRAY CONCENTRATE	
PR	ODU	CTS (PE	ERMETHRIN)	80
ΕV	'ALUA	ATION (OF SPACE SPRAY AEROSOL	
			R AIRCRAFT HOLD DISINSECTION	90

EVALUATION OF SPACE SPRAY AEROSOL PRODUCTS FOR CABIN DISINSECTION	
(D-PHENOTHRIN)	98
EVALUATION OF SPACE SPRAY AEROSOL	
PRODUCTS FOR CABIN DISINSECTION (PERMETHRIN)	108
EVALUATION OF RESIDUAL SPRAY CONCENTRATE	
PRODUCTS (ETOFENPROX)	115
EVALUATION OF SPACE SPRAY AEROSOL	
PRODUCTS FOR CABIN DISINSECTION	104
(ETOFENPROX)	124
EVALUATION OF OTHER TYPES OF	
DISINSECTION METHOD	134
REFERENCES	135

TERMINOLOGY, ABBREVIATIONS AND ACRONYMS

ADI acceptable daily intake a.i. active ingredient

AOEL acceptable operator exposure level

ARfD acute reference dose

ATSDR Agency for Toxic Substances and Disease Registry

BMD benchmark dose

BMDL lower 95% confidence limit on the BMD

EFSA European Food Safety Authority

GLP good laboratory practice

guideline the insecticide is used according to the instructions scenario given on the product label and in WHO guideline

information

IARC International Agency for Research on Cancer
IHR International Health Regulations (2005)
IPCS International Programme on Chemical Safety
JECFA Joint FAO/WHO Expert Committee on Food

Additives

JMPM Joint FAO/WHO Meeting on Pesticide Management JMPR Joint FAO/WHO Meeting on Pesticide Residues

lax standard a scenario representing less than optimum scenario conditions, such as minor deviations from

instructions, missing or inadequate protective clothing, equipment not functioning perfectly

LD₅₀ median lethal dose

LOAEL lowest-observed-adverse-effect level NOAEC no-observed-adverse-effect concentration

NOAEL no-observed-adverse-effect level

OECD Organisation for Economic Co-operation and

Development

OEL occupational exposure level PPE personal protective equipment

EHC 243: Aircraft Disinsection Insecticides

PSD Pesticides Safety Directorate of the United

Kingdom

RfC reference concentration

RfD reference dose

TSD tolerable systemic dose

TSD_{AC} tolerable systemic dose for acute exposure

TWA time-weighted average UF uncertainty factor

USEPA United States Environmental Protection Agency

WHO World Health Organization

预览已结束,完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5 28269



