

Global Insecticide Use for Vector-Borne Disease Control

A 10-YEAR ASSESSMENT (2000–2009)

Fifth Edition



Global Insecticide Use for Vector-Borne Disease Control

A 10-YEAR ASSESSMENT (2000–2009)

Fifth Edition



**World Health
Organization**

WHO Library Cataloguing-in-Publication Data

Global insecticide use for vector-borne disease control: a 10 -year assessment (2000-2009 -- 5th ed.

WHO/HTM/NTD/VEM/WHOPES/2011.6

1.Insect vectors - drug effects. 2.Insect control. 3.Insecticides. 4.DDT. 5.Data collection. 6.Statistics. 7.Program evaluation. I.World Health Organization.

ISBN 978 92 4 150215 3 (online version)

(NLM classification: WA 240)

First edition, 2002; Second edition, 2004; Third edition, 2007; Fourth edition, 2009 and Fifth edition, 2011.

© World Health Organization 2011

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

WHO/HTM/NTD/VEM/WHOPES/2011.6

CONTENTS

| | |
|---|-----------|
| ACKNOWLEDGEMENTS | v |
| 1. INTRODUCTION | 1 |
| 2. METHODS | 2 |
| 2.1 Collection of information..... | 2 |
| 2.2 Observations on reporting | 3 |
| 2.3 Description of insecticides | 3 |
| 2.4 Data analysis | 5 |
| 2.5 Limitations..... | 6 |
| 3. RESULTS | 7 |
| 3.1 All uses in vector control | 7 |
| 3.1.1 Global use in the WHO Regions | 7 |
| 3.1.2 Global use for individual diseases | 10 |
| 3.1.3 Trends | 11 |
| 3.1.4 Insecticide compounds..... | 16 |
| 3.2 Malaria | 17 |
| 3.3 Dengue..... | 19 |
| 3.4 Leishmaniasis | 21 |
| 3.5 Chagas disease..... | 23 |
| 3.6 Use of selected insecticides | 24 |
| 3.6.1 DDT | 24 |
| 3.6.2 Insect growth regulators | 25 |
| 3.6.3 Bacterial larvicides | 26 |
| 4. REFERENCES | 27 |
| ANNEX 1. STANDARD REPORTING FORM | 29 |
| ANNEX 2. REPORTING PERIOD BY MEMBER STATES IN EACH WHO REGION | 30 |

ACKNOWLEDGEMENTS

The World Health Organization's Department of Control of Neglected Tropical Diseases thanks the many individuals in Member States who assisted with the collection and validation of data on the insecticides used to control vector-borne diseases. The department also wishes to thank the following individuals for their assistance in facilitating the collection of data and/or analysis and preparing the report:

- Dr B. Ameneshewa, WHO Regional Office for Africa, Harare, Zimbabwe
- Dr H. van den Berg, Wageningen University, Arnhem, the Netherlands
- Dr M.S. Chang, WHO Regional Office for the Western Pacific, Manila, Philippines
- Dr A.P. Dash, WHO Regional Office for South-East Asia, New Delhi, India
- Dr M. Ejov, WHO Regional Office for Europe, Copenhagen, Denmark
- Dr J. Hii, Office of the WHO Representative, Manila, Philippines
- Dr A. Mnzava, WHO Regional Office for the Eastern Mediterranean, Cairo, Egypt
- Dr A. Soares da Silva, WHO Regional Office for the Americas
- Dr R. Yadav, Vector Ecology and Management, World Health Organization, Geneva, Switzerland
- Dr M. Zaim, Vector Ecology and Management, World Health Organization, Geneva, Switzerland

The financial support provided by the Bill & Melinda Gates Foundation and the Global Collaboration for Development of Pesticides for Public Health is gratefully acknowledged.

1. INTRODUCTION

Vector control is an important element of strategies used to control major vector-borne diseases globally, and chemical control remains the most widely used approach. In recent years, interventions using insecticides have been scaled up in many countries.

The need to develop effective systems for pesticide management has been emphasized to ensure judicious use of insecticides, manage insecticide resistance, and reduce

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_28630

