

The Humanitarian Emergency Settings Perceived Needs Scale (HESPER):

Manual with Scale



World Health
Organization

KING'S
College
LONDON

WHO Library Cataloguing-in-Publication Data

The humanitarian emergency settings perceived needs scale (HESPER): manual with scale.

1.Emergencies. 2.Relief work. 3.Disasters. 4.Humans. 5.Needs assessment. 6.Manuals. I. World Health Organization. II. King's College London.

ISBN 978 92 4 154823 6 (NLM classification: WA 295)

© World Health Organization 2011

All rights reserved. Publications of the World Health Organization are available on the WHO web site (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press through the WHO web site (http://www.who.int/about/licensing/copyright_form/en/index.html).

For questions or feedback on technical aspects of this publication, please contact either Dr Mark van Ommeren, Department of Mental Health and Substance Abuse, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (email: vanommerenm@who.int, tel: + 41-22-791-2111); or Prof Graham Thornicroft (email: graham.thornicroft@kcl.ac.uk) or Maya Semrau (email: maya.semrau@kcl.ac.uk) at Institute of Psychiatry, King's College London, Box P029, De Crespigny Park, London, SE5 8AF, United Kingdom.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization or King's College London concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

All reasonable precautions have been taken by the World Health Organization and King's College London to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or King's College London be liable for damages arising from its use.

Suggested citation: World Health Organization & King's College London (2011). *The Humanitarian Emergency Settings Perceived Needs Scale (HESPER): Manual with Scale*. Geneva: World Health Organization.

Cover page photo:
Bolosse displacement camp,
Port-au-Prince, Haiti, 2010,
© Maya Semrau

The Humanitarian Emergency Settings Perceived Needs Scale (HESPER):

Manual with Scale



World Health
Organization

KING'S
College
LONDON

Acknowledgements

The development of the HESPER Scale was a collaborative project between the Department of Mental Health and Substance Abuse at the World Health Organization (WHO) Geneva, and the Institute of Psychiatry at King's College London (KCL).

Maya Semrau (KCL) developed the science of the HESPER Scale, conducted each of the seven pilot and field studies, and drafted this publication - all in close consultation with Dr Mark van Ommeren (WHO).

The Medical Research Council (UK) is gratefully acknowledged for funding Maya Semrau (KCL) through a three-year PhD studentship grant.

Steering Group:

The HESPER Project Steering Group consisted of Dr Mark van Ommeren and Dr Andre Griekspoor at WHO, and Professor Graham Thornicroft, Professor Louise M Howard, Dr Heidi Lempp, Dr Morven Leese and Maya Semrau (all at KCL).

International Advisory Group:

The HESPER International Advisory Group consisted of Dr Paul Bolton (John Hopkins University), Mr Kaz de Jong (Medicins Sans Frontieres Holland), Dr Nadine Ezard (Monash University), Prof Richard Garfield (Columbia University), Dr Johan Heffinck (at ECHO during the first two years of the project), Dr Lynne Jones (International Medical Corps), Dr Helen McColl (International Rehabilitation Council for Torture Victims), Dr Pau Pérez-Sales (Medicos del Mundo), Dr Shekhar Saxena (WHO), Dr Mike Slade (KCL), Dr Egbert Sondorp (London School of Hygiene and Tropical Medicine), Dr Zachary Steel (University of New South Wales), Dr Wietse Tol (HealthNet TPO, Yale University), and Dr Mike Wessells (Columbia University).

Gaza:

Data collection in Gaza was organized by Fafo Institute for Applied International Studies (Dr Åge Tiltne and Mr Hani Eldada). The WHO Office in Gaza (Mr Dyaa Saymah) provided advice. Funding was provided by WHO Geneva and Fafo.

Haiti:

Data collection in Haiti was organized by International Medical Corps Haiti (Ms Isabelle Pilotte, Mr Daniel Joselito Charles, Mr Charles Lor and Mr Jason Erb).

Jordan:

Data collection in Jordan was organized by WHO Jordan (Dr Hashim El Mousaad, Dr Anita Marini, and Dr Nada Al Ward). Data collection was implemented by Accurate Opinion (field-testing), and the

Market Research Organisation (pilot-testing). Data collection was funded by the Jordanian Nursing Council, WHO Jordan, and the University of London Central Research Fund. UNHCR provided advice on sampling.

Nepal:

Data collection in Nepal was organized by HealthNet TPO / TPO Nepal (Mr Nagendra Luitel and Dr Mark Jordans). Funding was provided by WHO Geneva. UNHCR Nepal and WHO Nepal provided further support.

Sudan:

Data collection in Sudan was organized by Humanitarian Accountability Partnership (HAP International) (Ms Monica Blagescu).

United Kingdom:

Data collection in the United Kingdom was facilitated by the British Refugee Council (Ms Rachael Hardiman and Mr Alistair Griggs).

We thank all respondents, who participated in our 2008 expert survey, including Dr Alastair Ager (Columbia University), Mr F Jiovani Arias (Fundación Dos Mundos), Dr Nancy Baron (Global Psycho-Social Initiatives), Mr Mihir R Bhatt, (All India Disaster Mitigation Institute), Ms Christina Bitar (UNIFIL), Dr Cécile Bizouerne (Action Contre la Faim), Ms Nan Buzard (American Red Cross), Dr Jorge Castilla (WHO/PAHO), Prof Fatima Castillo (University of the Philippines), Dr Alessandro Colombo (International Rescue Committee), Ms Anjana Dayal (ICRC), Prof Joop de Jong (Vrije Universiteit Amsterdam), Dr Pamela DeLargy (UNFPA), Dr Linda Doull (Merlin), Dr Carolina Echeverri (WHO/PAHO), Dr Girma Ejere (Learning and Skills Council London), Dr Nadine Ezard (LSHTM), Mr Ananda Galappatti (Good Practice Group), Prof Rita Giacaman (Birzeit University), Dr Johan Heffinck (ECHO), Dr Lynne Jones (International Medical Corps), Dr Barbara Lopes Cardozo (Centers for Disease Control and Prevention), Dr Amanda Melville (UNICEF), Ms Carlinda Monteiro (Christian Children's Fund), Mr Charles Owusu (Christian Children's Fund), Ms Chrishara Paranawithana (WHO), Dr Jonathan Polonsky (WHO), Mr Bhava Poudyal (International Catholic Migration Commission), Dr Joe Prewitt (American Red Cross), Ms Sabine Rakotomalala (Terre des Hommes), Dr Bayard Roberts (LSHTM), Dr Jorge Rodriguez (WHO/PAHO), Prof Daya Somasundaram (University of Jaffna), Dr Peter Ventevogel (HealthNet TPO), Dr Johan von Schreeb (Karolinska Institute), Dr Vivien Walden (Oxfam GB), Dr Xiangdong Wang (WHO), Dr Mike Wessells (Columbia University), Ms Wendy Wheaton (independent consultant), Mr John Williamson (USAID), and Dr M Taghi Yasamy (WHO).

We thank Dr Xavier de Radigues (WHO) for reviewing the sections on sampling in this publication.

We thank all interviewers, translators, interpreters and other support staff in Gaza, Haiti, Jordan, Nepal, and Sudan.

Our special thanks go to the interviewed participants in Gaza, Haiti, Jordan (displaced Iraqi people), Nepal (Bhutanese refugees), Sudan, and the United Kingdom (refugees from the Democratic Republic of the Congo).

Table of Contents

General Introduction	7
1 The HESPER Scale	8
1.1 What is the HESPER Scale? – A brief overview	8
1.2 Who may use the HESPER Scale?	8
1.3 In what contexts may the HESPER Scale be used?	8
1.4 How may the HESPER Scale be useful?	9
1.5 Why was the HESPER Scale developed?	10
1.6 What instrument is the HESPER Scale modelled on?	11
1.7 How was the HESPER Scale developed?	12
1.8 What are the HESPER Scale’s psychometric properties?	16
1.9 What is the final structure of the HESPER Scale?	16
2 The HESPER Assessment Process	17
2.1 Overview of the HESPER assessment process	17
2.2 The HESPER assessment process in detail	18
2.2.1 Before interviews	18
1. Initial considerations	18
2. Deciding on your target population	18
3. Adapting the HESPER Scale and interviewers’ training manual to the local context	19
4a. Selecting respondents - Sampling	20
4b. Selecting respondents - Sample size	22
5. Recruiting interviewers	23
6. Rapid training of interviewers	23
2.2.2 During interviews – Issues to consider	24
1. Informed consent	24
2. Confidentiality	25
3. Standardizing interviews	25
4. Supervising interviewers	25
5. Minimizing non-response	25
6. Safety of interviewers and respondents	26
7. Self-care of interviewers	26

2.2.3 During interviews - The interview process from the interviewers' perspective	26
1. An overview of the HESPER interview process	26
2. Making ratings on the HESPER Scale	27
2.2.4 After interviews.	28
1. Data entry	28
2. Data analyses.	28
3. Presenting data	30
4. Identifying potential errors and biases in the results.	30
5. Communicating results to relevant stakeholders	31
6. Conducting follow-up in-depth assessments	31
7. Encouraging stakeholders to address prioritized needs	31
8. Monitoring perceived needs over time.	31
3 References	32
4 Appendices	37
Appendix 1 - Humanitarian Emergency Settings Perceived Needs Scale (HESPER)	38
Appendix 2 - HESPER Training Manual for Interviewers	41
Appendix 3 - Example HESPER Report	71
Appendix 4 - Sampling Guide	80
Appendix 5 - Kish Table	83
Appendix 6 - Performing Sample Size Calculations	84
Appendix 7 - Calculating Confidence Intervals.	87
Appendix 8 - Example Participant Information Sheet / Consent Form	89



预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_28783

