


WHO Policy on TB Infection Control in Health-Care Facilities, Congregate Settings and Households





WHO policy on TB infection control in health-care facilities, congregate settings and households

Stop TB Department

Epidemic and Pandemic Alert and Response Department

HIV/AIDS Department

Patient Safety Programme

World Health Organization, Geneva, Switzerland

WHO policy on TB infection control in health-care facilities, congregate settings and households.

WHO/HTM/TB/2009.419.

1.Tuberculosis – prevention and control. 2.Tuberculosis – transmission. 3.Infection control. 4.Health facilities – standards. 5.Group homes – standards. 6.Health policy. 7.National health programs. I.World Health Organization.

ISBN 978 92 4 159832 3

(NLM classification: WF 200)

© World Health Organization 2009

All rights reserved. Publications of the World Health Organization can be obtained from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press, at the above address (fax: +41 22 791 4806; e-mail: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in France

Contributors and declaration of interests

Contributors

Writer

Fabio Scano, Stop TB Department, WHO

Editor

Hilary Cadman, Biotext, Canberra

WHO Steering Group (responsible for formulating the questions, drafting and finalising the recommendations)

Paul Nunn, Rose Pray and Fabio Scano (Stop TB Department, WHO), Fernando Otaiza and Carmen L. Pessoa Silva (Epidemic and Pandemic Alert and Response Department, WHO), Reuben Granich (HIV/AIDS Department, WHO), Elizabeth Mathai (Patient Safety Programme, WHO).

Systematic review panel (providing assistance throughout the development of the systematic reviews)

Iacopo Baussano (Imperial College, London, United Kingdom [UK]), Paul Jensen (Centers for Disease Control and Prevention [CDC], Atlanta, Georgia, United States of America [USA]), Yuguo Li (University of Hong Kong), Daphne Ling, Dick Menzies, Madhu Pai (McGill University, Canada), Ed Nardell (Partners in Health, Boston, USA), Martina Penazzato (University of Padua, Italy), Fabio Scano and Brian Williams (Stop TB Department, WHO).

Policy panel

Yibeltal Assefa (National AIDS Programme [NAP], Ethiopia), William Coggin (Office of the United States Global AIDS Coordinator), Liz Corbett (Biomedical Research and Training Institute, Harare, Zimbabwe), Wafaa El-Sadr (Columbia University, USA), Anthony Harries (International Union Against Tuberculosis and Lung Disease, Paris, France), Paul Jensen (CDC, USA), Jeroen van Gorkom (KNCV Tuberculosis Foundation, Netherlands), Afranio Lineu Kritski (Federal University of Rio de Janeiro, Brazil), Ziad Memish (WHO Collaborating Centre on Infection Control, Saudi Arabia), Bess Miller (CDC, USA), Mohammed Mulongo (The AIDS Support Organization, Uganda), Ed Nardell (Partners in Health, Boston, USA), Nii Hanson-Nortey (National TB Programme, Ghana), Sue Perez (Treatment Action Group, Washington DC, USA), Alasdair Reid (The United Nations Joint Programme on HIV/AIDS [UNAIDS]), Hernan Reyes (International Committee of the Red Cross, Geneva, Switzerland), Joseph Sitienei (National TB Programme, Kenya), Cheri Vincent (United States Agency for International Development), Robin Vincent-Smith (Médecins Sans Frontières), Grigory Volchenkov (Vladimir Oblast TB Dispensary, Russia) and Gini Williams (International Council of Nurses, Switzerland).

WHO secretariat

WHO regional advisers and staff.

Contributors

Michael Gardam (Agency for Health Protection and Promotion, Canada), Masoud Dara and Kitty Lambregts, (KNCV Tuberculosis Foundation, Netherlands), Barbara de Zaluendo (UNAIDS), Angelica Salomão and Celia Woodfill (WHO African Region Office), Pilar Ramon-Pardo (WHO Region of the Americas Office), Lucica Ditiu (WHO European Region Office), Karin Bergstrom, Colleen Daniels, Haileyesus Getahun, Salah Ottmani, Mario Raviglione, Lana Tomaskovich Velebit, Diana Weil and Susan Wilburn (WHO Headquarters, Geneva), Puneet Dewan (WHO South-East Asia Region Office), Masaki Ota (WHO Western Pacific Region Office).

Acknowledgements

WHO would like to acknowledge the contributions of Paul Jensen (CDC, USA), Ed Nardell (Partners in Health, Boston, USA) and Carmen L. Pessoa Silva (Epidemic and Pandemic Alert and Response Department, WHO) for technical proof-reading of the document.

Summary of declaration of interests of the members of the systematic review and policy panels and representatives of partner agencies

All members of the policy panel and the systematic review panel and additional reviewers were asked to complete a WHO declaration of interest form. Iacopo Baussano and Madhu Pai declared contractual agreement with WHO for conducting the systematic review that informed the development of this document. Liz Corbett declared a contractual agreement with WHO for a survey of health workers in six African countries.

WHO wishes to acknowledge the generous contribution of the United States Agency for International Development, The Bill & Melinda Gates Foundation and the Centers for Disease Control and Prevention, Atlanta, Georgia, USA, for the production of this document.

Contents

| | |
|--|-----|
| Contributors and declaration of interests | iii |
| Abbreviations and acronyms | vii |
| Executive summary | ix |
| 1 Introduction | 1 |
| 1.1 Rationale | 1 |
| 1.2 Objective | 2 |
| 1.3 Target audience | 2 |
| 1.4 Scope | 2 |
| 1.5 Policy formulation process | 3 |
| 1.6 Dissemination process | 3 |
| 1.7 Structure | 4 |
| 1.8 Evidence levels | 4 |
| 2 National and subnational activities to reduce transmission of TB..... | 5 |
| 2.1 Set of control activities – national and subnational | 5 |
| 2.2 Specific national and subnational activities | 5 |
| 2.2.1 Activity 1 – Identify and strengthen a coordinating body for infection control, and develop a comprehensive budgeted plan that includes human resource requirements for implementation of TB infection control at all levels | 5 |
| 2.2.2 Activity 2 – Ensure that health facility design, construction, renovation and use are appropriate | 6 |
| 2.2.3 Activity 3 – Conduct surveillance of TB disease among health workers, and conduct assessment at all levels of the health system and in congregate settings ... | 7 |
| 2.2.4 Activity 4 – Address TB infection control advocacy, communication and social mobilization (ACSM), including engagement of civil society | 7 |
| 2.2.5 Activity 5 – Monitor and evaluate the set of TB infection control measures | 8 |
| 2.2.6 Activity 6 – Enable and conduct research | 8 |
| 3 Reducing transmission of TB in health-care facilities | 9 |
| 3.1 Set of control measures – facility level | 9 |
| 3.1.1 Facility-level managerial activities | 9 |
| 3.1.2 Other types of control | 9 |
| 3.2 Specific facility-level activities – managerial | 10 |
| 3.2.1 Control 7 – Implement the set of facility-level managerial activities | 10 |
| 3.3 Specific facility-level controls – administrative | 11 |
| 3.3.1 Control 8 – Promptly identify people with TB symptoms (triage), separate infectious patients, control the spread of pathogens (cough etiquette and respiratory hygiene) and minimize time spent in health-care facilities | 11 |
| 3.3.2 Control 9 – Provide a package of prevention and care interventions for health workers including HIV prevention, antiretroviral therapy and isoniazid preventive therapy for HIV-positive health workers..... | 12 |
| 3.3.3 Additional administrative controls..... | 13 |

| | | |
|-------|---|----|
| 3.4 | Specific facility-level controls – environmental | 13 |
| 3.4.1 | Control 10 – Use ventilation systems | 13 |
| 3.4.2 | Control 11 – Use of upper room or shielded ultraviolet germicidal irradiation fixtures | 14 |
| 3.5 | Specific facility-level controls – personal protective equipment | 15 |
| 3.5.1 | Control 12 – Use of particulate respirators | 15 |
| 4 | Infection control for congregate settings | 17 |
| 4.1 | Managerial activities in congregate settings | 17 |
| 4.2 | Administrative controls in congregate settings | 17 |
| 4.3 | Environmental controls in congregate settings | 18 |
| 4.4 | Personal protective equipment in congregate settings | 18 |
| 5 | Reducing transmission of TB in households | 19 |
| 6 | Prioritizing measures and setting targets for TB infection control | 21 |
| 6.1 | Prioritization of TB infection control measures | 21 |
| 6.2 | Targets for TB infection control | 22 |
| 7 | Strength of the public health recommendations..... | 23 |
| | Glossary | 35 |
| | References | 39 |

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_29297

