

Laboratory guidelines for enumerating CD4 T lymphocytes in the context of HIV/AIDS



SEA-HLM-392 (Revision) Distribution: General

Laboratory guidelines for enumerating CD4 T lymphocytes in the context of HIV/AIDS



© World Health Organization 2009

All rights reserved.

Requests for publications, or for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – can be obtained from Publishing and Sales, World Health Organization, Regional Office for South-East Asia, Indraprastha Estate, Mahatma Gandhi Marg, New Delhi 110 002, India (fax: +91 11 23370197; e-mail: publications@searo. who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

This publication does not necessarily represent the decisions or policies of the World Health Organization.

Printed in India

Contents

Acro	onyms	and abbreviations	V		
1.	Natı	ural history of HIV infection	1		
	1.1	Magnitude of the problem	1		
	1.2	Biology of HIV	3		
	1.3	Pathogenesis of HIV	5		
	1.4	Factors influencing HIV disease progression	9		
	1.5	WHO clinical staging of HIV-related disease in adults and adolescents aged 15 years or more	11		
2.	Role	e of CD4 T lymphocytes in disease progression	13		
	2.1	CD4 T lymphocytes and HIV	13		
	2.2	CD4 T lymphocyte counts and antiretroviral therapy	15		
	2.3	CD4 T lymphocyte count as indicator of treatment failure	16		
	2.4	CD4 T lymphocyte count in paediatric population	18		
3.	Prin	Principles of flow cytometry			
	3.1	Introduction			
	3.2	What is flow cytometry?	21		
	3.3	Instrument description	22		
	3.4	Use of fluorochromes in flow cytometry	25		
	3.5	Optimizing the flow cytometer settings	26		
4.	Met	Methods of CD4 T lymphocyte enumeration			
	4.1	Introduction	29		
	4.2	Flow cytometric methodologies	29		
	4.3	Selections of methodology for CD4 T lymphocytes count estimation	39		
	4.4	Importance of reference ranges in interpretation of the CD4 T lymphocyte counts obtained in the laboratory			

5.	Alte	rnate methods for CD4 T lymphocytes enumeration	
	5.1	Introduction	
	5.2	Manual method	
	5.3	Newer methodologies	
	5.4	Non-CD4 markers for monitoring HIV disease progression and for initiation and monitoring the success of anti-retroviral therapy46	
6.	Qua	lity management in CD4 T lymphocytes enumeration 47	
	6.1	Management requirements	
	6.2	Technical requirements	
7.	Esta	blishing a laboratory for CD4 T lymphocyte enumeration 55	
	7.1	Suggested requirements at different levels55	
	7.2	Selection of methodology for CD4 T lymphocyte counts56	
	7.3	Establishment of a CD4 T lymphocyte enumeration laboratory 56	
		Annexes	
1.	Coll	ection and transport of specimens59	
2.	General biosafety guidelines for immunophenotyping laboratory 63		
3.	Pipetting techniques		
4.	Sugg	gested format for sample transport, receipt and report form 67	
5.	Uset	ful references	
6.	List	of contributors	

Acronyms and abbreviations

AIDS acquired immunodeficiency syndrome

ART antiretroviral therapy

ARV antiretroviral

CD cluster of differentiation
CD4 T-lymphocyte CD4+
CV Coefficient of variation

EDTA ethylenediamine tetra-acetate

FBC full blood count FSC forward scatter

FITC fluorescein Isothiocyanate

FCM flow cytometer

FACSCount fluorescent activated cell sorter count

FDA Food and Drug Administration
HIV human immunodeficiency virus

IATA International Air Transport Association

TLC total lymphocyte count

UN United Nations

UNAIDS Joint United Nations Programme on HIV/AIDS

UPS uninterrupted power supply

VCTC Voluntary Counseling and Testing Centre

WBC white blood cells

WHO World Health Organization

EQAS External Quality Assessment Scheme IQAS Internal Quality Assessment Scheme

GLP good laboratory practice

nm nanometer

μl microliter
 PE phycoerythrin
 PLG panLeucogating
 QA quality assurance
 QC quality control

Ols opportunistic infections

SOP standard operating procedures

SSC side scatter

SEA South-East Asia

SEARO Regional Office for South-East Asia

PEP post-exposure prophylaxis US/USA the United States of America

预览已结束,完整报告

https://www.yunbaogao.cn/report/ind