

WORLD MALARIA REPORT 2005

Prepared by:

Roll Back Malaria
World Health Organization
UNICEF



WHO Library Cataloguing-in-Publication Data

World Health Organization.

World malaria report 2005.

1.Malaria - prevention and control 2.Malaria - drug therapy 3.Antimalarials 4.Bedding and linens - utilization 5.Treatment outcome 6.National health programs 7.Cost of illness 7.Statistics I.UNICEF II.Title.

ISBN 92 4 159319 9 (NLM classification: WC 765) WHO/HTM/MAL/2005.1102

ISBN 92 806 3880 7 UNICEF

© World Health Organization and UNICEF, 2005

All rights reserved.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization and UNICEF concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization and UNICEF in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization and UNICEF to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either express or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or UNICEF be liable for damages arising from its use.

Layout: WHO/CME & Bruno Duret, France

Printed in

Copies of World Malaria Report 2005 are available from:

Marketing and Dissemination
World Health Organization
20, avenue Appia
1211 Geneva 27, Switzerland
E-mail: bookorders@who.int
<http://rbm.who.int/wmr2005>

CONTENTS

ACKNOWLEDGEMENTS	vi
ACRONYMS AND ABBREVIATIONS	vii
USERS' GUIDE AND EXPLANATORY NOTES	viii
FOREWORD	xi
EXECUTIVE SUMMARY	xii

INTRODUCTION	1
---------------------------	---

SECTION I: GLOBAL MALARIA SITUATION

I. DATA AVAILABILITY AND SOURCES	5
1. Countries with malaria	5
2. WHO annual malaria reporting	6
3. Reported cases and deaths from health information systems	6
4. Monitoring antimalarial drug efficacy	7
5. Coverage of interventions through household surveys	8
6. Malaria-related commodities and service delivery	9
7. Finances	9
8. Presentation of results	10
II. MALARIA BURDEN	11
III. MALARIA CONTROL POLICIES AND STRATEGIES	14
1. Treatment policies	14
2. Insecticide-treated nets	15
3. Indoor residual spraying and other methods of vector control	16
4. Malaria control during epidemics and complex emergencies	16
5. Malaria prevention and treatment in pregnant women	17

SECTION II: MALARIA CONTROL, BY REGION

I. AFRICA	
1. Disease burden	19
2. Control efforts and progress towards Abuja coverage targets	22
3. Coverage of mosquito nets and insecticide-treated nets	22
4. Coverage of antimalarial treatment	31
5. Malaria prevention and treatment in pregnant women	34
6. Coverage of indoor residual spraying	36
7. Coverage of epidemic detection and control	36
8. Drug efficacy	36
9. Malaria and HIV/AIDS	39

II. ASIA	
1. Disease burden and control efforts in:	
– Eastern Mediterranean	40
– Central Asia and Transcausasia	43
– South-East Asia	45
– Western Pacific	50
2. Age/sex distribution of reported cases	53
3. Coverage of mosquito nets and insecticide-treated nets	56
4. Drug efficacy	57
III. THE AMERICAS	
1. Disease burden	59
2. Control efforts	61
3. Drug efficacy	61
SECTION III: GLOBAL FINANCING, COMMODITIES AND SERVICE DELIVERY	
I. FINANCING	65
1. Sources of national financing	65
2. The Global Fund to Fight AIDS, Tuberculosis and Malaria	67
II. COMMODITIES AND SERVICE DELIVERY	68
1. Net sales and (re-)treatments	68
2. Insecticides used for vector control	69
3. Drug supplies	71
4. Development of new drugs, diagnostics, insecticides and vaccines	72
SECTION IV: IMPROVING ROLL BACK MALARIA MONITORING AND EVALUATION—THE WAY FORWARD	
1. Overview of Roll Back Malaria monitoring and evaluation	75
2. Key Roll Back Malaria coverage and impact indicators, by region	76
3. Recent progress in monitoring	77
4. Limitations in available data and recommended improvements	80
REFERENCES	85
ANNEX 1: SELECTED COUNTRY PROFILES	91
ANNEX 2: COUNTRY DATA, BY REGION	
Regional and subregional classification of countries and territories	213
Explanatory notes for regional tabulations	214
(Regional tabulations are numbered from Table A.1 to Table A.22)	

ANNEX 3: MAPS

1. Global distribution of malaria transmission risk, 2003	281
2. Global distribution of dominant malaria vectors, 2003	282
3. Estimated incidence of clinical malaria episodes—caused by any species— resulting from local transmission, country level averages, 2004	283
4. Estimated incidence of clinical <i>P. falciparum</i> episodes resulting from local transmission, country level averages, 2004	284
5. Drug resistance to <i>P. falciparum</i> from studies in sentinel sites, up to 2004	285
6. Countries that include artemisinin-based combination therapy in antimalarial treatment policy, as of 2004	286

ANNEX 4: THE ROLL BACK MALARIA MONITORING AND EVALUATION REFERENCE GROUP

Mortality Task Force	287
Morbidity Task Force	288
Malaria-related Anaemia Task Force	289
Survey and Indicator Guidance Task Force	289
Strengthening Country Capacity for Monitoring and Evaluation Task Force	290

ANNEX 5: DEFINITIONS

WHO standard malaria case definitions	291
Other definitions	292

ANNEX 6: RBM AND WHO GUIDELINES ON MALARIA CONTROL 293

LIST OF BOXES

1. Key malaria control goals and targets	3
2. Estimated global distribution of clinical malaria cases	12
3. Estimated Africa-wide insecticide-treated net usage by children under 5 years of age	24
4. Integrating insecticide-treated net distribution with scaled-up immunization campaigns in Zambia and Togo	27
5. Scaling up net distribution in Malawi	29
6. Insecticide-treated net coverage increases in Mali and Senegal under UNICEF's Accelerated Child Survival and Development initiative	30
7. Burundi: treatment policy change in the midst of a complex emergency	33
8. Vector control and strengthened surveillance in Socotra Island, Yemen.....	42
9. Indonesia confronts malaria epidemics through outreach in poor rural areas	48
10. Focused indoor residual spraying controls malaria in Sri Lanka	49
11. Successful malaria control in Sabah, Malaysia	52
12. Impact of “focalized treatment” strategy in Mexico	62

ACKNOWLEDGEMENTS

This report was prepared by the World Health Organization (WHO) Roll Back Malaria (RBM) Department and the United Nations Children's Fund (UNICEF) and written by Eline Korenromp, John Miller, Bernard Nahlen, Tessa Wardlaw and Mark Young.

Those who assisted in compiling information include:

Abdikamal Alisalad (WHO Regional Office for Africa), Medhin Ambachew (WHO Ethiopia), Morris Amos (MoH Vanuatu), Hoda Atta (WHO Regional Office for the Eastern Mediterranean), Bernard Bakote'e (MoH Solomon Islands), Nathan Bakyaita (WHO Regional Office for Africa), Mario Baquilod (MoH Philippines), Keith Carter (WHO Regional Office for the Americas), Eva Christophel (WHO Regional Office for the Western Pacific), Tran Cong Dai (WHO Viet Nam), Cheick Oumar Coulibaly (WHO Mali), Eva de Carvalho (WHO Mozambique), Maryse Dugue (RBM Partnership Secretariat), Mikhail Ejov (WHO Regional Office for Europe), Soce Fall (WHO Regional Office for Africa), Bayo Fatunmbi (WHO Nigeria), Gado Habi (WHO Niger), Khoti Gausi (WHO Regional Office for Africa), Jeffrey Hii (WHO Solomon Islands), Luke Honiola (MoH Solomon Islands), Pernille Joergensen (WHO Regional Office for the Western Pacific), Mika Kawano (WHO Geneva), Yadany Kim (WHO Lao People's Democratic Republic), Vijay Kumar (WHO Regional Office for South-East Asia), Dapeng Luo (WHO Papua New Guinea), Nganga Makina (WHO Democratic Republic of the Congo), Leo Makita (MoH Papua New Guinea), Jorge Méndez-Galván (MoH Mexico), Etienne Minkoulou (WHO Regional Office for Africa), Augustine Ngindu (WHO Kenya), Tuoyo Okorosobo (WHO Regional Office for Africa), Shafie Bin Ooyub (MoH Malaysia), Kevin Palmer (WHO Regional Office for the Western Pacific), Kidong Park (MoH Republic of Korea), Samlane Phompida (Lao People's Democratic Republic), Magda Robalo (WHO Regional Office for Africa), Pascal Ringwald (WHO Geneva), Chusak Prasittisuk (WHO Regional Office for South-East Asia), Rakesh Rastogi (WHO Regional Office for South-East Asia), Aafje Rietveld (WHO Geneva), Pascal Ringwald (WHO Geneva), Seyha Ros (WHO Vanuatu), Murugasampillay Shiva (WHO Geneva), Doung Socheat (MoH Cambodia), Thomas Sukwa (WHO Regional Office for Africa), Krongthong Thimasarn (WHO Regional Office for South-East Asia), Reiko Tsuyuoka (WHO Cambodia), Le Khanh Thuan (MoH Viet Nam), Joseph Uchudi (WHO Regional Office for Africa), Raman Velayudhan (WHO Philippines), James Wangi (MoH Papua New Guinea), Juliana Yartey (WHO Geneva), Morteza Zaim (WHO Geneva), Ghasem Zamani (WHO Regional Office for the Eastern Mediterranean).

Much of the information presented comes from national malaria control programme representatives, who have been tirelessly responsible for coordinating and reporting on the progress of RBM activities in their respective countries. Information on the coverage of RBM interventions is derived from available surveys conducted through national statistical offices, national malaria control programmes and various RBM partners including nongovernmental organizations and research organizations.

The staff of the WHO/RBM Department and RBM Partnership Secretariat, and the members of the RBM Monitoring and Evaluation Reference Group (MERG) Kent Campbell, Rick Steketee and Trent Ruebush, are thanked for reviewing drafts of the report and for critical comments. Finally, the assistance of Eric Seiber in analysing and preparing figures for antimalarial drug efficacy is greatly appreciated.

ACRONYMS AND ABBREVIATIONS

ACT	artemisinin-based combination therapy
AIDS	acquired immunodeficiency syndrome
AIMI	Africa Integrated Malaria Initiative
DDT	dichlorodiphenyltrichloroethane
DFID	United Kingdom Department for International Development
DHS	Demographic and Health Surveys
DTP	diphtheria–tetanus–pertussis
GFATM	Global Fund to Fight AIDS, Tuberculosis and Malaria
HIS	health information system
HIV	human immunodeficiency virus
IPT	intermittent preventive treatment
IRS	indoor residual spraying
ITN	insecticide-treated net
LLIN	long-lasting insecticidal net
MDG	Millennium Development Goal
MERG	Monitoring and Evaluation Reference Group
MICS	Multiple Indicator Cluster Surveys
MIS	Malaria Indicator Survey
MoH	Ministry of Health
NGO	nongovernmental organization
NMCP	national malaria control programme
PSI	Population Services International
RAVREDA	Amazon Network for the Surveillance of Antimalarial Drug Resistance
RBM	Roll Back Malaria
UNDP	United Nations Development Programme
UNICEF	United Nations Children’s Fund
USAID	United States Agency for International Development
WHO	World Health Organization
WHOPES	WHO Pesticide Evaluation Scheme

USERS' GUIDE AND EXPLANATORY NOTES

1. Country data by region

Regional and subregional classifications of countries and territories are presented in Annex 2. The information from countries and territories considered to be malaria-endemic is presented from three broad global regions: Africa, Asia and the Americas, which are further divided into subregions. Groupings are based on geographical proximity and, secondarily, on existing WHO regional groupings.

2. WHO standard definitions

All WHO standard malaria case definitions and other related definitions are presented in Annex 5.

3. Where space is limited, the following abbreviations have been used:

• in country or region names:

C. America	Central America
C. Asia	Central Asia
CAR	Central African Republic
DPR Korea	Democratic People's Republic of Korea
Dr Congo	Democratic Republic of the Congo
Eastern Medit.	Eastern Mediterranean
Iran	Islamic Republic of Iran
Lao PDR	Lao People's Democratic Republic
Sao Tome & Prin.	Sao Tome and Principe
SE Asia	South-East Asia
UAE	United Arab Emirates
UR Tanzania	United Republic of Tanzania

• in drug names:

AQ	amodiaquine
AQ+SP	amodiaquine+sulfadoxine-pyrimethamine
ATM	artemether
ATM+CO	artemether+chloroquine

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_29876

