

## **Nutrients in Drinking Water**

Water, Sanitation and Health Protection and the Human Environment World Health Organization Geneva WHO Library Cataloguing-in-Publication Data

Nutrients in drinking water.

1. Water supply. 2. Potable water. 3. Water treatment. 4. Nutrition. 5. Micronutrients. I. World Health Organization.

ISBN 92 4 159398 9

(NLM classification: WA 687)

## © World Health Organization 2005

All rights reserved. Publications of the World Health Organization can be obtained from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 3264; fax: +41 22 791 4857; email: <u>bookorders@who.int</u>). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press, at the above address (fax: +41 22 791 4806; email: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either express or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

The named authors alone are responsible for the views expressed in this publication.

Printed at the Printing and Binding Service WHO Geneva, Switzerland

## TABLE OF CONTENTS

	Prefa	ce	i
	Ackn	owledgements	iii
1.	NUT	RIENTS IN DRINKING WATER - Consensus at Meeting	1
	I.		1
	II.	Topics Examined in the Meeting	3
	III.	Drinking Water and Health Relationships	6
	IV.	Conclusions and Recommendations	10
2.	DES BAC	SALINATION GUIDELINES DEVELOPMENT FOR DRINKING WATER CKGROUND ( <i>Joseph A. Cotruvo</i> )	13
	I.	Introduction	13
	II.	Drinking Water Production	13
	III.	Desalination Technologies	16
	IV.	Membranes	17
	۷.	Distillation Technologies	17
	VI.	Other Systems	18
	VII.	Potential Technical Issues Associated With Desalination	19
	VIII.	Petroleum Contamination	20
	IX.	Conclusion	23
3.	WA <sup>-</sup> INT/	TER REQUIREMENTS, IMPINGING FACTORS AND RECOMMENDED AKES (Ann C. Grandjean)	25
	I.	Introduction	25
	II.	Adverse Consequences of Inadequate Water Intake, Requirements for Water, and Factors that Affect Requirements	25
4.	ESS (Ma	ENTIAL NUTRIENTS IN DRINKING WATER nuel Olivares & Ricardo Uauy)	41
	I.	Introduction	41
	II.	Definition of Nutritional Requirements and Recommendations	41
	III.	What are the Important Dietary Minerals and Electrolytes in the Diet and Potentially in Water that are Essential for Nutrition and Wellbeing?	43
	IV.	What are the RDAs for Minerals and Electrolytes and how are they determined?	44

5. MINERALS FROM DRINKING WATER: BIOAVAILABILITY FOR V/ WORLD POPULATIONS AND HEALTH IMPLICATIONS (Choon N			61
	I.	Introduction	61
	II.	Studies in Asia	61
	III.	Studies in Pan-America	63
	IV.	Studies in Africa	64
	V.	Studies in North America	64
	VI.	Studies in Europe	65
	VII.	Studies in the Western Pacific Region	68
	VIII.	Conclusion	68
6. THE CONTRIBUTION OF DRINKING WATER TO TOTAL DAILY DIETARY INTAKES OF SELECTED TRACE MINERAL NUTRIENTS IN THE UNITED STATES (Joyce Morrissey Donohue, Charles O. Abernathy, Peter Lassovszky, George Hallberg)			
	I.	Introduction	75
	II.	Sources of Information	76
	III.	Data and Analysis	77
	IV.	Results	80
	V.	Conclusions	88
7.	MINE (Les	ERAL ELEMENTS TO CARDIOVASCULAR HEALTH slie M. Klevay & Gerald F. Combs)	92
	I.	Introduction	92
	II.	Nutritional Determinants of Heart Disease Risk	92
	III.	Water and Heart Disease	93
	IV.	Other Illnesses Related to Water Mineral Content	93
	V.	Hardness Good or Softness Bad?	93
	VI.	Trace Elements in Water Supplies	94
	VII.	Conclusion	95
8.	STUI POF	DIES OF MINERAL AND CARDIAC HEALTH IN SELECTED PULATIONS ( <i>Floyd J. Frost</i> )	101
	I.	Introduction	101
	II.	Magnesium Deficiency	101

III.	Calcium, Copper, and Zinc Deficiencies	103			
IV.	Magnesium, Strenuous Exercise, and Sudden Cardiac Death	103			
۷.	Conclusions	103			
э. НО <i>(</i> G	W TO INTERPRET EPIDEMIOLOGICAL ASSOCIATIONS Sunther F. Craun & Rebecca L. Calderon)	108			
I.	Introduction	108			
П.	Types of Epidemiological Studies	109			
Ш.	The Exposure-Disease Association	111			
IV.	Causality of an Association	113			
V.	Web of Causation	114			
VI.	Conclusions	114			
10. WATER HARDNESS AND CARDIOVASCULAR DISEASE: A REVIEW OF THE EPIDEMIOLOGICAL STUDIES, 1957-78 (Rebecca L. Calderon & Gunther F. Craun))					
Ι.	Introduction	116			
П.	Scientific Reviews by Expert Groups	116			
III.	Summary of the Epidemiological Studies	118			
IV.	Strength of Association	121			
۷.	Exposure-Response Relationship	122			
VI.	Specificity of the Association	122			
VII.	Reversibility	122			
VIII	Biological Plausibility	123			
IX.	Conclusions	123			
11. DRINKING WATER HARDNESS AND CARDIOVASCULAR DISEASES: A REVIEW OF THE EPIDEMIOLOGICAL STUDIES, 1979-2004 (Silvano Monarca, Francesco Donato, Maria Zerbini)					
I.	Introduction	127			
II.	Methods	128			
III.	Results	128			
IV.	Discussion	130			
v.	Conclusions				

12. HE <i>(Fr</i>	EALTH RISKS FROM DRINKING DEMINERALISED WATER <pre>rantisek Kozisek)</pre>	. 148			
I.	Introduction	148			
П.	Health Risks from Consumption of Demineralised or Low-mineral Water	150			
III.	Desirable Mineral Content of Demineralised Drinking Water	155			
IV.	Guidelines and directives for calcium, magnesium, and hardness levels in drinking water	157			
۷.	Conclusions	158			
13. NUTRIENT MINERALS IN DRINKING WATER: IMPLICATIONS FOR THE NUTRITION OF INFANTS AND YOUNG CHILDREN (Erika Sievers)16					
I.	Introduction	164			
П.	Assessment of Mineral Intake in infant Nutrition	164			
Ш.	The Quantitative Intake of Drinking Water in Infancy and early Childhood	165			
IV.	The Contribution of Drinking Water to Nutrient Mineral Intake in Infancy and Early Childhood	169			
V.	Conclusions	175			
14. FLUORIDE (Michael Lennon, Helen Whelton, Dennis O'Mullane, Jan Ekstrand)					
I.	Introduction	180			
П.	Fluoride Intake in Humans	180			
Ш.	Dental Effects of Ingested Fluoride	181			
IV.	Ingested Fluoride and Health	182			
۷.	Implications of Desalination	182			
VI.	Conclusion	183			

## PREFACE

The World Health Organization assembled a diverse group of nutrition, medical and scientific experts in Rome in November 2003, at the WHO European Centre for Environment and Health, to address a number of questions relating to the nutrient composition of drinking water and the possibility that drinking water could in some circumstances contribute to total dietary nutrition. The original impetus of the meeting was as a contribution to development of Guidance on health and environmental aspects of desalination that was initiated by the WHO Eastern Mediterranean Regional Office, and intended ultimately to contribute to the development of the 4th edition of the WHO Guidelines for Drinking Water Quality (GDWQ). There were 18 invited experts from Canada, Chile, Czech Republic, Germany, Ireland, Italy, Moldova, Singapore, Sweden, United Kingdom and United States of America. Additional papers were provided by invitees who could not attend. The task was to examine the potential health consequences of longterm consumption of water that had been 'manufactured' or 'modified' to add or delete minerals. In particular, the meeting originated from the question of the consequences of the long-term consumption of waters that had been produced from demineralization processes like desalination of seawater and brackish water as well as possibly some membrane treated fresh waters, and their optimal reconstitution from the health perspective.

The scope of the review included these questions:

- What is the potential contribution of drinking water to human nutrition?
- What is the typical daily consumption of drinking water for individuals, considering climate, exercise, age and other factors?
- Which substances are found in drinking water that can contribute significantly to health and well-being?
- Under what conditions can drinking water become a significant contribution to the total lietary intake of certain beneficial substances?
- What conclusions can be drawn about the relationship between calcium, magnesium and other trace elements in water and mortality from certain types of cardiovascular disease?
- For which substances, if any, can a case be made from the public health perspective for supplementation of the mineral content of treated drinking water derived from demineralized water?
- What is the role of fluoride in such water with respect to dental benefits, dental fluorosis and skeletal fluorosis?

Drinking water is usually subjected to one or more treatment processes aimed at improving its safety and/or its aesthetic quality. Fresh waters can be treated by one or more processes such as coagulation, sedimentation, granular media filtration, adsorption, ion exchange, membrane filtration, slow sand filtration, and disinfection, and sometimes softening. The conversion of high salinity waters like seawater and brackish waters to potable water by desalination is being increasingly practiced in water-short areas as demand for water increases, and the technology becomes more economically attractive. More than 6 billion gallons of desalinated water are produced daily throughout the world. Remineralization of desalinated water is necessary to control its aggressiveness to piped distribution systems. Since remineralization of desalinated water is required, a logical question is: are there methodologies that could bring with them additional benefits such as by reconstituting certain important minerals?

Natural waters are of widely diverse compositions depending upon their geologic and geographical origin and the treatments that they have undergone. For example, rain waters and some rain water-dominated surface waters have very low salinity and mineralization, whereas some ground waters can become highly, and sometimes excessively mineralized. If

remineralization of processed water is desirable for health reasons, another logical question is whether some natural waters would also be more healthful if they also contained appropriate amounts of beneficial minerals.

The meeting concluded that only a few minerals in natural waters had sufficient concentrations and distribution to expect that their consumption in drinking water might sometimes be a significant supplement to dietary intake in some populations. Magnesium and possibly calcium were the two most likely significant contributors to dietary intake in populations that consumed 'hard' water. Information was provided on about 80 of many epidemiology studies of varying quality over the last 50 years that had addressed the issue of hard water consumption and possibly reduced incidence of ischemic cardiovascular disease in populations. Although the studies were mostly ecological and of varied quality, the meeting concluded that on balance they indicated that the hard water /CVD beneficial hypothesis was probably valid, and that magnesium was the more likely positive contributor to the benefits. This conclusion was supported by several case control studies as well as clinical studies. There were other possible health benefits that had been reported, but there was not sufficient data in hand to address those matters. The meeting also concluded that before making a Guidance determination, WHO should undertake a more detailed assessment of that hypothesis to include an examination of its biological plausibility. A follow-up symposium and meeting is being planned in 2006 to address that recommendation.

In respect to fluoride, the meeting concluded that optimal levels of fluoride intake from water are known to contribute beneficially to dental health. It also noted that higher intake levels can contribute to dental fluorosis, and much higher levels cause skeletal fluorosis. It concluded that a decision to remineralize demineralized water with fluoride would depend upon: the concentration of fluoride in the existing water supply, the volume of water consumed, the prevalence of risk factors for dental caries, oral hygiene practices and the level of public dental health awareness in the community, and the presence of alternative vehicles for dental care and fluoride available to the population.

https://www.yunbaogao.cn/report/index/report?reportId=5 29962

"结束,

完整报告链接机二维码如

