

Pesticide residues in food—2002

WHO/PCS/03.1

Toxicological evaluations

**Sponsored jointly by FAO and WHO
with the support of the International Programme
on Chemical Safety (IPCS)**

**Joint meeting of the
FAO Panel of Experts on Pesticide Residues
in Food and the Environment
and the
WHO Core Assessment Group**

Rome, 16–25 September 2002

The summaries and evaluations contained in this book are, in most cases, based on unpublished proprietary data submitted for the purpose of the JMPR assessment. A registration authority should not grant a registration on the basis of an evaluation unless it has first received authorization for such use from the owner who submitted the data for JMPR review or has received the data on which the summaries are based, either from the owner of the data or from a second party that has obtained permission from the owner of the data for this purpose.

**WORLD
HEALTH
ORGANIZATION
Geneva, 2003**

Joint Meeting of the FAO Panel of Experts on Pesticides Residues in Food and the Environment and the WHO Core Assessment Group (2002 : Rome, Italy) Pesticide residues in food : 2002 : toxicological evaluations / Joint Meeting of the FAO Panel of Experts on Pesticides Residues in Food and the Environment and the WHO Core Assessment Group, Rome, 16-25 September 2002.

I. Pesticide residues - toxicity 2. Food contamination 3. No-observed-adverse-effect level I. FAO Panel of Experts on Pesticide Residues in Food and the Environment II. WHO Core Assessment Group on Pesticide Residues III. Title.

ISBN 92 4 166518 1

(NLM classification: WA 240)

This report contains the collective views of two international groups of experts and does not necessarily represent the decisions nor the stated policy of the Food and Agriculture Organization of the United Nations or the World Health Organization.

The preparatory work for the toxicological evaluations of pesticide residues carried out by the WHO Expert Group on Pesticide Residues for consideration by the FAO/WHO Joint Meeting on Pesticide Residues in Food and the Environment is actively supported by the International Programme on Chemical Safety (IPCS) within the framework of the Inter-Organization Programme for the Sound Management of Chemicals.

The International Programme on Chemical Safety (IPCS), established in 1980, is a joint venture of the United Nations Environment Programme (UNEP), the International Labour Organisation (ILO), and the World Health Organization (WHO). The overall objectives of the IPCS are to establish the scientific basis for assessing the risk to human health and the environment from exposure to chemicals, through international peer-review processes as a prerequisite for the promotion of chemical safety, and to provide technical assistance in strengthening national capacities for the sound management of chemicals.

The Inter-Organization Programme for the Sound Management of Chemicals (IOMC) was established in 1995 by UNEP, ILO, the Food and Agriculture Organization of the United Nations, WHO, the United Nations Industrial Development Organization, and the Organisation for Economic Co-operation and Development (Participating Organizations), following recommendations made by the 1992 United Nations Conference on the Environment and Development to strengthen cooperation and increase coordination in the field of chemical safety. The purpose of the IOMC is to promote coordination of the policies and activities pursued by the Participating Organizations, jointly or separately, to achieve the sound management of chemicals in relation to human health and the environment.

© World Health Organization 2003

All rights reserved. Publications of the World Health Organization can be obtained from Marketing and Dissemination, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 2476; fax: +41 22 791 4857; email: bookorders@who.int). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to Publications, at the above address (fax: +41 22 791 4806; email: permissions@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

The World Health Organization does not warrant that the information contained in this publication is complete and correct and shall not be liable for any damages incurred as a result of its use.

TABLE OF CONTENTS

	Page
List of participants	v
Abbreviations	ix
Introduction	xi
Toxicological evaluations	
Acephate	3
Carbofuran (addendum)	37
Esfenvalerate*	41
Ethephon (addendum)	77
Fenamiphos (addendum)	85
Flutolanil*	89
Lindane	117
Metalaxyl and metalaxyl-M*	165
Methamidophos	223
Oxamyl	255
Oxydemeton-methyl (addendum)	283
Tolyfluanid	299
Triazophos	351
Studies of developmental neurotoxicity and their use in establishing acute reference doses and acceptable daily intakes	401
Annex 1. Reports and other documents resulting from previous Joint Meetings of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and WHO Expert Groups on Pesticide Residues	443

* First full evaluation

**2002 Joint Meeting of the FAO Panel of Experts on
Pesticide Residues in Food and the Environment
and the WHO Core Assessment Group**

Rome, 16–25 September 2002

PARTICIPANTS

Toxicological Core Assessment Group¹

Professor A.R. Boobis, Section on Clinical Pharmacology, Division of Medicine, Imperial College School of Medicine, London, United Kingdom (*Rapporteur*)

Dr L. Davies, Scientific Director, Chemicals & Non-Prescription Medicines Branch, Therapeutic Goods Administration, Commonwealth Department of Health and Ageing, Woden, ACT, Australia

Dr V.L. Dellarco, Environmental Protection Agency, Office of Pesticide Programs, Health Effects Division, Washington DC, USA

Dr H. Häkansson, Institute of Environmental Medicine, Karolinska Institutet, Division of Risk Assessment and Organohalogen Pollutants, Stockholm, Sweden

Dr A. Moretto, Dipartimento Medicina Ambientale e Sanità Pubblica, Università di Padova, Padova, Italy (*Chairman*)

Dr M. Tasheva, Associate Professor of Toxicology, National Center of Hygiene, Medical Ecology and Nutrition, Sofia, Bulgaria

FAO Panel of Experts on Pesticide Residues in Food and the Environment

Dr U. Banasiak, Federal Biological Research Centre for Agriculture and Forestry, Kleinmachnow, Germany

Dr E. Dutra Caldas, University of Brasilia, College of Health Sciences, Pharmaceutical Sciences Department, Campus Universitário Darci Ribeiro, and Central Laboratory of Public Health of Federal District, Brasília DF, Brazil (*Rapporteur*)

Dr S. Funk, Health Effects Division, Environmental Protection Agency, Washington DC, USA

Mr D.J. Hamilton, Principal Scientific Officer, Animal & Plant Health Service, Department of Primary Industries, Brisbane, Queensland, Australia (*Vice-Chairman*)

Dr B.C. Ossendorp, Centre for Substances and Risk Assessment, National Institute of Public Health and the Environment (RIVM), Bilthoven, Netherlands

Dr Y. Yamada, Research Planning and Coordination Division, National Food Research Institute, Tsukuba, Japan

Secretariat

Dr A. Ambrus, Head, Agrochemicals Unit, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, IAEA, Vienna, Austria

¹ Unable to attend: Professor J.F. Borzelleca, Department of Pharmacology and Toxicology, Virginia Commonwealth University, Medical College of Virginia, Richmond, Virginia, USA

Mr B. Declercq, Ministère de l'Economie et des Finances, Laboratoire interrégional de la DGCCRF, Massy, France (*FAO Consultant*)

Dr I. Dewhurst, Pesticides Safety Directorate, King's Pool, York, England (*WHO Temporary Adviser*)

Dr K. Hamernik, Environmental Protection Agency, Washington DC, USA (*WHO Temporary Adviser*)

Dr J.L. Herrman, International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland (*WHO Joint Secretary*)

Dr A.R.C. Hill, Department for Environment, Food and Rural Affairs, Central Science Laboratory, Sand Hutton, York, England (*FAO Consultant*)

Dr H. Jeuring, Chairman, Codex Committee on Pesticide Residues, Senior Public Health Officer Food Inspectorate for Health Protection and Veterinary Public Health Ministry of Health, Welfare and Sport, The Hague, Netherlands

Dr S. Khan, Department of Chemistry, George Mason University, Fairfax, Virginia, USA (*FAO Editor*)

Dr J.-J. Larsen, Head, Department of General Toxicology, Institute of Toxicology, Danish Veterinary and Food Administration, Søborg, Denmark (*WHO Temporary Adviser*)

Dr S.J. Logan, Therapeutics Goods Administration, Department of Health & Aged Care, Woden, ACT, Australia (*WHO Temporary Adviser*)

Mr D. Lunn, Programme Manager (Residues-Plants), Dairy and Plant Products Group, New Zealand Food Safety Authority, Wellington, New Zealand (*FAO Consultant*)

Mr A.F. Machin, London, England (*FAO Consultant*)

Dr D. MacLachlan, Australian Quarantine and Inspection Service, Department of Agriculture, Forestry and Fisheries, Australia, Kingston, ACT, Australia (*FAO Consultant*)

Dr T.C. Marrs, Food Standards Agency, London, England (*WHO Temporary Adviser*)

Ms S. Malezieux, Ministère de L'Agriculture, Paris, France (*FAO Consultant*)

Dr D.B. McGregor, Lyon, France (*WHO Temporary Adviser*)

Dr J. Maskeliunas, Food Standards Officer, Joint FAO/WHO Food Standards Programme, Food and Nutrition Division, Food and Agriculture Organization of the United Nations (FAO), Rome, Italy

Dr E. Mendez, Health Effects Division, Office of Pesticide Programs, Environmental Protection Agency, Washington DC, USA (*WHO Temporary Adviser*)

Dr S.W. Page, International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland

Dr Whang Phang, Health Effects Division, Office of Pesticide Programs, Environmental Protection Agency, Washington DC, USA (*WHO Temporary Adviser*)

Dr F. Rodrigues Puga, Instituto Biológico, Secretariat of Agriculture of the State of São Paulo, São Paulo, Brazil (*WHO Temporary Adviser*)

Ms N. Scheidegger, Food Safety, European Centre for Environment and Health, World Health Organization, Rome, Italy

Dr R. Solecki, Pesticides and Biocides Division, Federal Institute for Health Protection of Consumers and Veterinary Medicine, Berlin, Germany (*WHO Temporary Adviser*)

Dr A. Takagi, Department of Toxicology, National Institute of Health Sciences, Tokyo, Japan (*WHO Temporary Adviser*)

Dr A.W. Tejada, Pesticide Management Group, Food and Agriculture Organization of the United Nations (FAO), Rome, Italy (*FAO Joint Secretary*)

Dr G. Vaagt, Senior Officer, Pesticide Management Group, Food and Agriculture Organization of the United Nations (FAO), Rome, Italy

- Dr C. Vleminckx, Toxicology Division, Scientific Institute of Public Health, Ministry of Social Affairs, Public Health and Environment, Brussels, Belgium (*WHO Temporary Adviser*)
- Dr G. Wolterink, Centre for Substances & Risk Assessment, National Institute of Public Health and the Environment (RIVM), Bilthoven, Netherlands (*WHO Temporary Adviser*)

Abbreviations used

ADI	acceptable daily intake
AUC	area under the curve
bw	body weight
C _{max}	maximal concentration
CMC	carboxymethylcellulose
CPIA	2-(4-chlorophenyl)isovaleric acid
CYP	cytochrome P450
DMCF	<i>N,N</i> -dimethyl-2-nitriloacetamide
DMOA	dimethylamino(oxo)acetic acid
DMSO	dimethyl sulfoxide
DMTO	methyl 2-(dimethylamino)- <i>N</i> -hydroxy-2-oxo-ethanimidothioate
EDTA	ethylenediamine tetraacetic acid
EEC	European Economic Community
EPA	Environmental Protection Agency (USA)
F ₀	parental generation
F ₁ (1a, 1b, 1c...)	first filial generation (succeeding litters)
F ₂ (2a, 2b, 2c...)	second filial generation (succeeding litters)
F ₃	third filial generation
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act (USA)
FOB	functional observational battery
GD	gestation day
GLP	good laboratory practice
HDT	highest dose tested
HID	highest ineffective dose
IC ₅₀	median inhibitory concentration
ID ₅₀	median inhibitory dose
IPCS	International Programme on Chemical Safety
JMPR	Joint FAO/WHO Meeting on Pesticide Residues
LC ₅₀	median lethal concentration
LD ₅₀	median lethal dose
LED	lowest effective dose
LOAEL	lowest-observed-adverse-effect level
LOD	limit of detection
LOQ	limit of quantification
NADPH	nicotinamide adenine dinucleotide phosphate (reduced form)
NOAEL	no-observed-adverse-effect level

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_30203

