

**CHEMICAL METHODS FOR THE CONTROL OF
VECTORS AND PESTS OF PUBLIC HEALTH
IMPORTANCE**



Edited by: D.C. Chavasse and H.H. Yap

**World Health Organization
Division of Control of Tropical Diseases
WHO Pesticide Evaluation Scheme**

© WORLD HEALTH ORGANIZATION

This document is not a formal publication of the World Health Organization (WHO) and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced and translated, in part or in whole, but not for sale or for use in conjunction with commercial purposes.

Printed through a financial contribution by the members of the Insecticide Resistance Action Committee of GCPF (Global Crop Protection Federation, formerly GIFAP).

Contents

	Page
Acknowledgements	
1. General considerations	1
1.1 Introduction	1
1.2 Scope and layout of the manual	3
1.3 Selecting an appropriate chemical control strategy	5
1.4 Pesticide formulations	5
1.5 Pesticide application equipment	7
1.6 Pesticide resistance	10
2. Mosquitos	13
2.1 <i>Anopheles</i> spp.	13
2.2 <i>Aedes</i> spp.	17
2.3 <i>Culex</i> spp.	23
2.4 <i>Mansonia</i> spp.	25
3. Flies	30
3.1 <i>Musca domestica</i> and other synanthropic species	30
3.2 <i>Glossina</i> spp.	37
3.3 <i>Simulium</i> spp.	40
3.4 <i>Phlebotomus</i> , <i>Culicoides</i> and related genera	42
3.5 <i>Chrysops</i> spp.	44
4. Fleas	50
4.1 <i>Xenopsylla</i> spp.	50
4.2 <i>Pulex</i> spp.	51
4.3 <i>Ctenocephalides</i> spp.	52
5. Bedbugs	57
5.1 <i>Cimex lectularius</i> and <i>Cimex hemipterus</i>	57
6. Triatomine bugs	60
6.1 <i>Triatoma</i> , <i>Panstrongylus</i> and <i>Rhodnius</i> spp.	61
7. Lice	64
7.1 <i>Pediculus humanus</i>	64
7.2 <i>Pediculus capitis</i>	66
7.3 <i>Phthirus pubis</i>	67
8. Cockroaches	69
8.1 <i>Blattella</i> and other genera	69

9. Ticks and mites	74
9.1 <i>Ixodes</i> , <i>Dermacentor</i> , <i>Amblyomma</i> and other Ixodid ticks	74
9.2 <i>Ornithodoros</i> and related argasid ticks	75
9.3 <i>Leptotrombidium</i> and other trombiculid mites	75
9.4 <i>Sarcoptes</i>	76
10. House dust mites	79
10.1 Control of house dust mites	79
11. Venomous arthropods	82
11.1 <i>Centruroides</i> and other scorpions	82
11.2 <i>Latrodectus</i> , <i>Loxosceles</i> and other spiders	83
11.3 <i>Vespula</i> , <i>Polistes</i> and related wasps	83
12. Snails	85
12.1 Suitable molluscicides for snail control	85
12.2 Where to apply molluscicides	86
12.3 When to apply molluscicides	87
12.4 How to apply molluscicides	87
12.5 Evaluation of mollusciciding operations	87
12.6 Precautions	88
13. Rodents	89
13.1 Rodent-borne diseases	89
13.2 Rodent control	91
14. Repellents	96
14.1 Compounds used as repellents	96
14.2 Application methods	97
14.3 Treatment sites	97
14.4 Level of protection from different arthropods	98
14.5 Precautions	99
15. Insecticide treated mosquito nets or curtains	100
15.1 Why treat nets or curtains with insecticide?	100
15.2 Types of mosquito net	101
15.3 Insecticides for net treatment	102
15.4 Treating mosquito nets and curtains	103
15.5 Retreatment of nets	105
15.6 Precautions	106
16. Household insecticide products	108
16.1 Types of household insecticide product	108
16.2 Household insecticide products and public health	110

17. Safe use of pesticides	112
17.1 General principles of safety measures	112
17.2 Operative procedures	117
17.3 Diagnosis and treatment of insecticide poisoning	122
18. Pesticide application rates and conversion factors	124
18.1 Preparation of spray suspension from water dispersible powders	124
18.2 Formulation of emulsifiable concentrates and sprays.	125
18.3 Amount of formulation required to give a specific weight of active ingredient per unit area.	127
18.4 Conversion tables for dosages in parts per million	129
18.5 Area measurements for space applications	130
18.6 Dosages in relation to space applications	131
18.7 Approximate conversion factors: metric, imperial and American units.	132
Annex I. Pesticide products which have passed WHO Pesticide Evaluation Scheme (WHOPES)	134

ACKNOWLEDGEMENTS

The Division of Control of Tropical Diseases (CTD) wishes to thank the following for their valuable contributions to this edition:

Dr N.G. Bao, Clorox Technical Centre, 7200 Johnson Drive, Pleasanton, CA 94588, USA

Mr C. Boase, Pest Management Consulting, Cowslip Pightle, Suffolk CB9 9AF, UK

Dr A.P. Buckle, Zeneca, Fernhurst, Surrey GU27 3JE, UK

Mr K.N. Chetwyn, Department of Military Entomology, Royal Defense Medical College, Millbank, London SW1P 4RJ, UK

Dr Donald Coppen, Cyanamid International, Gembloux, Belgium

Dr C.F. Curtis, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, UK

Dr P.M.P. Desjeux, CTD/TRY, WHO, CH-1211, Geneva 27, Switzerland

Dr N. Gratz, 4, Ch. du Ruisseau, 1291 Commugny, Switzerland

Dr J.H. Hainze, SC Johnson & Son Inc, 1525 Howe Street, Racine, Wisconsin 53403-2236, USA

Dr G. Hesse, Bayer AG, Leverkusen, Germany

Mr N. Hill, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, UK

Dr T.M. Ho, Division of Acarology, Institute for Medical Research, Kuala Lumpur, Malaysia

Mr J. Invest, AgrEvo, Berkhamsted, Herts HP4 2DY, UK

Dr J. B. Jespersen, Statens Skadedyrlaboratorium, Skovbrynet 14, DK-2800 Lyngby, Denmark

Dr A.M. Jordan, Holly House, Plud Street, Wedmore, Somerset BS28 4BE, UK

Dr D. Kelili, DowElanco, 222 Sophia-Antipolis Cedex 06904, France

Dr A.B. Knudsen, CTD/FIL, WHO, CH-1211, Geneva 27, Switzerland

Mrs F.N. Lebtahi, formerly WHOPES, WHO, CH-1211, Geneva 27, Switzerland

Dr C.Y. Lee, Vector Control Research Unit, School of Biological Sciences, Universiti Sains Malaysia, 11800 Penang, Malaysia

Mr B. Lett, Reckitt & Colman Products, 33 Hope Street, Errington, NSW 2115, Australia

Dr J.D. Lines, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, UK

Dr G. A. Matthews, International Pesticide Application Research Centre, Imperial College, Silwood Park, Berks SL5 7PY, UK

Mr S. Matsuo, Sumitomo, Tokyo, Japan

Mr J. Milliner, FMC, P.O. Box 8, Princeton, New Jersey 08543, USA

Dr A. Moncayo, CTD/TRY, WHO, CH-1211, Geneva 27, Switzerland

Dr M.S. Mulla, Department of Entomology, University of California, Riverside, Calif. 92521, USA.

Mr M. Nakamura, Mitsui Toatsu Chemicals, 2-5 Kasumigaseki, 3-Chome, Chiyoda-ku, Tokyo 100, Japan

- Dr I. Piccione, Novartis, Animal Health AH7.9, Basle, Switzerland
- Dr C. Prasittisuk, WHO Regional Office for South-East Asia, New Delhi, India
- Dr P. Reiter, Centers for Disease Control, Dengue Branch, 2 Calle Casia, San Juan, Puerto Rico 00921-3200
- Dr L. Savioli, CTD/SIP, WHO, CH-1211, Geneva 27, Switzerland
- Dr R. Schenker, Ciba-Geigy Ltd, AG 9.67, CH-4002 Basle, Switzerland
- Dr C.J. Schofield, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, UK
- Ms M.A. Stackpoole, WHO, CH-1211, Geneva 27, Switzerland
- Dr R. Sturrock, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, UK
- Mr M. van Maanan, Rhône-Poulenc, Lyon, France
- Dr K.M. Vagn Larsen, Statens Skadedyrlaboratorium, Skovbrynet 14, DK-2800 Lyngby, Denmark
- Dr G.B. White, Zeneca, Fernhurst, Surrey GU27 3JE, UK
- Dr H.S. Yong, Department of Zoology, University of Malaya, 59100 Kuala Lumpur, Malaysia
- Dr M. Zaim, CTD/WHOPES, WHO, CH-1211, Geneva 27, Switzerland

预览已结束，完整报告链接和二维码如下：

https://www.yunbaogao.cn/report/index/report?reportId=5_30616

