Trypanosomiasis Control Manual



Acknowledgements

Grateful acknowledgement is made to all public health workers and scientists who have contributed by their criticism and encouragements, in the compilation of this manual. The preparation and first edition of this manual was made possible thanks to generous financial assistance voluntarily provided by the governments of Netherlands and Switzerland and from the development programme of the Director of the WHO regional office for Africa.

Many of the tests described in this manual are the results of recent research effort directly or indirectly guided and supported by the UNDP/World Bank/WHO Special Programme for Research and Training in Tropical Diseases Advice and comments made by members of the Steering Committees are gratefully acknowledged, particularly those of Dr J-L. Frézil and Professor D.H. Molyneux. Special thanks are addressed to Mr P. Godwin, Training Officer with the African Medical Research Foundation (AMREF) for having spent so much time to make this booklet legible and readible for all those who will be using it. Deepest gratitude is expressed to the translator and secretaries who have spent many hours for the preparation of this draft.


If you have any:

criticism comments or remarks

If you find in this manual any:

errors omissions

or if you just appreciate it, please write to:



What is this Manual?

It is a preprint of the WHO Manual for staff involved in the control of African human trypanosomiases. It will be issued in French and English in 1985 as part of WHO's programme "The Primary Health Care Approach Towards the Control and Prevention of Sleeping Sickness". The purpose of the programme is to help national services in achieving better surveillance coverage of the population at risk. The programme aims at training staff and providing regular supplies for the diagnosis and treatment of the patients using the simple techniques available which can be applied by small rural health centres, mobile teams, as well as

Who is it for ?

The manual is composed of several sections, written for primary health care workers, nurses, medical assistants and medical doctors. also serve as a reference document for public health administrators. The first section is addressed to rural health workers, the second to mobile team staff, the third to treatment centres, while the fourth is meant for those who are interested in understanding more about the disease and its control. Technical sheets have been assembled at the end of the manual for easy reference by all. This preprint of the manual has been carefully designed and controlled to ensure its readability for all kinds of workers.


The distribution of the present tentative edition is restricted to pilot programmes and research centres.

Who can contribute to improve it ?

The reader is asked to treat this manual as a test document and is invited to express his opinion concerning it, in order to make the 1985 edition a useful document for a wide range of readers.

How can you contribute ?

The secretariat would be most grateful for any criticism or comments from all African countries concerned. These should be addressed to the Director of the WHO Regional Office for Africa in Brazzaville, Congo. For Sudan, it should be addressed to the Director of the WHO Regional Office for the Eastern Mediterranean in Alexandria, Egypt. A copy should be sent to WHO, Unit for Trypanosomiasis, Geneva, Switzerland.



Map of Africa showing the countries where cases of human African Trypanosomiasis have been reported between 1969 and 1975. (Report of a Joint WHO Expert Committee and FAO Expert Consultation 1979 Technical Report Series 635.

Table of contents	Pag
SECTION 1 - SLEEPING SICKNESS AND RURAL HEALTH	1
What is Sleeping Sickness or human trypanosomiasis	2
How do healthy perons become infected	3
Who is likely to get infected	4
Can you recognize this disease and cure it	5
Is trypanosomiasis an important disease	6
How can you recognize a person who has	
trypanosomiasis early	7
Is a person with early trypanosomiasis a danger	
to others	8
What are the major later signs	9
What happens if you do not succeed in recognizing	
these patients and seeing that they are treated	10
Why is early diagnosis of the disease so important	10
What can every health worker do	10
Who are clinical suspects	11
Who else should you test	11
How to test suspects and others	12
What to do with those suspects and others who	
are positive	13
What happens at the treatment centre	14
SECTION 2 - SLEEPING SICKNESS AND MOBILE TEAMS	15
What is new about trypanosomiasis	16
How will it make you work more effective	16
How does it affet the expense of your team	16
How should you use the CATT reagents	17
How to choose the area for your work	17
How should you prepare the population for your survey	17
How to organize your team	18
How should the team behave	19
Whom to test	19
What is a road block	19
How to maintain records	19
How to collect specimens	20
How to run the test	21
How to interpret the results	21
What to note on the day book	21
When should you perform the test again	22
What to do with seroloical suspects	22
What to do with clinical or serological suspects	22

DX



centre	
task of the treatment centre	26
ith serologically positive cases	27
ith a case already confirmed in the	
	30
tions must you take before the	
somal treatment	33
ic treatment scheme should you choose	35
ects should you expect during treatment	39
ne to minimize adverse side-effects	
jection	41
angers	43
e resistant to treatment	43
roblems the staff may encounter	43
eally critical during treatment	44
e a follow-up of the patient	44
The second secon	
RE ABOUT TRYPANOSOMIASIS	45
RE ABOUT INTERNOUNTAGES	~-
	47
	47
	48
	51
- •	53
pecies	
.r	54
	5
	5
	56
	50
ind reproduction	5
ı	5
)gy	59
endemic areas	5!
leeping Sickness)
2	6.
ion period	6.
on of the blood and lymph circulation	6.
stage	6.
I am and Compatible Aminabases	- 6

EEPING SICKNESS AND TREATMENT CENTRES

25