

WHO recommendation on Tocolytic therapy for improving preterm birth outcomes







WHO recommendation on Tocolytic therapy for improving preterm birth outcomes





WHO recommendation on tocolytic therapy for improving preterm birth outcomes

ISBN 978-92-4-005722-7 (electronic version) ISBN 978-92-4-005723-4 (print version)

© World Health Organization 2022

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules/).

Suggested citation. WHO recommendation on tocolytic therapy for improving preterm birth outcomes. Geneva: World Health Organization; 2022. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

Sales, rights and licensing. To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see https://www.who.int/copyright.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Contents

Ackr	nowle	edgements	\	
Acro	nym	s and abbreviations	v	
Exec	utive	e Summary	vi	
	Intro	oduction	vi	
	Target audience			
	Reco	ommendation development methods	vi	
	Reco	ommendations	vi	
1	Introduction			
	1.1	Background	1	
	1.2	Rationale and objectives	1	
	1.3	Aim	2	
	1.4	Target audience	2	
	1.5	Identification of priority questions and outcomes	2	
	1.6	Scope of the recommendation	2	
2	Met	hods	3	
	2.1	Executive Guideline Steering Group	3	
	2.2	WHO Steering Group	3	
	2.3	Guideline Development Group (GDG)	3	
	2.4	Evidence Synthesis Group	3	
	2.5	External partners and observers	4	
	2.6	External Review Group	4	
	2.7	Evidence identification and retrieval	4	
	2.8	Quality assessment and grading of the evidence	Ē	
	2.9	Formulation of the recommendation	6	
	2.10	Management of declaration of interests	-	
	2.11	Decision-making during the GDG meetings	-	
	2.12	Document preparation and peer review	3	
3	Reco	ommendation and supporting evidence	9	
	3.1	Recommendation	Ç	
4	Diss	emination and implementation of the recommendation	11	
	4.1	Dissemination and evaluation	11	
	4.2	Implementation considerations	11	
	4.3	Anticipated impact on the organization of care and resources	13	
	4.4	Monitoring and evaluating guideline implementation	13	
5	Rese	earch implications	14	
6	Upd	ating the recommendation	15	
7	Refe	erences	16	
Ann	ex 1.	External experts and WHO staff involved in the preparation of the recommendations	18	
Ann	ex 2.	Priority outcomes used in decision-making	21	
Ann	ex 3:	Summary and management of declared interests from GDG members	22	
Web	Anne	ex: Evidence-to-Decision Frameworks	24	
		https://apps.who.int/iris/bitstream/handle/10665/363130/9789240057241-eng.pdf		

Acknowledgements

The Department of Sexual and Reproductive Health and Research and the Department of Maternal, Newborn, Child and Adolescent Health, World Health Organization (WHO) gratefully acknowledge the contributions of many individuals and organizations to the updating of this recommendation. Work on this update was initiated by Olufemi Oladapo and Doris Chou of the WHO Department of Sexual and Reproductive Health and Research. Joshua Vogel of the Burnet Institute, Australia, co-ordinated the evidence synthesis and guideline update. Doris Chou, Tina Lavin and Olufemi Oladapo of the WHO Department of Sexual and Reproductive Health and Research and Rajiv Bahl, Maurice Bucagu, Ayesha De Costa and Karen Edmond of the WHO Department of Maternal, Newborn, Child and Adolescent Health were members of the WHO Steering Group, that managed the recommendation updating process.

The World Health Organization (WHO) extends its sincere thanks to Shabina Ariff, Elena Ateva, Maria Laura Costa, Gary Darmstadt, Bissallah Ekele, David Haas, Caroline Homer, Jeeva Sankar, Joy Lawn, Pisake Lumbiganon, Silke Mader, Elizabeth Molyneux, Ashraf Nabhan, Hiromi Obara, Sarah Stock, Khalid Yunis and Hoang Thi Tran who served as members of the Guideline Development Group (GDG), and to Zahida Qureshi for chairing the meetings. We also thank Edgardo Abalos, Philippa Middleton, Suneeta Mittal, Siddarth Ramji and Haroon Saloojee who were members of the External Review Group.

The WHO appreciates the contributions of the members of the Executive Guideline Steering Group during the scoping and prioritization exercise that took place as part of the WHO maternal and perinatal health guideline updating process. Special thanks to the authors of the systematic reviews used in this update for their assistance and collaboration in updating them.

Meghan Bohren, Jenny Cao, Ioannis Gallos, Victoria Hodgetts-Morton, Leanne Jones, Frances Kellie, Katie Morris, Jen Ramson, Joshua Vogel and Myfanwy Williams were members of the Evidence Synthesis Group, who performed quality appraisal of the scientific evidence, and drafted the corresponding narrative evidence summaries and Evidence-to-Decision frameworks. Jen Ramson and Joshua Vogel drafted the final recommendation document with substantial input from Doris Chou, Tina Lavin and Olufemi Oladapo, before it was reviewed by other members of the WHO Steering Group and the GDG. The External Review Group reviewed the final document prior to publication clearance by WHO.

WHO acknowledges the following observers at the technical consultations, who represented various organizations: Deborah Armbruster and Leah Greenspan (United States Agency for International Development), Hilary Gammill (Bill & Melinda Gates Foundation), William Keenan (International Pediatric Association), Andrew Shennan (International Federation of Gynecology and Obstetrics) and Ingela Wiklund (International Confederation of Midwives).

The contributions from staff at the WHO regional offices are gratefully acknowledged, including Bremen de Mucio (Pan American Health Organization [PAHO]/Latin American Center of Perinatology, Women and Reproductive Health [CLAP/WR]), Adrian Pablo Duran (PAHO), Rodolfo Gomez (PAHO), Karima Gholbzouri (Regional Office for the Eastern Mediterranean [EMRO]), Chandani Anoma Jayathilaka (Regional Office for South-East Asia [SEARO]), Nancy Kidula (Regional Office for Africa [AFRO]), Oleg Kuzmenko (Regional Office for Europe [EURO]), Priya Mannava (Regional Office for the Western Pacific [WPRO]), Triphonie Nkurunziza (AFRO), Neena Raina (SEARO), Suzanne Serruya (PAHO) and Howard Sobel (WPRO).

WHO acknowledges the financial support for this work received from USAID and the UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme of Research, Development and Research Training in Human Reproduction, Department of Sexual and Reproductive Health and Research. WHO would like to emphasize that donors did not participate in any decision related to the recommendation development process, including the composition of research questions, membership of the recommendation development groups, conducting and interpretation of systematic reviews, or formulation of the recommendations. The views of the funding bodies have not influenced the content of this recommendation.

Acronyms and abbreviations

BMGF Bill & Melinda Gates Foundation

CerQUAL Confidence in the Evidence from Reviews of Qualitative Research

DOI Declaration of Interest
EtD Evidence-to-Decision

FIGO International Federation of Gynecology and Obstetrics

GDG Guideline Development Group

GSG Guideline Steering Group

GRADE Grading of Recommendations, Assessment, Development, and Evaluation

ICM International Confederation of Midwives

IM Intramuscular

MCA [WHO Department of] Maternal, Newborn, Child and Adolescent Health

MMAT Mixed Methods Appraisal Tool

NMA network meta-analysis

PICO population (P), intervention (I), comparison (C), outcome (O)

RoBANS Risk of Bias Assessment Tool for Non-randomized Studies

ROBINS-I Risk Of Bias In Non-randomized Studies of Interventions

SRH [WHO Department of] Sexual and Reproductive Health and Research

UNDP United Nations Development Programme

UNICEF United Nations Population Fund
UNICEF United Nations Children's Fund

USAID United States Agency for International Development

WHO World Health Organization

预览已结束, 完整报告链接和二维码如下:

https://www.yunbaogao.cn/report/index/report?reportId=5_31950



